

2724-242

ACCEPTED

AUG 3 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. _____ SUBJECT
TO ATTACHED COMMENTS.

flea collar

Do not open until ready for use.

CAUTION: DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR


ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl N-Methylcarbamate) 12.00%

INERT INGREDIENTS 88.00%

For full cautions and directions for use,
see accompanying carton label.

LOT NO GCG11 CR



2724-242

DIRECTIONS FOR USE:

Buckle flea collar around puppy's neck. Collar must be worn loosely. Any collar, when buckled too tightly, may cause skin irritation. Attach collar so that two fingers may be inserted easily between collar and puppy's neck. Cut off any excess length of collar, leaving ample length for expansion as the puppy grows. Dispose of excess collar by discarding in trash.

Check and adjust collar periodically to assure a loose fit. The flea collar starts killing fleas when it is placed around the puppy's neck. The fleas on the puppy will be killed and new ones which may temporarily appear on the puppy will also be killed for 2 to 3 months. Use in addition to regular collar. When bathing puppy, remove collar until puppy is dry. Replace collar when effectiveness diminishes.

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl N-Methylcarbamate) 12.00%

INERT INGREDIENTS: 88.00%

CAUTION: Do not open inner envelope until ready to use. Do not allow children to play with this collar. Do not use on cats. Some puppies may be sensitive to this collar. Animals should not be allowed to chew on the collar. When collar is first worn, observe neck area for irritation every few days. Remove collar at the first sign of irritation or adverse reaction. Do not use on sick or convalescing puppies. Do not use any other pesticide on puppy while collar is worn.

E.P.A. Reg. No. 2724-242

*Reg. Trademark of Union Carbide Corp. for the active ingredient carbaryl.

THURON INDUSTRIES, INC. 12200 DENTON DRIVE, DALLAS, TEXAS 75234
Made in U.S.A. © 1973 Thuron Industries, Inc.



Carbaryl Flea Collar PATENT PENDING

KILLS FLEAS FOR UP TO 3 MONTHS

FOR USE ON PUPPIES 4 WEEKS OF AGE AND OLDER

CONTAINS SEVIN*

CONTENTS 1 FLEA COLLAR — 3/4 OZ. NET WT.

CAUTION: Do not allow children to play with this collar.
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Flea Collar

Flea Collar



Carbaryl Flea Collar

PATENT PENDING

KILLS FLEAS FOR UP TO 3 MONTHS

FOR USE ON PUPPIES 5 WEEKS OF AGE AND OLDER

CONTAINS SEVIN*

CONTENTS: 1 FLEA COLLAR — 3/4 OZ. NET WT.

CAUTION: Do not allow children to play with this collar —
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Flea Collar

Flea Collar