

BAYGON is a new and improved product which kills houseflies, houseflies, and other flies.

DIRECTIONS FOR USE

IMPORTANT. Read these entire directions before using BAYGON SUGAR BAIT

FOR USE IN AND AROUND HOMES, APARTMENT BUILDINGS, STORES, RESTAURANTS AND WAREHOUSES. Apply bait only to floors near baseboards and in other areas where flies congregate but which are inaccessible to children, such as cracks and crevices. Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 1/2 lb. of bait per 500 sq. ft. of space and scatter lightly so that bait is barely visible. Repeat as necessary. Keep out of reach of children.

FOR USE BY PEST CONTROL OPERATORS IN POULTRY PACKING, RED MEAT PACKING AND FOOD PROCESSING PLANTS INCLUDING PLANTS THAT ARE FEDERALLY INSPECTED

Apply bait on paper, cardboard, or other material that will permit removal. Locate these bait stations in floor near walls or storage areas and other areas where houseflies are a problem. Maintain strict account of location and number of bait stations. Do not apply bait in edible product areas until operations have ceased for the day. Remove all bait stations from the edible product areas before resuming operations.

FOR USE IN RESEARCH FACILITIES. The use of BAYGON SUGAR BAIT in and around research animal quarters for pest control will not induce changes in liver or plasma enzyme activity in these animals.

RESTRICTIONS. Do not apply to floors or other surfaces likely to be contacted by children or pets.

CONTAINER AND WASTE DISPOSAL. Do not reuse empty container. Destroy tray containing with waste or burning. Stay away from smoke or fumes.

CAUTION. May be harmful if swallowed or absorbed through the skin. Do not inhale dust. Avoid prolonged skin contact. Wash thoroughly after using.

SYMPTOMS OF POISONING: A sense of tightness in the chest, wheezing, difficulty in breathing, pain, vomiting and diarrhea.

TREATMENT: In case of poisoning, call a physician immediately. Have patient sit down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt and 1/2 cup of warm water. Administer more warm water freely, and again induce vomiting. If on the face, wash with soap and water. Remove contaminated clothing and wash skin immediately with soap and water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN: ANTIDOTE — Administer at a rate suitable to age and weight of patient. Repeat as necessary to the point of tolerance.

This product is toxic to fish and other wildlife. Treated bait exposed to sunlight may be hazardous to birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and fish may be killed at application rates recommended on this label. Do not apply where these are important resources.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all liability for damage and injury to the extent that when used in accordance with handling instructions.

ACCEPTED
JAN 21 1974
UNDER THE FEDERAL
FUNGICIDE AND ROBERTSON
FOR ECONOMIC POISON REG
ED UNDER NO. 2724-249



Baygon Sugar Bait for flies



Gives Initial Knockdown and Reduction
of the Housefly Population.

ACTIVE INGREDIENT o-Isopropoxyphenyl methylcarbamate* 12.5%
INERT INGREDIENTS 87.5%

CAUTION: Keep Out of Reach of Children

See back panel for additional cautions.

E.P.A. Reg. No. 2724-249

Thuron Industries, Inc. • 12200 Denier Drive • Dallas, Texas 75244

NET WEIGHT: 1 POUND AVDP.