

[ ] Indicates optional statements

Long Lasting	Kills Fleas Fast
Long Lasting Protection	Fast Acting for Fleas
From Head to Tail	Quick Killing for Fleas
Rain or Shine	Quick Acting for Fleas
	Fast Action for Fleas

# DOG COLLAR FOR FLEA CONTROL

Kills fleas up to 5 months

[Kills fleas for 4 months]

Kills ticks up to 5 months

[Kills ticks for 4 months]

[One-piece buckle design]

[Integrated plastic buckle]

[Unique buckle design]

[New integrated one-piece buckle]

[One-piece buckle]

**DO NOT ALLOW CHILDREN  
TO PLAY WITH THIS COLLAR**

## CAUTION

See cautions on back

**NET CONTENTS**

**ACCEPTED**

MIG 22

EPA Reg. No. 2724-254

**BEST AVAILABLE COPY**

### DIRECTIONS FOR USE

Buckle collar around dog's neck. [Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the probability of neck irritation and buckle failure is reduced.] Collar should be worn loosely to prevent irritation. Attach collar so two or three fingers may be inserted easily between collar and dog's neck. Cut off any excess length and dispose of it. The collar starts killing fleas as soon as it is placed around dog's neck. Fleas on the dog will be killed and new ones which may temporarily appear on the dog will also be killed while collar is worn. Use in addition to regular collar. This product has been shown to provide effective flea control for [16 weeks] up to 21 weeks. [To release the collar, squeeze buckle between thumb and finger and pull sharply.] Replace collar when effectiveness diminishes.

Ticks are tough and are killed slowly. When the collar is first placed on dog, adult ticks will be killed over entire body in a few days and will fall off or may then be easily removed. Ticks appear on dogs in three stages. In the first two stages, ticks are smaller than a match head and are difficult to see. The collar will also control these immature stages. This product has been shown to provide effective tick control [for 4 months] up to 5 months. If ticks are a problem, this collar should be worn continuously. Kills ticks that may carry and transmit Rocky Mountain spotted fever and tularemia. Temporary wetting will not reduce effectiveness. If your dog goes swimming or is out in the rain, it is not necessary to remove the collar. The continuous action collar will rapidly replace any flea and tick killing material removed. Replace when effectiveness diminishes.

### STORAGE & DISPOSAL:

Store in original unopened container; away from children. Do not reuse container or used collar. Wrap and put in trash.

#### ACTIVE INGREDIENT:

o-[isopropoxyphenyl] methylcarbamate+..... 9.4%

INERT INGREDIENTS..... 90.6%

**CAUTION:** Do not open protective pouch until ready to use. Do not allow children to handle this collar. Dust will form on this collar during storage. Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction.\* In case of contact, flush eyes with water. Wash hands thoroughly with soap and water after handling collar. The dust released by this collar is a cholinesterase inhibitor.

Note to Physician: Atropine and \*homatropine are antidotal.

When collar is first worn observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. Do not use on sick or convalescing dogs. Do not use other pesticides on dogs while collar is worn.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

**12200 Denton Drive, Dallas, Texas 75224**

EPA Reg. No. 2724-254  
U.S. Pat Nos. +3,111,539;3,852,416  
188-C:0005f:0007E

EPA Est. 2724-TX-1  
Made in USA  
c 1984 Zoccon

181

1801

PM 12 2724-254