2724-254

2/16/2001

Form Approved, OMB No. 2070-3060. Approval expires 2-28-95 Please read instructions on reverse before completing form DPP centifier Number Registration United States S EPA Amendment Environmental Protection Agency Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification S. Oonnithan Wellmark International/2724-254 4. Company/Product (Name) PM# Restricted Wellmark International/Dog Collar for Flea Control Insecticides 5. Name and Address of Applicant / Registrant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(C)(3) Wellmark International (b)(i), my product is similar or identical in composition and labeling to: 1100 East Woodfield Road Suite 500 EPA Reg. No Schaumburg, Illinois 60173 **Product Name** Check if this is a new address Section - II Final printed labels in response to Amendment - Explain below. NOTIFICATION Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application FFB 1 6 2001 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and section II.) Label Revision: Revision of marketing claim This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will be Packaged In: Unit Packaging Child-Resistant Packaging Water Soluble Packaging 2. Type of Container Yes Metal Plastic Glass Paper If "Yes If "Yes No. per Unit No. per Other (Specif-* Certification must be Packaging wot container Packaging wgt containe: submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5 Location of Label Directions X On Label X Label .69 - 1.2 oz (19.8 - 34 g) Container On Label Accompanying Product 6. Manner in Which Label is Affixed to Product Lithograph Other Printed on Cardboard Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application Name Telephone No. (Include Frea Colde (847) 331-5376 • • • • Nancy Huebl Regulatory Specialist Certification 6. Diştə ∸sty dation I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements my be punishable by fine or imprisonment or both ¿Stamped) under applicable law. 2. Signature 3. Title Regulatory Specialist 4. Typed Name 5. Date Nancy Huebl January 26, 2001

NOTIFICATION

FEB 1 6 2001

[] indicates optional statements

DOG COLLAR FOR FLEA CONTROL

Kills Fleas Fast Long Lasting Long Lasting Protection Fast Acting for Fleas Works From Head to Tail to Kill Fleas and Lyme Disease Carrying Ticks up to 5 Months Quick Killing for Fleas Quick Acting for Fleas Fast Action for Fleas Rain or Shine [Available through Veterinarians] [Step 2] Part of the [Brand name][#] Step Pet Protection [Guarantee] Program [For medium dogs with necks up to (number) of inches] [Snip notch at replacement month] [For small dogs and puppies with necks up to (number of inches)] [Unique Dating Feature] [For all [large] dogs with necks up to (number of inches)] Continuous action when wet 5 [five] months' flea protection (graphic/icon) 5 Month Protection Kills Fleas & Ticks Tested, Trusted, Effective Kills fleas so they don't lay eggs. Kills fleas up to 5 months [21 weeks][150 days][Kills fleas for 4 months] Kills [Controls][immature and adult] ticks up to 5 months [21 weeks][150 days] [Kills ticks for 4 months] Temporary wetting will not reduce effectiveness [One-piece buckle design][Unique buckle design] [Integrated plastic buckle][One-piece buckle] [Integrated one-piece buckle] Kills [deer] ticks (including *Ixodes scapularis*), which may transmit Lyme disease [borreliosis] Effective against [vectors, ticks, Ixodes scapularis] which may transmit Lyme disease [borreliosis] Controls [Kills] Lyme disease [borreliosis]-carrying ticks Controls [Kills] ticks that may carry and transmit Rocky Mountain spotted fever Satisfaction 100% guaranteed/Guaranteed or your money back Fire Engine (Descriptor) Red/True (Descriptor) Blue/Holly (Descriptor) Green/Crystal (Descriptor) Clear **ACTIVE INGREDIENT:** Total: 100.0% DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION See Precautions on back EPA Est. No. EPA Reg. No. 2724-254 **NET CONTENTS**



READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS/PUPPIES [APPLY ONLY 1 COLLAR AT A TIME]

JONE SIZE FITS ALL - TRIM TO SIZE

This collar is designed to fit 99% of all dogs. In rare instances (for example, well developed St. Bernards or Mastiffs), the collar may be too short. If found short for your dog, return to address on top panel for full purchase price refund.]

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. Buckle collar around dog's/puppy's neck. [Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the possibility of neck irritation and buckle failure is reduced.] Fit collar snug enough to prevent placement of the dog's/puppy's leg or lower jaw through the collar, yet loose enough to be rotated about the neck. [Generally, if used on large dogs, two or three fingers should fit between the collar and dog's/puppy's neck.]
- 2. Leave 2-3 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
- 3. Check periodically and adjust fit if necessary, especially when puppies are rapidly growing.
- 4. May be used in addition to regular collar. Replace collar when effectiveness diminishes. [To release the collar, squeeze buckle between thumb and finger and pull sharply.]

STORAGE and DISPOSAL: Store in original unopened container away from children. Do not reuse container or reuse collar. Wrap and put in trash.

WHAT TO EXPECT:

For Fleas:

- 1. This [brand name] collar is designed to kill adult fleas.
- 2. This collar starts killing fleas as soon as it is placed around dog's/puppy's neck.
- 3. Protection against fleas will be achieved within a few days, providing continuous protection for up to 5 months [4 months].
- 4. Replace collar every 5 [4 months] months to help control [prevent] flea infestations on your pet [dog/puppy] and in your home.

For Ticks:

- 1. Ticks are tougher to kill than fleas and are killed more slowly.
- 2. Full protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to 5 months. [for 4 months]
- 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed.
- 4. Replace collar every 5 months [4 months] for continuous protection from ticks. [If your dog/puppy goes swimming or is out in the rain, it is not necessary to remove the collar. The continuous action collar will rapidly replace any flea and tick killing material removed.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction.* The dust released by this collar is a cholinesterase inhibitor.

Humans: Do not open package until ready to use. Do not allow children to handle this Alla(. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

2

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Do not use on puppies under 12 weeks of age. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

FIRST AID: If swallowed, call physician, veterinarian, or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. If in eyes, flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN/VETERINARIAN: *Atropine and *homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International Schaumburg, IL 60173

In case of emergency or for product information, call [phone number] or visit our Web site: [web site address]

[For information or in an emergency, call (phone number)

See top panel of box for details of unconditional guarantee

If not satisfied, send used collar and indication of purchase price paid to (company name/address)]

PRECOR® and vIGRen® Insect Growth Regulator are registered trademarks of Wellmark International

Made in USA

