

Flea Collar RF-76 for Cats
EPA Reg. No. 2724-272

JAN 17 1981
EPA REG. NO. 2724-272

Front Panel

(Optional)

Use not to
exceed 6
months from
acc. ince.

- New** [redacted] Stretch Band
- New** [redacted] Feature
- [redacted] Break-away Collar
- [redacted] Expandable Collar
- Unique [redacted] Feature

- One-piece Buckle Design
- Integrated Plastic Buckle
- Unique Buckle Design
- New** Integrated One-Piece Buckle
- [redacted] One-Piece Buckle

Alternate Directions for Use

Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Collar must be worn loosely, but securely enough to prevent easy removal. Cut off any excess length and discard in trash.

The expandable section molded into the collar will stretch under the weight of an average size cat and allow the cat to free itself if it becomes hooked or entangled by the collar. Since both the expandable section and plastic buckle are molded into the collar, the probability of neck irritation and buckle failure is reduced.

To release the collar, squeeze buckle between thumb and finger and pull sharply.

Do not use on kittens under 6 weeks of age.

EPA/RD
RECEIVED
JAN 17 1981

DIRECTIONS FOR USE: Remove the collar from package and place around cat's neck, adjust for proper fit and buckle in place. Collar must be worn loosely, but securely enough to prevent easy removal and loss of the collar. Cut off any excess length of collar, leaving ample length for expansion as the cat grows. Dispose of excess collar by discarding in trash.

Check and adjust collar periodically to assure a proper fit.

Do not use on kittens under 6 weeks of age.

RESULTS EXPECTED: The flea collar starts killing fleas when it is placed around the cat's neck. The fleas on the cat will be killed and new ones which may temporarily appear on the cat will also be killed during the 4 months (17 weeks) collar is worn. For continuous protection, replace collar when effectiveness diminishes.

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl N-Methylcarbamate).....

INERT INGREDIENTS:.....

CAUTION: Do not open inner envelope until ready to use. Do not allow children to play with this collar. This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans.

Some animals may be sensitive to this collar. Any collar, when fastened too tightly, may cause skin irritation. If irritation persists after proper adjustment, remove the collar. Do not use any other pesticide on cat while collar is worn. Do not use on sick or convalescing animals.

EPA Reg. No. 2724-272

Zoscon Industries, Inc.

12200 Denton Drive, Dallas, Texas 75234

Patent Pending

Made in USA

EPA Est. 2724-TX-1

*Reg. Trademark of Union Carbide Corporation for the active ingredient carbaryl.

Flea Collar RF-76 for Cats

Kills fleas up to 4 months
Contains Sevin*

CONTENTS: 1 Flea Collar — 4 oz. Net Wt.

CAUTION: Do not allow children to play with this collar — See cautions on back.

ACCEPTED
JAN 17 1984
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2724-272

Front Panel

(OPTIONAL)

FREE NITE TIME SAFETY REFLECTORS See Side(s)

Left Side Panel

(OPTIONAL)

TWO FREE SAFETY REFLECTOR SLEEVES IN BOX. ATTACH REFLECTOR SLEEVES TO COLLAR AS FOLLOWS:

- (1) Clip end of collar to a point (Illustration A)
- (2) Push collar thru reflector sleeve as shown. Position silver reflector on same side of collar as buckle. (Illustration B)
- (3) Position reflector sleeves on collar as shown. (Illustration C)

