1/26/2001 Please read instructions on reverse before completing form. Form Approved, OMB No. 2013-0060, Approv Registration United States 🌣 EPA **Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification S. Connithan Wellmark International/2724-275 X None 4. Company/Product (Name) PM# Restricted Wellmark International/Propoxur Flea Collar RF-101 for Cats Insecticides 5. Name and Address of Applicant / Registrant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(C)(3) Wellmark International (b)(i), my product is similar or identical in composition and labeling to: 1100 East Woodfield Road Suite 500 EPA Reg. No Schaumburg, Illinois 60173 **Product Name** X Check if this is a new address Section - II Final printed labels in response to Amendment - Explain below Agency letter datec NUTIFICATION "Me Too" Application Resubmission in response to Agency letter dated Other - Explain below. Notification - Explain below. JAN 26 2001 Explanation: Use additional page(s) if necessary. (For section I and section II.) Label revision: Addition of subregistrant text, marketing claims This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product, I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will be Packaged In: 2 Type of Container Child-Resistant Packaging Unit Packaging Water Soluble Packaging Metal **Plastic** No Glass Paper If "Yes No. per If "Yes Unit No. per Packaging wot Packaging wgt. Other (Specify) container container \* Certification must be submitted .37 oz (10.5 g) 3 Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Label Container .37 oz (10.5 g) On Label Accompanying Product 6. Manner in Which Label is Affixed to Product Lithograph Other Printed on cardboard Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephona No. (Include Area Code)

Regulatory Specialist

Regulatory Specialist

January 17, 2001

Certification

3. Title

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. If acknowledge that any knowingly false or misleading statements my be punishable by fine or imprisonment or both

(847) 353-53762

6 Date Actification Received

(Stamped)

ancy Huebl

under applicable law.

Nancy Huebl

2. Signature

4. Typed Name Nancy Huebl

## NOTIFICATION

JAN 26 2001

Kills Fleas Fast

Fast Acting for Fleas

Quick Killing for Fleas

Quick Acting for Fleas Fast Action for Fleas

[Snip notch at replacement month]

[] indicates optional statements

## PROPOXUR FLEA COLLAR FOR CATS RF-101

Long Lasting Fast Acting Long Lasting Protection Works From Head to Tail Rain or Shine

[Available through Veterinarians]

[Step 2] Part of the [Brand name] [#] Step Pet Protection [Guarantee] Program

Temporary wetting will not reduce effectiveness

[Unique Dating Feature]

5 month protection

Kills Fleas and Ticks including Lyme Disease-Carrying Ticks Kills fleas and ticks up to 5 months [21 weeks][150 days]

For cats of all sizes

[Breakaway Feature – graphic] Works from Head to Tail to Kill Fleas and Lyme Disease-Carrying Ticks up to 5 months

Tested, trusted, effective

[Fire engine red/True blue/Holly green/Crystal clear]

[Unique one-piece buckle design][Integrated one-piece buckle]

[Integrated plastic buckle] [Breakaway Collar][Expandable Collar][Stretch Band]

Kills [deer] ticks (including Ixodes scapularis), which may transmit Lyme disease [borreliosis]

Effective against [vectors, ticks, Ixodes scapularis] which may transmit Lyme disease [borreliosis]

Controls [Kills] Lyme disease [borreliosis]-carrying ticks

100% satisfaction guaranteed/guaranteed or your money back

#### **ACTIVE INGREDIENT:**

Propoxur (CAS #114-26-1)	10.0%
OTHER INGREDIENTS:	<u>90.0%</u>
Total:	100.0%

## DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR

#### CAUTION

See Precautions on back

EPA Reg. No. 2724-275

**NET CONTENTS** 

# READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS [Apply only one collar at a time]

#### [Apply only one collar at a time

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Buckle collar around cat's neck. [Thread flat end of the collar through buckle hole and tighten
  as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is
  molded into the collar, the possibility of neck irritation and buckle failure is reduced.] —Collar
  should—Fit collar snug enough to prevent placement of the cat's leg or lower jaw through the
  collar, yet loose enough to be rotated about the neck.
- 2. Leave 1-2 extra inches on the collar for adjustment, cut off excess length and dispose of in trash.
- 3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
- 4. May be used in addition to regular collar. Replace collar when effectiveness diminishes. [To release the collar, squeeze buckle between thumb and finger and pull sharply.]

#### [for "breakaway" versions]

[UNIQUE FEATURE: This collar is designed to stretch under the weight of an average size adult cat. It helps the cat to free itself ("breakaway") if the collar gets snagged on a fixed object. If the collar is fitted improperly, so that it is loose enough for a cat to work the collar over its leg or jaw, this release feature may not stretch adequately to allow the extra room necessary for the cat to free itself.]

**STORAGE and DISPOSAL:** Store in original unopened container away from children. Do not reuse container or used-reuse collar. Wrap and put in trash.

#### WHAT TO EXPECT:

#### For Fleas:

- 1. This [brand name] collar is designed to kill adult fleas.
- 2. This collar starts killing fleas as soon as it is placed around the cat's neck.
- 3. Protection against fleas will be achieved within a few days, providing continuous protection for 5 months.
- 4. Replace collar every 5 months to help control [prevent] flea infestations on your pet and in your home.

#### For Ticks:

- 1. Ticks are tougher to kill than fleas and are killed more slowly.
- 2. Full protection against adult and immature ticks will be achieved within a few days, previding continuous protection for 5 months.
- 3. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed:
- 4. Replace collar every 5 months for continuous protection from ticks.

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION:** Do not get dust or collar in mouth, harmful if swallowed. Do not get dust in eyes, will cause temporary pupillary constriction.\* The dust released by this collar is a cholinesterase inhibitor.

**Humans:** Do not open inner envelope package until ready to use. Do not allow children to play with this collar. Dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. Do not use on kittens under 12 weeks of age. Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water.

**FIRST AID** If swallowed, call physician, veterinarian, or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. If in eyes, flush eyes with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN/VETERINARIAN:** \*Atropine and \*homatropine are antidotal only if symptoms of cholinesterase inhibition are present.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International BensenvilleSchaumburg, IL 6017306

In case of emergency or for product use information, call [phone number] or visit our Web site: [URL]

For information, or in emergency call [phone number]

[if not satisfied, send used pollar and indication of purphase price paid to (company riame ક્ષ્મણ કડ્ડ). See top panel of box for details of unconditional guarantee.]

PRECOR® and vIGRen® Insect Growth Regulator are registered trademarks of typel/mark International.

Made in USA