

NEW
NO STICKY MESS

IMPROVED

ZOECON RF-184 HOUSE & KENNEL FOGGER

WITH PRECOR^R INSECT GROWTH REGULATOR
Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
Before they grow up to bite

Effectively kills fleas by preventing their development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 7,500 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:

(Isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate)....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total 100.000%	

PRECOR is a trademark of Zoecon Corporation.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional
precautionary statements.

NET WT. 7.5 oz. (213 g)

Zoecon RF-184 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zoecon RF-184 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zoecon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zoecon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to play or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 7,500 cu. ft. (940 sq. ft.) of unobstructed area, (approximately 30' X 30' or eight 10' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and pre-adult fleas] and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [protect the surface] prevent any surface marking. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners]. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in area to be treated.] [Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-293

ACCEPTED

EPA Est. 11715-TN-1

U.S. Patent #3,904,662;3,928,815

Zoecon Industries
A Division of Zoecon Corporation
12200 Denton Drive, Dallas, Texas 75234

MAY 19 1983

Made in USA
© 1982 Zoecon

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2724-293

283-D-1889A-0088A

NEW
NO STICKY MESS

ZOECON

IMPROVED

RF-184

HOUSE & KENNEL FOGGER

WITH PRECOR[®] INSECT GROWTH REGULATOR

Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
Before they grow up to bite

Effectively kills fleas by preventing their development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 12,000 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:

(Isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate)....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total	100.000%

PRECOR is a trademark of Zoecon Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional
precautionary statements

NET WT. 12 oz. (340 g)

Zoecon RF-184 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zoecon RF-184 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zoecon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zoecon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 12,000 cu. ft. (1500 sq. ft.) of unobstructed area, (approximately 39' X 39' or twelve 10' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and pre-adult fleas] and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [protect the surface] prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners]. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in area to be treated.] [Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-293

ACCEPTED

Zoecon Industries

A Division of Zoecon Corporation

12200 Denton Drive, Dallas, Texas 75234

EPA Est. 11715-TN-1

U.S. Patent #3,904,662;3,912,815

MAY 19 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purposes registered under

EPA Reg. No. 2724-293

Made in USA
© 1982 Zoecon

283-D-1889A-G088A

ZOECON RF-183 HOUSE & KENNEL FOGGER

Kills Fleas & Ticks, Roaches,
Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or
buildings up to 6,000 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate....	1.000%
2,2-Dichlorovinyl dimethyl phosphate....	0.470%
Related Compounds.....	0.030%

INERT INGREDIENTS:.....	98.500%
Total	100.000%

ACCEPTED

MAY 19 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2724-294

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

NET WT. 6 oz. (170 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 6,000 cu. ft. (750 sq. ft.) of unobstructed area, (approximately 27' X 27' or six 10' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated.

Keep at arm's length when releasing. Point top of can away from face and eyes. Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-294

Zoecon Industries

EPA Est. 11715-TM-1

A Division of Zoecon Corporation
12260 Denton Drive, Dallas, Texas 75234

Made in USA
c 1982 Zoecon
283-C:0741:00:8A

NEW
NO STICKY MESS

ZOECON

IMPROVED

RF-184 HOUSE & KENNEL FOGGER

WITH PRECOR^R INSECT GROWTH REGULATOR

Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
Before they grow up to bite

Effectively kills fleas by preventing their development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 6,000 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:

(Isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate).....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
	Total 100.000%

PRECOR is a registered trademark of Zocon Corporation.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements.

NET WT. 6 oz. (170 g)

BEST DOCUMENT AVAILABLE

Zocon RF-184 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zocon RF-184 Fogger [also] kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zocon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zocon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a [brand name] flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food or foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least 24 hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL & CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE: - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 6,000 cu. ft. (250 sq. ft.) of unobstructed area, [approximately 22' x 27' or six 12' x 12' rooms] for most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and pre-adult fleas] and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspaper under can to [protect the surface] prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners] shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in area to be treated.] Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas [adult and preadult fleas] hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position. Leave fogging [treated area] undisturbed for two hours. [Upon return] open doors and windows and allow air to circulate.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty containers. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 7224-291

Zocon Industries
A Division of Zocon Corporation
1200 Benton Drive, Dallas, Texas 75234

EPA Est. 11715-TN-1

Made in USA
© 1982 Zocon

283-D-1689A (4-1982)

ACCEPTED
MAY 19 1983
LPA Reg No 2284-291

BEST DOCUMENT AVAILABLE

NEW
NO STICKY MESS

ZOECON

IMPROVED

RF-184 HOUSE & KENNEL FOGGER

WITH PRECOR[®] INSECT GROWTH REGULATOR
Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
Before they grow up to bite

Effectively kills fleas by preventing their
development into adults. Kills preadult fleas
before they grow up to bite you. No lingering odor,
no stains. Effectively breaks the flea life cycle.
Easy to apply. Prevents reinfestation and flea
buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 7,500 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:

(isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate)....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total	100.000%

PRECOR is a trademark of Zocon Corporation.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional
precautionary statements.

NET WT. 7.5 oz. (213 g)

BEST DOCUMENT AVAILABLE

Zocon RF-184 fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zocon RF-184 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zocon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zocon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use one (fogger) canister for each 7,500 cu. ft. (940 sq. ft.) of unobstructed area, (approximately 30' X 30' or eight 12' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas (adult and pre-adult fleas) and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [protect the surface] prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners]. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in area to be treated.] [Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 7274-293

ACCEPTED

EPA Est. 11715-IN-1

U.S. Patent 3,193,447, 3,193,448

Zocon Industries
A Division of Zocon Corporation
1220 Denton Drive, Dallas, Texas 75214

Made in USA
© 1982 Zocon

MAY 19 1983

283-D-1889A-G089A

Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act, as amended, by the pesticide regulator under EPA Reg No. 7274-293

BEST DOCUMENT AVAILABLE

NEW NO STICKY MESS **ZOECON** IMPROVED

RF-184 HOUSE & KENNEL FOGGER

WITH **PRECOR**[®] INSECT GROWTH REGULATOR
Kills Fleas, Ticks, Roaches, Ants,
Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas
[Kills adult and preadult fleas]
Before they grow up to bite

Effectively kills fleas by preventing their development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

Prevents flea reinfestation for
75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days
(10 weeks)(2 1/2 months)
against fleas

Residual action keeps working for 75 days
(10 weeks)(2 1/2 months)
against fleas

[For apartments, houses, kennels, or buildings]
up to 12,000 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:	
(Isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4 dodecadienoate)....	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total 100.000%	

PRECOR is a trademark of Zoexcon Corporation.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements

NET WT. 12 oz. (340 g)

Zoexcon RF-184 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas before they grow up to bite. It reaches fleas (adult and pre-adult fleas) hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zoexcon RF-184 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zoexcon RF-184 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zoexcon RF-184 Fogger leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Air pipe should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 110°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one (fogger) canister for each 12,000 cu. ft. (1500 sq. ft.) of unobstructed area, (approximately 19' x 19' or twelve 10' x 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas (adult and pre-adult fleas) and must be treated to get best results.


Place in middle of the room on (the floor or a raised area such as a table or chair) a table or floor. Place newspapers under can to (protect the surface) prevent any surface marking. Extinguish all pilot lights except pilot lights. Place at least six feet away from pilot lights. (Close (outside) all doors and windows (and turn off fans and air conditioners). Shut off fans and air conditioners. Cover or remove any exposed foods, cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. (Upon return, closets, trunks and interior doors in area to be treated.) (Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.)

Keep at arm's length when releasing. Point top of can away from face and eyes. (Keep at arm's length, point top of can away from face and eyes.) Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building (treated area) unoccupied for two hours. (Upon return) Open doors and windows and allow to air out.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Labels cases no warranty, express, limited, consent; the use of this product other than indicated on the label. Buyer assumes all risk for use of handling of this material. Label such use and handling are contrary to label instructions.

EPA Reg. No. 752.1-101



Zoexcon Industries
A Division of Zoexcon Corporation
1100 Denton Drive, Dallas, Texas 75214

EPA Est. 11715-1A-1

Made in USA
© 1982 Zoexcon

283-D-145A, 1000A