

# ZOECON RF-184

## HOUSE & KENNEL FOGGER

Contains [with] PRECOR<sup>®</sup> Insect Growth Regulator

[ ] indicates alternate or optional wording

Kills adult fleas

Prevents hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)] from becoming full grown

Prevents [controls] reinfestation for 120 days [4 Months] [17 Weeks] from hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]

One treatment works for 120 Days [4 Months] [17 Weeks] against hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]

Residual action keeps working for 120 Days [4 Months] [17 Weeks] against hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]

Kills [controls] [both] adult and hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]

Kills [controls] adult fleas and kills [controls] hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)] before they grow up to bite.

Effectively kills [controls] fleas by preventing their development into adults

Effectively breaks the flea life cycle

Kills adult fleas, ticks, roaches, ants, flies, spiders, and flying moths [on contact]

No lingering odor - No sticky mess

Easy to apply

For apartments, houses, kennels, or buildings up to 6,000 cu.ft.

Entire contents released from one can. Fog penetrates throughout area.

### ACTIVE INGREDIENTS:

Isopropyl (E,E)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate....	0.130%
2-(1-Methylethoxy) phenol methylcarbamate.....	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
INERT INGREDIENTS.....	98.350%
Total	100.000%

PRECOR is a trademark of Zoecon Corporation.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See Back Panel for Additional Precautionary Statements

**NET CONTENTS: 6 oz. (170 g)**

Zoecon RF-184 Fogger contains a unique combination of ingredients that kills [both] adult and hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]. Zoecon RF-184 Fogger contains a unique combination of ingredients that kills adult fleas and kills hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)] before they grow up to bite. Kills fleas on contact. Keeps working for 4 months to prevent reinfestation from hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)]. It also reaches reaches where they hide and breed. It reaches fleas hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. It protects your home from flea buildup. It also protects your pets and family from flea bites. [Protects your home from flea buildup, your pets and family from bites.]

Zoecon RF-184 Fogger [also] kills roaches, ticks, ants, flies, spiders and flying moths.

One treatment with Zoecon RF-184 Fogger gives continuous protection against hatching fleas [preadult (larvae) fleas] [hatching eggs (larvae)] for 120 Days [4 Months] [17 Weeks]. Zoecon RF-184 Fogger leaves no bad smell, no sticky mess. Used as directed, does not stain furnishings. [Don't stain furnishings when used as directed.]

To protect your pet against fleas outdoors, use a [brand name] flea or flea and tick collar.

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION:** Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

**DIRECTIONS FOR USE -** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 6,000 cu. ft. (750 sq. ft.) of unobstructed area, (approximately 27' x 27' or six 10' x 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and hatching fleas [preadult (larvae) fleas] [adult fleas and hatching eggs (larvae)]] and must be treated to get best results.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [prevent the surface] prevent any surface burning. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off fans and air conditioners]. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated. [Open cupboards, closets, trunks and interior doors in areas to be treated.] [Leave rug, drapes, slip covers, upholstered furniture in place. Used as directed, this product will not harm them, just the fleas [adult and preadult fleas] hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for 1 hour.

### ALTERNATE DIRECTIONS FOR USE:

One can treats an area of 6,000 cubic feet (25' x 30' with an 8' ceiling). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

### Preparation:

1. Open all cabinet doors and drawers to allow maximum bill in areas where insects can hide and breed. Remove or cover exposed foods, dishes, utensils, food processing equipment and surfaces. Remove pets and cover or remove fish tanks and bowls. Leave pet bedding exposed.

2. Close doors and windows and shut off fans and air conditioners. Extinguish open flames except for pilot light. Do not use within 6 feet of pilot light.

### Directions:

- Place can on stand or table in center of room with newspaper under can.
- With can at arm's length, tilt can away from face.
- Push down firmly with thumb on sprayer tab until it snaps into place.
- Put the can on newspaper. Leave immediately and close the door.
- Leave treated area for 2 hours.
- After 2 hours, open all doors and windows and allow to air for 1 hour.

### STORAGE & DISPOSAL:

Store in cool area away from children. Do not reuse empty container. Wrap and put in trash collection.

Zoecon Corporation warrants that the chemical composition of this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Zoecon makes no other warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on the label.

EPA Reg. No. 2724-293

Zoecon Industries  
A Division of Zoecon Corporation  
12200 Ornton Drive, Dallas, Texas 75234

EPA Est.

U.S. Patent 43,904,642;3,912,815

Made in USA  
© 1982 Zoecon  
100-1-1009A-0000A

**BEST AVAILABLE COPY**