# ZOECON RF-183

## **HOUSE & KENNEL FOGGER**

Kills Fleas & Ticks, Roaches, Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or buildings up to 7,500 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

#### ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate... 1.000% 2,2-Dichlorovinyl dimethyl phosphate... 0.470% Related Compounds..... 0.030%

INERT INGREDIENTS

ACCEPTEDA

. 98.500%

700.000%

MAY 1 9 1983

Under the Federal Insecticide, Fungiside, and Rodenticide fort, as amended, for the periodic registered under EPA Rog. No. 2724-294

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements.

NET WT. 7.5 oz. (213 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Avoid contamination of foud and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and tish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - kemove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. It in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above  $130^{\rm o}{\rm f}$  may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 7,500 cu. ft. (940 sq. ft.) of unobstructed area, (approximately 30'  $\times$  30' or eight 10'  $\times$  12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding  $\epsilon\epsilon$  this is a primary hiding place for fleas and must be treated to get best results.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated.

Keep at arm's length when releasing. Point top of can away from face and eyes. Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-294

Zoecon Industries A Division of Zoecon Corporation EPA Est. 11715-TN-1

12200 Denton Drive, Dallas, Texas 75234
BEST DUCUMENT AVAILABLE

Made in USA c 1982 Zoecon 283-C:0741:0088A

٧

## ZOECON **RF-183** HOUSE & KENNEL FOGGER

Kills Fleas & Ticks, Roaches, Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or buildings up to 12,000 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS: 2-(1-Methylethoxy) phenol methylcarbamate.... 1.000% 2,2-Dichlorovinyl dimethyl phosphate.... 0.470% Related Compounds 0.030% 1NERT INGREDIENTS ACCE 100.000%

MAY 1 9 1983.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No. 2724-294

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional precautionary statements.

NET WT. 12 oz. (340 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful it swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Avoid contamination of tood and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only it symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration is indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above  $130^{\rm OF}$  may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each  $12,000\,\mathrm{cu}$ . ft. (1500 sq. ft.) of unobstructed area, (approximately 39' X 39' or twelve  $10^\circ$  X  $12^\circ$  rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

No need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated.

Keep at arm's length when releasing. Point top of can away from face and eyes. Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for 1 hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Keg. No. 2724-294

Zoecon Industries

EPA Est. 11715-TN-1

A Division of Zoecon Corporation 12200 Denton Drive, Dallas, Texas 75234

Made in USA c 1982 Zoecon 283-C:0741:0088A

IMPROVED

# **ZOECON RF-212** HOUSE AND KENNEL FOGGER with PRECOR

Kills Fleas, Ticks, Roaches, Ants. Flies, Spiders, and Flying Moths

Kills both adult and preadult fleas [Kills adult and preadult fleas] Before they grow up to bite

Effectively kills fleas by preventing cherical development into adults. Kills preadult fleas before they grow up to bite you. No lingering odor, no stains. Effectively breaks the flea life cycle. Easy to apply. Prevents reinfestation and flea buildup.

> Prevents flea reinfestation for 75 days (10 weeks)(2 1/2 months)

One treatment works for 75 days (10 weeks)(2 1/2 months) against fleas

Residual action keeps working for 75 days (10 weeks)(2 1/2 months) against fleas

[For apartments, houses, kennels, or buildings] up to 6,000 cu.ft.

[Entire contents released from one spot.]

[Fog penetrates throughout area.]

ACTIVE INGREDIENTS:	
(Isopropyl $(\underline{E},\underline{E})$ -11-methoxy-3,7,11-	
trimethyl-2,4 dodecadienoate)	0.150%
2-(1-Methylethoxy) phenol methylcarbamate.	1.000%
2,2-Dichlorovinyl dimethyl phosphate	0.470%
Related Compounds	0.030%
Pyrethrins	0.500%
*Piperonyl butoxide.technical	1.000%
N-Octyl bicycloheptane dicarboximide	1.670%
Petroleum Distillate	2.390%
INERT INGREDIENTS	92.790%
	00.000%

\*Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% related compounds

# KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

NET WT. 6 oz. (170 g)

PRECOR is a trademark of foccon formoration.

Zoecon RF-212 Fogger contains a unique combination of ingredients that kills both adult and preadult fleas Defore they grow up to bite. It reaches fleas [adult and pre-adult fleas] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks. Protects your home from reinfestation and flea buildup, your pets and family from bites.

[Zoecon RF-212 Fogger (also) kills: roaches, ticks, ants, flies, spiders and flying moths.]

One treatment with Zoecon RF-212 Fogger gives continuous protection against fleas for 75 days (10 weeks)(2 1/2 months). Zoecon RF-212 Fagger leaves no bad smell, no sticky mess and, used as directed, does not stain furmishings.

To protect your pet against fleas outdoors, use a (brand name) flea or flea and tick collar.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS 4 DOMESTIC ANIMALS-WARNING: Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing mist. Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. For use only when building is vacated by Numans and pets.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms or cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Kemove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of Call a physician immediately.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above  $130^{\circ}$ f may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one [fogger] canister for each 6,000 cu. ft. (750 sq. ft.) of unobstructed area, (approximately 27' X 27' or six 10' X For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

Remove pets. Be sure to leave pet bedding as this is a primary hiding place for fleas [adult and pre-adult fleas] and must be treated to get best results. No need to discard pet bedding after treatment. Fish tanks or bowls should either be covered with paper or removed.

Place in middle of the room on [the floor or a raised area such as a table or chair] a table or floor. Place newspapers under can to [protect the surface] prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Close [outside] all doors and windows [and turn off tans and air conditioners]. least six feet away from pilot lights. Liose [outside] all doors and windows tand turn out tens and all conditioners. Shut off fans and air conditioners. Cover or remove any exposed foods. Cover dishes and food handling equipment. Upon cabinets and doors to areas to be treated. [Open cupboards, Closets, trunks and interior doors in area to be treated.] [Leave rug, drapes, slip covers, upholstered furniture im place. Used as directed, this product will not harm them, just the fleas (adult and preadult fleas) hiding inside.]

Keep at arm's length when releasing. Point top of can away from face and eyes. [Keep at arm's length, point top of can away from face and eyes.] Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building [treated area] at once. Leave undisturbed for two hours. [Upon return] Open doors and windows and allow to air for one hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty Wrap container and put in trash collection.

-implied; -concerning the use of this product other than indicated on the label. Buyer assumes all risk for use and natalymy of this material whee such use and handling are contrary to label instructions.

EPA Reg. No. 2724-300 6

Zoecon Industries

EPA Est.

U.S. Patent #3,904,662;3,912 815 WAY 1 3 1833 Under the Epstern for a late.

Made in USA C 1982 Zoecon

1182-8:31454

as are ea, fur ho, 1-222 tagistare todas EPA Feg. No. 2724-300

lung to a thole i.e.



# ZOECON RF-183 HOUSE & KENNEL FOGGER

Kills Fleas & Ticks, Roaches, Ants, Flies, Spiders, and Elying Moths

For apartments, houses, kennels, or buildings up to 6,000 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS:	
2-(1-Methylethoxy) phenol methylcarbamate	1.000%
2,2-Dichlorovinyl dimethyl phosphate	0.470%
Related Compounds	
INERT INGREDIENTS:	98.500%
ACC Total	100.000%
<i>;</i>	

展り191983

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional proceutionary statements.

NET WT. 6 oz. (170 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS a DOMESTIC ANIMALS-CAUTION: Harmful it swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing, wash thoroughly after handling. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. To not use in serving areas while food is exposed. Pets should be removed and fish aquartums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least \$1x hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Potson Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Lontents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above  $130^{0}\mathrm{f}$  may cause bursting. Do not puncture or inclinerate.

GIRECTIONS Fire USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

use one canister for each 6.000 cu. ft. (750 sq. ft.) of unobstructed area. (approximately 27'  $\times$  27' or six 10'  $\times$  12' rooms). For most effective results, entire uselling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

he need to discard pet bedding after treatment. be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Introguing all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed foods. Cover dishes and food handling equipment. Upon cabinets and doors to areas to te treated.

Feed at arm's length when releasing. Point top of can away from face and eyes. Fress down actuatur tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for I hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container, mrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EFA Reg. No. 2724-294

' Zoecon Industries

EPA Est. 11715-TN-1

A Division of Zoecon Corporation 12200 Denton Orive, Dallas, Texas 75234

Made in 5A 6 1982 / Gencon 283-0:0741:0088A

**BEST DOCUMENT AVAILABLE** 

# **ZOECON RF-183**

## **HOUSE & KENNEL FOGGER**

Kills Fleas & Ticks, Roaches, Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or buildings up to 7.500 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS: 2-(1-Methylethoxy) phenol methylcarbamate.... 1.000% 2.2-Dichlorovinyl dimethyl phosphate.... 0.470% . 98.500% INERT INGREDIENTS ACCEPTED 100.000%

MAY 1, 9 1993

EPA Bus 1. 2724 294 KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

NET WT. 7.5 oz. (213 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing, wash thoroughly after handling. Avoid contamination of food and toodstuffs. Do not use in edible product areas of tood processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and tish aquariums covered or removed before treatment. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

STATEMENT OF PRACTICAL TREATMENT: It swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only it symptoms of cholinesterase inhibition appear. If <u>inhaled</u> - kemove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes , Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 1300F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 7,500 cu. ft. (940 sq. ft.) of unobstructed area, (approximately 30° X 30° or eight  $10^\circ$  X  $12^\circ$  rooms). For most effective results, entire quelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

ho need to discard pet bedding after treatment. Be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Extinguish all open 'flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or redove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated.

keep at arm's length when releasing. Point top of can away from face and eyes. rress down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for I hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or atsposal. Do not reuse empty container, wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

12200 Denton Drive, Dallas, Texas 75234

EPA Reg. No. 2724-294

EPA Est. 11715-TN-1 loecon industries A Division of Zoecon Corporation

Made in USA c 1982 Zoecon 283-C:0/41:0088A

GEST DUCUMENT AVAILABLE

## ZOECON **RF-183 HOUSE & KENNEL FOGGER**

Kills Fleas & Ticks, Roaches, Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or buildings up to 12,000 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate.... 1.000% 2.2-Dichlorovinyl dimethyl phosphate.... 0.470% 

100.000% Total

**持近1.0 (29)** 

EFF. Reg. N. 2724 - 294

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See back panel for additional precautionary statements.

NET WT. 12 oz. (340 g)

HAZARDS TO HUMANS & DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Avoid contamination of tood and toodstuffs. Do not use in edible product areas of tood processing plants, restaurants, or other areas where tood is commercially prepared or processed. Do not use in serving areas while food is exposed. Pets should be removed and fish aquariums covered or removed before treatment. Do not allow children to

PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT: It swallowed - Call a physician or Poison Control Center immediately. Do not induce vaniting. Note to Physician: May present aspiration hazard. Atropine should be administered only it symptoms of cholinesterase inhibition appear. If inhaled - Kemove victim to fresh air. Apply artificial respiration if indicated. If on skin - kemove contaminated clothing and wash affected areas with soap and water. It in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

lie or sleep in treated areas until at least six hours following treatment.

PHYSICAL OR CHEMICAL HAZANDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 12,000 cu. ft. (1500 sq. ft.) of unobstructed area, (approximately 39' x 39' or twelve 10' x 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where tull flow of mist is not assured.

ho need to discard pet bedding after treatment. be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marring. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed toods. Lover dishes and food handling equipment. Upon cabinets and doors to areas to be treated.

keep at arm's length when releasing. Point top of can away from face and eyes. Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for I hour.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container, brap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

10200 Dentum Drive, Dallas, Texas 75234

EPA Reg. No. 2724-294

Zoecon Industries A Division of Loecon Corporation EPA Est. 11715-78-1

Made in USA c 1962 zoecon 283-0:0741:0086A

**BEST DOCUMENT AVAILABLE**