

ZOECON RF-214 HOUSE AND KENNEL FOGGER

Kills Fleas & Ticks, Roaches,
Ants, Flies, Spiders, and Flying Moths

For apartments, houses, kennels, or
buildings up to 7,500 cu.ft.

Entire contents released from one spot.

Fog penetrates throughout area.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate..	1.000%
2,2-Dichlorovinyl dimethyl phosphate.....	0.470%
Related Compounds.....	0.030%
Pyrethrins.....	0.500%
*Piperonyl butoxide, technical.....	1.000%
N-Octyl bicycloheptene dicarboximide.....	1.670%
Petroleum Distillate.....	2.390%
INERT INGREDIENTS:.....	92.940%
TOTAL	100.000%

*Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% related compounds.

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for additional precautionary statements.

NET WT. 7.5 oz. (213 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS-WARNING: Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing mist. Avoid contact with skin. Wash thoroughly after handling and before eating or smoking. For use only when building is vacated by humans and pets.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flames. Exposure to temperatures above 130°F may cause bursting. Do not puncture or incinerate.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use one canister for each 7,500 cubic feet (940 square feet) of unobstructed area, (approximately 30' X 30' or eight 10' X 12' rooms). For most effective results, entire dwelling should be treated. Use additional cans for remote rooms or where full flow of mist is not assured.

Remove pets. Be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results. No need to discard pet bedding after treatment. Fish tanks or bowls should either be covered with paper or removed.

Place in middle of the room on a table or floor. Place newspapers under can to prevent any surface marking. Extinguish all open flames except pilot lights. Place at least six feet away from pilot lights. Shut off fans and air conditioners. Close all doors and windows. Cover or remove any exposed foods. Cover dishes and food handling equipment. Open cabinets and doors to areas to be treated.

Keep at arm's length when releasing. Point top of can away from face and eyes. Press down actuator tab to lock in position to start fogging action. Set in upright position and leave building at once. Leave undisturbed for two hours. Open doors and windows and allow to air for one hour.

STORAGE & DISPOSAL Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-303

Zoecon Industries
12200 Denton Drive, Dallas, Texas 75234

EPA Est. 11715-TN-1

ACCEPTED
MAY 19 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2724-303

Made in USA
c 1981 Zoecon
1182-8:3434A

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION
Harmful if swallowed. Avoid contamination of feed and feedstuffs. Avoid inhalation and skin contacts. Wash thoroughly after using and before eating or smoking. Do not use on household pets or humans. Do not allow children in treated areas until surfaces are dry.

Do not use in serving areas while food is exposed. For use as a spot treatment only. Do not use as a space spray.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Apply this product only as specified on the label.

Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting weeds or other vegetation blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

STATEMENT OF PRACTICAL TREATMENT
If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin—Remove contaminated clothing and wash affected area with soap and water.

If in eyes—Flush eyes for at least 15 minutes with plenty of water. Call a physician immediately.

STORAGE AND DISPOSAL

—Do not contaminate water, food, or feed by storage or disposal.
—Extinguish all open flames before using.

1. STORAGE
Do not store near heat or open flame. Store in a cool dry place. Keep container closed when not in use.

2. PESTICIDE DISPOSAL
Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

3. CONTAINER DISPOSAL
For both metal and plastic containers triple rinse (or equivalent). Then offer for recycling or reconditioning, or metal containers may be purchased and disposed of in a sanitary landfill or other approved state and local procedures, or plastic containers may be disposed of in a sanitary landfill, or by incineration if allowed by state and local authorities.

BETCO PB-362
RESIDUAL INSECTICIDE

A Quick Acting Surface Spray for Indoor and Outdoor Use in Institutions, Restaurants and Food Processing Plants.

Kills resistant roaches, ants, flies, mosquitoes, fleas (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, small flying moths and carpet beetles.

Odorless—Stainless—Kills even resistant roaches, ants and flies.

Residual Type Insecticide.

Active Ingredients


0,0-Diethyl P-2 isopropyl-5-methyl-4-pyrimidinyl phosphorothioate	0.500%
Pyrethrins	0.052%
** Piperonyl Butoxide, Technical	0.261%
Petroleum Distillate	98.603%
Inert Ingredients	0.579%

** (Equivalent to 0.209% of butylcarbitol) (6 propylpiperonyl) ether and 0.052% of related compounds.

KEEP OUT OF REACH OF CHILDREN.
CAUTION
See side panel for additional
Precautionary Statements.
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.
ONLY FOR SALE TO, USE AND STORAGE BY SERVICE
PERSONS, JANITORS, OR MAINTENANCE PERSONNEL

EPA EST. NO. 4170-OH-1
EPA REG. NO. 4170-23
MANUFACTURED BY BETCO CORP.
TOLEDO, OHIO

BEST DOCUMENT AVAILABLE



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Food handling establishments—Places other than private homes in which exposed food is held, prepared, processed, or served.

Food areas—Application limited to crack and crevice treatment only.

Includes areas for receiving, storage, packing, weighing, bottling, or filling, holding, wrapping, or case packing, waste storage and disposal, processing systems, and areas for the sale, display, and serving of food (when food is exposed and facility is in operation).

To control roaches, ants, whiteflies, silverfish, spiders and crickets apply in small amounts directly into cracks and crevices using equipment capable of directing a fine stream of insecticide to points between different elements of construction, between equipment and floor, openings leading to voids, and other sources of entry. Equipments and bases in contact with floor should be treated with insecticide. Prior to application, de-energize electrical equipment. After application, allow time for insecticide to dry. Do not touch or use electrical switches in 24 hours. Care should be taken to avoid spraying the product onto exposed surfaces or introducing the material into the air. Avoid contact with food or food processing surfaces.

Applications of this product in the food areas of food handling establishments other than as a crack and crevice treatment are not permitted.

Serving areas—Places where food is served such as dining rooms, but excluding areas where food is prepared or held, apply as directed for crack and crevice treatment. Do not apply to underlayment or construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation or food is exposed.

Non-food areas—To control roaches, ants, whiteflies, silverfish, spiders, and crickets in non-food areas of food handling establishments including locker rooms, restrooms, janitor closets, stock rooms, and vestibules, lockers, rooms, machine rooms, boiler rooms, garages, tool closets, and storage areas (before or after use). Apply to baseboard areas, around water pipes, pipes, behind and beneath doors, under tables, desks, and similar areas where insect hide or harbor which they may enter. Repeat treatment as required.

Carpenter Beets—Surround edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, crevices and crested areas of shoving. Repeat as necessary.

Break Bug Ticks—Thoroughly spray sleeping quarters of animals. Spray infested areas around base boards, windows and door frames, wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment. **DO NOT TREAT ANIMALS WITH FORMULATION.**

Flies, Mosquitoes, Wasps and Small Flying Moths Outdoors—For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects gather or congregate.

Flies, Chiggers, Ants Outdoors—For treatment of localized infestations of these insects in outdoor areas, spray weeds and brushy non-crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 6 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4170-23

BEST DOCUMENT AVAILABLE