

V-11, 100, 100, 100

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification

doors and windows, in wall voids and other places where ants are found or may enter the premises. Where accessible, treat ant nest or infested wood directly. Infestation is normally brought under control with one cleanout treatment. However, in cases where low infestation levels persist, follow up cleanout with monthly treaters with 0.5% a.i. spot applications until infestation is completely controlled.

Spiders: Apply as a 1.0% a.i. spot or crack and crevice treatment around windows and doors, along baseboards, and in corners. Make a spot application to other areas where spiders are seen or suspected.

Fleas: Apply as a 0.5% a.i. fine spray to infested rugs, floor coverings and upholstered furniture, taking care to treat between and under cushions of furniture and under edges of floor coverings where possible. Use approximately 1 gallon of finished spray per 1500 sq. ft. Entire rugs may be treated. Pet beds and frequented resting areas including adjacent cracks and crevices should also be treated. Old bedding should be removed and replaced with clean fresh bedding after premises are treated. Do not treat pets with this product. Keep all persons and pets out of treated area until spray mixture has dried.

Brown Dog Ticks: Apply as a 0.5%-1.0% a.i. fine spray to infested areas such as those indicated above for Fleas. Allow 48 hours of exposure to treated surfaces for control to be evident. Do not treat pets with this product. Keep all persons and pets out of treated area until spray mixture has dried.

Carpet Beetles: Apply as a 0.5%-1.0% a.i. spot application along baseboards and edges of carpeting, under rugs and furniture, and in closets or shelving where these insects are seen or suspected.

Beetles: Bugs, Earwigs, Ground Beetles: Apply as a 1.0% a.i. spot or crack and crevice treatment around windows, doors and along baseboards. Make a spot application to other areas where these insects are seen or suspected.

Food Processing Establishments (Brewery/Grain Beetle, Red Flour Beetle, Confused Flour Beetle, Cigarette Beetle): Remove all foodstuff, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply a 1.0% a.i. spray to shelves and cabinets. Allow spray to dry. Apply fresh shelf paper prior to replacement of food and utensils.

Food Handling Establishments: In food areas of such establishments, application is limited to spot or crack and crevice treatments. Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing system (mills, driers, edible oils, syrups). Serving areas when food is exposed and facility is in operation are also considered a food area. Prepare a SAFROTIN spray-mix diluted with water as directed above and apply in small amounts directly into cracks and crevices using equipment capable of delivering a stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where Cockroaches, Ants, Silverfish, Firebrats, Spiders and Crickets hide. Spot treatment may also be made to areas where any of the above pests occur such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers and similar areas. Make low pressure applications to avoid contamination of food or food processing surfaces. Repeat treatment as needed but not more than once every 7 days. Do not use SAFROTIN oil diluted spray mixes in food areas of food handling establishments. SAFROTIN EC is authorized by the USDA for use in federally inspected meat and poultry plants. For applications in non-food areas of food handling establishments, refer to instructions given above for the pest in question.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal. Storage: Store in a cool, dry and well-ventilated area away from humans, pets, foodstuffs and feed. Do not store near heat or open flame. Precaution: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Metal Container Disposal: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

Glass Container Disposal: Triple rinse. Then dispose of in a sanitary landfill, or by other approved state and local procedures. Plastic Container Disposal: Triple rinse, or as low as possible. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

safrotin®

Emulsifiable Concentrate Insecticide

For Control of Cockroaches and Other Pests

ACTIVE INGREDIENT:
propetamphos [(E)-1-methylethyl 3-[[[(ethylamino) methoxyphosphinothioyl] oxy]-2-butenoste] 50%
INERT INGREDIENTS * 50%
100%

*contains petroleum distillates
Keep Out of the Reach of Children

WARNING

See side panel for additional precautionary statements, first aid treatments, and directions for use

Seller makes no warranty express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Zocon Corporation
A Sandoz Company
12200 Denton Drive
Dallas, Texas 75234

LOT _____
NET 1 QT.

EPA REG. NO. 2724-314
EPA EST. 2724-TX-1

PRECAUTIONARY STATEMENTS AND FIRST AID TREATMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS — WARNING: Harmful or fatal if swallowed, inhaled or absorbed through skin, eyes or clothing. In the case of any suspected poisoning, either internal or external, consult a physician immediately. If swallowed, drink one to two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. If patient is not breathing, start artificial respiration immediately.

NOTE TO PHYSICIAN: Propetamphos, an organophosphate compound, is a cholinesterase inhibitor. Atropine with 2-PAM is the emergency antidote if symptoms of cholinesterase inhibition are present.

Avoid breathing vapor or spray mist. In case of skin contact, remove patient from area. Remove all contaminated clothing and wash skin gently and repeatedly with soap and water. In case of eye contact, flush immediately with water. Continue flushing for at least 15 minutes.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, or store near heat or open flame. Preparation of the spray mixture and loading of application equipment must be done in open air.

In case of prolonged exposure, wear rubber gloves, protective clothing, and goggles. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. In case of spillage, cover with an absorbent material such as clay or sawdust. Sweep up and bury. Then wash area with a strong detergent.

DIRECTIONS FOR USE — It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General Information: SAFROTIN provides effective control of listed pests in and on buildings and structures and their immediate surroundings and on modes of transportation. Permitted sites of application include but are not limited to homes, apartment buildings, stores, warehouses, schools, nursing homes, hospitals, industrial buildings, vessels, rail cars, trucks, trailers and aircraft. SAFROTIN may also be used in food handling establishments. SAFROTIN mixes easily with water or oil (deodorized kerosene or other suitable base oil) and may be applied with most sprayers. Diluted spray mixture can be stored overnight and applied the following day, but mixture should be agitated well prior to application to prevent the uneven distribution of product. Do not apply as a space spray. SAFROTIN in recommended dilutions is nonstaining and does not cause damage to fabrics, plastics, paints, or other surfaces which cannot be damaged by the carrier alone.

Do not apply water-base sprays of this product where electrical short circuits might result. If there is a need to treat such areas, use only oil-base sprays.

Specific Instructions: Prepare a SAFROTIN spray-mix equal to a 0.5-1.0% concentration of active ingredient per gallon of finished solution according to the following dilution table.

To make 1 gallon of finished spray equal to:	Dilution Rate
0.5% Concentration	Use 1.25 oz per gallon of water or oil
1.0% Concentration	Use 2.50 oz per gallon of water or oil

Where a rate range is indicated below, use the low rate for light infestations or monthly maintenance sprays, and the higher concentration for heavy infestations, initial cleanout, or where a longer period of residual control is desired.

Cockroaches, Ants, Crickets, Firebrats, Pillbugs, Sowbugs, and Silverfish: Apply as a 0.5%-1.0% a.i. spot or crack and crevice treatment where these pests normally occur such as baseboards, storage areas, closets, around water pipes, doors and windows behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers and similar areas. For control of ants, apply spray mix to ant trails, around doors and windows and other places where ants may enter structures.

Carpenter ants: For initial cleanout, apply a 1.0% a.i. spot treatment to ant trails, around

ACCEPTED
FEB 16 1969
Under the authority of the
Fertilizer Act, as amended for 1968
pesticide registered under
EPA Reg No. 2724-314