US ENVIRONMENTAL PROCTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATIO	NOV 25 1985
NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		uct Nothorrone Folius Let Dairtle
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) C Soecor Enductrice Solvision of zoecor Succession 12200 Denton Drive Lellas, my 75234 L		6/1631,73
NGTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in comm	

2724 . 2.21

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

whic product is conditionally redictered is accordance with ELEDE sec. (c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed before you release the product for shipment:

a. Add the threse "">> registration No. 2704-330."

3. Submit five (5) coules of your final printed labeling before you release the product for shippent. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PTPRE sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records,

Enclosure

Minothy A. Cardner Product Manager (174) Insecticide-Podenticide Branch Pedistration Division (MS-767)

	8748&+Nalsan+RDx&AjK&CO:11	/19/85:12/2	2/85:de	ej: v o	Λ		
`	SIGNATURE OF APPROVING OFFICIAL	T	4 (pan	DATE (-25.	-85
ì	EPA Form 8570-6 (Rev. 5-76)	PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.					

DRAFT LABEL

((

((^

ZOECON RF-260 METHOPRENE BOLUS for BEEF and DAIRY CATTLE

A Sustained Release Bolus Containing Methoprene to Prevent Adult Horn Fly Emergence from Manure of Beef and Dairy Cattle for the Entire Horn Fly Season.

(Breaks the horn fly life cycle)

(Provides continuous control of horn flies for) (6 1/2 months) (26 weeks)

(Simple and easy to use)

(No withdrawal prior to slaughter)

(No retrieval prior to slaughter)

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read All Directions Before Using

Net Contents:

Net Wt. of Each Bolus: 80 grams

ACCEPTER with COM 18858 In EPA Letter Datab

NOV 2 5 1985

Under the *	وماجري
Funglesie	· · · 1.1
an amender.	N. 48
registered which w	330
2/24	<u>- 22</u> U

	* * *
	• •

•	• •

	• •
	11441
• • •	•
•••••	
•	A A
•	
44 4 5 6 4 5 6 5	
	34 44
4 6 6 4 4 7 7	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The Zoecon RF-260 Methoprene Bolus for Beef and Dairy Cattle when placed in cattle in the spring will provide a sustained release of methoprene sufficient to prevent the emergence of adult horn flies from the manure of treated cattle for 6 1/2 months. Existing adult horn flies will not be affected.

Administer the Zoecon RF-260 Methoprene Bolus orally with a balling gun. Estimate body weights carefully and administer in accordance with the following table.

No. of Boluses

Body Weight

1/2136 kg (300 lbs) to 299 kg (659 lbs)1300 kg (660 lbs) to 640 kg (1400 lbs)

Horn flies will not develop in the manure of nursing calves. It is not necessary to treat calves until they are weaned.

Do not administer to cattle too small to swallow boluses.

Allow sufficient time for the swallowing reflex to occur. Observe animals following dosing to insure that if boluses are regurgitated, the animal involved is re-treated.

STORAGE AND DISPOSAL: Store in cool, dry area. Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

> ZOECON INDUSTRIES A Division of Zoecon Corporation 12200 Denton Drive, Dallas, Texas 75234

EPA Reg. No. 2724-0485A:0102f:0002d EPA Est.

