

1081

ZOECON RF-256 AEROSOL

with SAFROTIN[®] insecticide

For Control of Cockroaches and Other Pests

Kills Exposed Termites on Contact

Low Odor

No Staining

Labeled for Food Handling Establishments

ACTIVE INGREDIENT:

Propetamphos [(E)-1-methylethyl 3-
[[[(ethylamino) methoxyphosphinothioyl]
oxy]-2-butenoate].....

01.0%
99.0%

INERT INGREDIENTS:.....

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected area with soap and water. If in eyes - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Zocon RF-256 Aerosol provides effective control of listed pests in buildings and structures. Permitted sites of application include but are not limited to homes, apartment buildings, stores, warehouses, schools, nursing homes, hospitals and industrial buildings. Zocon RF-256 Aerosol may also be used in food handling establishments. When used as directed, Zocon RF-256 Aerosol is nonstaining.

For Termites: Apply directly to exposed termites.

Cockroaches, Ants, Crickets, Firebrats, Pillbugs, Sowbugs, Silverfish, Carpenter Ants, Spiders, Fleas, Brown Dog Ticks, Carpet Beetles, Boxelder Bugs, Earwigs, and Ground Beetles: Apply as a spot or crack and crevice treatment where these pests normally occur such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers and similar areas.

For Ants and Carpenter Ants: Apply to ant trails and places where ants may enter structure. Where accessible, treat ant nests or infested wood directly.

For Fleas and Brown Dog Ticks: Apply a fine spray to pet beds and frequented resting areas, including adjacent cracks and crevices. Allow 48 hours of exposure to treated surface for control of Brown Dog Ticks to be evident. Old bedding should be removed and replaced with clean fresh bedding after treatment. Do not treat pets. Keep all persons and pets out of treated area until spray has dried.

Pantry Pests - Exposed Stages (Sawtoothed Grain Beetle, Red Flour Beetle, Confused Flour Beetle, Cigarette Beetle): Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply to shelves and cupboards. Allow spray to dry. Apply fresh shelf paper prior to replacement of food and utensils.

Food Handling Establishments: Application within food areas of food handling establishments is limited to crack and crevice treatment only. Use only with crack and crevice extension tube or equipment capable of delivering spray directly into cracks and crevices. Place extension tube 1/2 inch into cracks, crevices, holes and other small openings where insects may be a problem. Release small amounts (approximately one second) of spray per spot. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Food areas include areas for receiving, storage packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food area when food is exposed and facility is in operation. Apply in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in walls, equipment legs and bases, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment, the underside of shelves, drawers and similar areas where cockroaches, ants, silverfish, firebrats, spiders and crickets hide. Repeat treatment as needed but not more often than every 7 days, and not to exceed 2 treatments in a 30-day period. Application of this product in food areas of food handling establishments other than as a crack and crevice treatment are not permitted.

Zocon RF-256 Aerosol is authorized by the USDA for use in federally inspected meat and poultry plants. For applications in nonfood areas of food handling establishments, refer to instructions given above.

STORAGE & DISPOSAL: Store in cool area, away from children. Do not reuse empty container. Wrap and put in trash collection.

Zocon Professional Products
A Division of Sandoz Agro, Inc.
1300 East Touhy Avenue, Des Plaines, Illinois 60018

SAFROTIN is a trademark of Sandoz Ltd.
EPA Reg. No. 2724-340
0192-I

EPA Est.
© 1985 Zocon.
Made in USA

