

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

FEB 2 1 1996

5483312

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. John T. Seaver Registration Specialist Sandoz Agro, Inc. 1300 E. Toughy Ave. Des Plains, Illinois 60018

Dear Mr. Beaver:

Subject: Deletion of Uses

Zoecon RF-256 Aerosol

EPA Registration No. 2724-340

Your Application Dated March 4, 1995 Federal Register Notice of June 7, 1995

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable, provided that you:

Submit one copy of your final printed labeling incorporating the following correction before you release the product for shipment.

In the paragraph headed "General Information", delete the words "but are not limited to" in the sentence, "Permitted sites of application include but are not limited to homes, apartment buildings, stores, schools, nursing homes, hospitals and industrial buildings."

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

moun/1

Robert A. Forrest Product Manager (14)

Insecticide-Rodenticide Branch Registration Division (7504C)

ZOECON RF-256 AEROSOL

ACCEPTED WILL COMMENTS

with SAFROTIN' Insecticide

For Control of Cockroaches and Other Pests

Under the Federal Insecticide, Fungletile, and Rodenticide Ast as amended, for the pesticide registered under EPA Beg. He.

Kills Exposed Termites on Contact

Low Odor

No Staining

Labeled for Food Service Establishments

ACTIVE INGREDIENT:

Propetamphos [(E)-1-methylethyl 3-[[(ethylamino) methoxyphosphinothioy!] oxy]-2-butenoate] 01.0% TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS-CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT: <u>if swellowed</u> - Cell a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear. <u>if inhaled</u> - Remove victim to fresh air. Apply artificial respiration if indicated. <u>If on skin</u> - Remove contaminated clothing and wash affected area with soap and water. <u>If in eyes</u> - Flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Zoecon RF-256 Aerosol provides effective control of listed pests in buildings and structures. Permitted sites of application include but are not limited to homes, apartment buildings, stores, schools, nursing homes, hospitals and industrial buildings. Zoecon RF-256 Aerosol may also be used in food service establishments. When used as directed, Zoecon RF-256 Aerosol is nonstaining.

For Termites: Apply directly to exposed termites.

Cockroaches, Ants, Crickets, Firebrats, Pilibugs, Sowbugs, Silverfish, Carpenter Ants, Spiders, Fleas, Brown Dog Ticks, Carpet Beeties, Boxelder Bugs, Earwigs, and Ground Beetles: Apply as a spot or crack and crevice treatment where these pests normally occur such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers and similar areas.

For Ants and Carpenter Ants: Apply to ant trails and places where ants may enter structure. Where accessible, treat ant nests or infested wood directly.

For Fleas and Brown Dog Ticks: Apply a fine spray to pet beds and frequented resting areas, including adjacent cracks and crevices. Allow 48 hours of exposure to treated surface for control of Brown Dog Ticks to be evident. Old bedding should be removed and replaced with clean fresh bedding after treatment. Do not treat pets. Keep all persons and pets out of treated area until spray has dried.

Pantry Pests - Exposed Stages (Sawtoothed Grain Beetle, Red Flour Beetle, Confused Flour Beetle, Cigarette Beetle): Remove all foodstuff, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply to shelves and cupboards. Allow spray to dry. Apply fresh shelf paper prior to replacement of food and utensils.

Food Service Establishments: Application is limited to crack and cravice treatment in food service establishments such as restaurants, cafeterias, teverns, delicatessens, mess halls, shool and institutional dining areas, hospitals, mobile canteens, vending machines, groceries and markets. Use only with crack and cravice extension tube or equipment capable of deliviring apray directly into cracks and cravices. Place extension tube 1/2 inch into cracks, cravices, holes and other small openings where insects may be a problem. Release small amounts (approximately one second) of spray per spot. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the maturial into the air. Apply in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in walls, equipment legs and bases, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment, the underside of shelves, drawers and similar areas where cockroaches, ants, silverfish, firebrats, spiders and crickets hide. Avoid contamination of food or food preparation surfaces. Application of this product in food areas of food service establishments other than as a crack and crevice treatment are not permitted. For applications in nonfood areas of food service establishments, refer to instructions given above for the pest in question.

Repeat treatment as needed but not more often than every 7 days, and not to exceed 2 treatments in a 30 day period.

STORAGE & DISPOSAL: Store in cool area, away from children. Do not reuse empty container. Wrap and put in trash collection.

Sandoz Agro, Inc. 1300 East Touhy Ave., Des Plaines, Illinois 60018

SAFROTIN is a trademark of Sandoz Ltd. EPA Reg. No. 2724-340 0295-A

EPA Est. 2724-TX-1

Made in USA