, ,	٠ .	121 12 12 12 12 12 12 12 12 12 12 12 12
US ENVIRONMENTAL PROJECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATI	DATE OF ISSUANCE
	TERM OF ISSUANCE	: IAFR 2 1 198b
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE	
(Under the Federal Insecticide, Fungicide,	i _	Methoprene Bolus d Dairy Cattle
and Rodenticide Act, as amended)		
AME AND AD RESS OF REGISTRANT (Include ZIP code)	-	
<u> </u>		160 167 919
Zoecon Industries	••	1/20/16/1
A Division of Zoecon Corporation		
12200 Denton Drive		-11
Dallas, TX 75234	, , ,	i U 11
L	·]	1.0%
		W W
NATE OF THE PARTY	in a that account discussion	
NCTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the tabel in	commerce. In any correspondence on t
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide	is hereby Registered/Reregistered un
A copy of the labeling accepted in connection with this Re	gistration/Reregistration	on is returned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any	n, may at any time sus ime in connection with	pend or cancel the registration of a pe the registration of a product under this
Act is not to be construed as giving the registrant a right to by others.		
This product is conditionally regisection 3(c)(7)(A) provided that you:	stereo in accord	ance with Firka
 Submit and/or cite all data req 		
of your product under FIFRA section 3(c)	_	ency requires all
registrants of similar products to submi 2. Add the phrase "FPA Registration		to rough label before
you release the product for shipment.	0.05-6712 • ON III	co your label belore
3. Submit five (5) copies of your		
release the product for shipment. Refer	to the A-79 En	closure for a further
description of final printed labeling.		
If these conditions are not complied	-	
subject to cancellation in accordance wi for shipment of the product constitutes		
A stamped copy of the label is encl		
	0 - 1	
At the second	Partilla	
Tuesday of the state of the sta	TO B. Contille	
* *	iro E. Castillo ing Product Mana	mer (17)
	ng Froduct Mana ecticide-Rodenti	
•	stration Divisi	
•		
Enclosures		
		·
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

EPA Form 8570-6 (Rev. 5-76)

DRAFT LABEL

ZOECON RF-293 METHOPRENE BOLUS for BEEF and DAIRY CATTLE

A Sustained Release Bolus Containing Methoprene to Prevent Adult Horn Fly Emergence from Manure of Beef and Dairy Cattle for the Entire Horn Fly Season.

(Breaks the horn fly life cycle)

(Provides continuous control of horn flies for)
(6 1/2 months)
(26 weeks)

(Simple and easy to use)

(No withdrawal prior to slaughter)

(No retrieval prior to slaughter)

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read All Directions Before Using

Net Contents:

Net Wt. of Each Bolus: 80 grams

ACCEPTED WILL COMMENTS IN SEA Letter Detect

'APR21 1986

Under the tectoral transfisher, temperature, and Restaurable And Manager to personal material analysis and analysis analysis and analysis analysis and analysis and analysis and analysis and analysis and analysis and analysis analysis analysis and analysis analysis analysis analysis and analysis anal

13/3

DIRECTIONS FOR USE

(

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The Zoecon RF-293 Methoprene Bolus for Beef and Dairy Cattle when placed in cattle in the spring will provide a sustained release of methoprene sufficient to prevent the emergence of adult horn flies from the manure of treated cattle for 6 1/2 months. Existing adult horn flies will not be affected.

Administer the Zoecon RF-293 Methoprene Bolus orally with a balling gun. Estimate body weights carefully and administer in accordance with the following table.

No. of Boluses	Body Weight
1/2	136 kg (300 lbs) to 299 kg (659 lbs)
1	300 kg (660 lbs) to 640 kg (1400 lbs)

Horn flies will not develop in the manure of nursing calves. It is not necessary to treat calves until they are weaned.

Do not administer to cattle too small to swallow boluses.

Allow sufficient time for the swallowing reflex to occur. Observe animals following dosing to insure that if boluses are regurgitated, the animal involved is re-treated.

STORAGE AND DISPOSAL: Store in cool, dry area. Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ZOECON INDUSTRIES
A Division of Zoecon Corporation
12200 Denton Drive, Dallas, Texas 75234

EPA Reg. No. 2724-0286A:0139f:0005f

EPA Est.

