

ZOËCON® GRANULAR IGR CATTLE SUPPLEMENT

PREVENTS ADULT HORN FLY EMERGENCE
FROM MANURE OF TREATED CATTLE

A nutritional supplemental containing S-methoprene* insect growth regulator for continuous feeding to cattle through the horn fly season

ACTIVE INGREDIENT:

S-Methoprene (CAS #65733-16-6) 0.02%

OTHER INGREDIENTS: 99.98%

TOTAL 100.00%

GUARANTEED ANALYSIS

Calcium (CA), not less than 13.2%

Calcium (CA), not more than 15.8%

Phosphorus (P), not less than 7.0%

Salt (NaCl), not less than 25.0%

Salt (NaCl), not more than 30.0%

Iodine (I), not less than 0.015%

Vitamin A, not less than 200,000

USP units per pound

FEED INGREDIENTS

Vitamin A Acetate, D-Activated Animal Sterol (Source of Vitamin D₃-Stability Improved), Dicalcium Phosphate, Defluorinated Phosphate, Calcium Carbonate, Low Fluorine Ground Rock Phosphate, Soybean Meal, Salt, Iron Sulfate, Iron Oxide, Cobalt Carbonate, Silicon Dioxide, Copper Carbonate, Petrolatum, Cane Molasses, Ethylene Diamine Dihydriodide, Manganous Oxide, Zinc Oxide, Magnesium Oxide, Sodium Selenite

*As the Insect Growth Regulator ALTOSID®


KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 2724-372

Net Weight:

EPA Est. No.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Using it in a manner other than that described by the label could result in harm to aquatic invertebrates. Do not contaminate water when disposing of rinsate or equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FEEDING AND MANAGEMENT INSTRUCTIONS

When used as directed Zoëcon® Granular IGR Cattle Supplement will provide sufficient S-methoprene insect growth regulator to prevent the emergence of adult horn flies from manure of treated cattle. Existing adult horn flies will not be affected. Start feeding before horn flies appear and continue use until cold weather marks the end of horn fly season. Use the following management techniques to **maintain continuous intake of Zoëcon Granular IGR Cattle Supplement at a level of 1/4 to 1/2 lb per 100 lb animal body weight per month.**

1. Assure cattle are not starved for nutrients in Zoëcon Granular IGR Cattle Supplement by providing them prior to feeding Zoëcon Granular IGR Cattle Supplement.
2. Offer cattle 50 lb of Zoëcon Granular IGR Cattle Supplement for every 15 head of cattle.
3. Remove all other self-limiting nutritional supplements.
4. Locate Zoëcon Granular IGR Cattle Supplement where cattle congregate (watering, loafing, shade areas).
5. Replenish Zoëcon Granular IGR Cattle Supplement on a regular basis as needed.
6. If intake of Zoëcon Granular IGR Cattle Supplement is below 1/4 lb per 100 lb animal body weight per month increase the number of feeding locations and/or change location(s) to areas more frequented by cattle.
7. If intake of Zoëcon Granular IGR Cattle Supplement is above 1/2 lb per 100 lb animal body weight reduce the number of feeding locations and/or change location(s) to areas less frequented by cattle.
8. Introduction of this product after an adult horn fly infestation is established will require treatment of cattle with adulticides if immediate elimination of the adult fly population is desired.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store Zoëcon Granular IGR Cattle Supplement in a cool place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

3 7 3

ALTOSID® Insect Growth Regulator and Zoëcon® are registered trademarks of Wellmark International.

Wellmark International
Bensenville IL 60106

Made in USA

Faint, illegible text or markings in the bottom right corner.