

ZOËCON® BLOCK IGR CATTLE SUPPLEMENT

PREVENTS ADULT HORN FLY EMERGENCE FROM MANURE OF TREATED CATTLE

A Nutritional supplement Containing S-Methoprene* Insect Growth Regulator for Continuous Feeding to Cattle through the Horn Fly Season.

ACTIVE INGREDIENT:

S-Methoprene (CAS #65733-16-6) 0.02%

OTHER INGREDIENTS:..... 99.98%

TOTAL 100.00%

GUARANTEED ANALYSIS

Calcium (Ca), not less than.....	13.2%
Calcium (Ca), not more than.....	15.8%
Phosphorus (P), not less than.....	7.0%
Salt (NaCl), not less than.....	25.0%
Salt (NaCl), not more than.....	30.0%
Iodine (I), not less than.....	0.015%
Vitamin A, not less than.....	200,000

USP units per pound

FEED INGREDIENTS


Vitamin A Acetate, D-activated Animal Sterol (Source of Vitamin D₃-Stability improved), Dicalcium Phosphate, Defluorinated Phosphate, Calcium Carbonate, Low Fluorine Ground Rock Phosphate, Soybean Meal, Salt, Iron Sulfate, Iron Oxide, Potassium Iodide, Cobalt Carbonate, Silicon Dioxide, Copper Carbonate, Cane Molasses, Manganous Oxide, Ethylene Diamine Dihydriodide, Zinc Oxide, Magnesium Oxide, Paraffin Wax, Hemicellulose Extract

*As the Insect Growth Regulator ALTOSID®

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Reg. No. 2724-373

NET WEIGHT:



EPA Est. No.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Using it in a manner other than that described by the label could result in harm to aquatic invertebrates. Do not contaminate water when disposing of rinsate or equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FEEDING AND MANAGEMENT INSTRUCTIONS

When used as directed, ZOËCON® BLOCK IGR CATTLE SUPPLEMENT will provide sufficient S-methoprene insect growth regulator to prevent the emergence of adult horn flies from manure of treated cattle. Existing adult horn flies will not be affected. Start feeding before horn flies appear and continue use until cold weather marks the end of the horn fly season. Use the following management techniques to **maintain continuous intake of Zoëcon Block IGR Cattle Supplement at a level of 1/4 - 1/2 lb per 100 lb of animal body weight per month.**

1. Assure cattle are not starved for nutrients in Zoëcon Block IGR Cattle Supplement by providing them prior to feeding Zoëcon Block IGR Cattle Supplement.
2. Offer cattle 50 lb of Zoëcon Block IGR Cattle Supplement for every 15 head of cattle.
3. Remove all other self limiting nutritional supplements.
4. Locate Zoëcon Block IGR Cattle Supplement where cattle congregate (watering, loafing, shade areas).
5. Replenish Zoëcon Block IGR Cattle Supplement on a regular basis as needed.
6. If intake of Zoëcon Block IGR Cattle Supplement is below 1/4 lb per 100 lb animal body weight per month, increase the number of feeding locations and/or change location(s) to areas more frequented by cattle.
7. If intake of Zoëcon Block IGR Cattle Supplement is above 1/2 lb per 100 lb animal body weight per month, reduce the number of feeding locations and/or change location(s) to areas less frequented by cattle.
8. Introduction of this product after adult horn fly infestation is established will require treatment of cattle with adulticides, if immediate elimination of the adult fly population is desired.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Storage: Store Zoëcon Block IGR Cattle Supplement in a cool place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by state and local authorities by burning. If burned, stay out of smoke.

Made in USA

ALTOSID® Insect Growth Regulator and Zoëcon® are registered trademarks of Wellmark International.

Wellmark International
Bensenville IL 60106

