ZOËCON® ALTOSID® BRIQUETS

A SUSTAINED RELEASE MOSQUITO GROWTH REGULATOR
TO PREVENT ADULT MOSQUITO EMERGENCE
(INCLUDING THOSE WHICH MAY TRANSMIT WEST NILE VIRUS)

ACTIVE INGREDIENT:

S-Methoprene (Dry Weight Basis) (CAS #65733-16-6) 8.62% **OTHER INGREDIENTS:** 91.38%

Total: 100.00%

This product contains water, therefore the weight of the briquet and percent by weight of active ingredient will vary with hydration. The Ingredient Statement is expressed on a dry weight basis.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side/back panel(s) for Precautionary Statements and First Aid

NET WEIGHT: 1.19 lbs Contains 100 briquets

EPA Reg. No. 2724-375

EPA Est. No.

Not for sale or use after _____

ACCEPTE!	D
Under the Federal Insecticides. Fungicide. and Redenticide Act as amended, for the pesticide registered under EPA Reg. No.	V

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Call a poison control center or doctor for treatment advice.				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. 			
	ct container or label with you when calling a poison control center or doctor, o ent. You may also contact 1-800-[248-7763 phone number] for emergency ent information.			

[Note: First Aid statement paragraph format may be used if space is limited.]

ENVIRONMENTAL HAZARDS:

Do not contaminate water when disposing of unused product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Note to User: Do not remove ALTOSID® Briquets from container except for immediate use.

Because of the unique mode of action of ALTOSID Briquets, users must be familiar with special techniques for accurate evaluation of treatments. See Application Rates and Intervals section of this label or consult local Mosquito Abatement Agency. Effective use of ALTOSID Briquets in sites subjected to periodic heavy flow of water requires careful attention to briquet placement and to the possible need for retreatment. Use of the product in storm drains, waste treatment and settling ponds, and similar systems should therefore be limited to experienced pesticide applicators, such as personnel of Mosquito Abatement Districts and Public Health Agencies.

Introduction: The ALTOSID Briquet is a formulation designed to release effective levels of ALTOSID® Insect Growth Regulator up to 30 days under typical environmental conditions. Release of ALTOSID Insect Growth Regulator is affected by dissolution of the ALTOSID Briquet. If briquets become covered by obstructions such as debris, vegetation, or loose sediment as a result of high rainfall or flow, normal dispersion of the active ingredient can be inhibited. Water flow may increase the dissolution of the briquet thus reducing the residual life of the briquet. Inspect areas of water flow to determine appropriate retreatment intervals. To assure positive results, place ALTOSID Briquets where they will not be swept away by flushing action. ALTOSID Briquets prevent the emergence of adult mosquitoes including Anopheles, Culex, Culiseta, Coquillettidia, and Mansonia spp., as well as those of the floodwater mosquito complex (Aedes, Ochlerotatus, and Psorophora spp.) from treated water. Treated larvae continue to develop normally to the pupal stage where they die.

Application Timing: Apply ALTOSID Briquets at the beginning of the mosquito season. ALTOSID Briquets provide up to 30 days residual control. Continue treatment through the last brood of the season. Apply at any stage of larval development. ALTOSID Briquets may be applied as a pre-flood treatment prior to wetting events. ALTOSID Briquets will be unaffected in dry down situations and will begin working again during subsequent wetting events until the briquet is exhausted.

NOTE: This insect growth regulator has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment.

Application Sites: ALTOSID Briquets are designed to control mosquitoes in small bodies of water. Examples of application sites are: storm drains, catch basins, roadside ditches, fish ponds, ornamental ponds and fountains, other artificial water-holding containers, animal watering [horse] troughs, cesspools and septic tanks, waste treatment and settling ponds, flooded crypts, transformer vaults, abandoned swimming pools, tires, construction and other manmade depressions, cattail marshes, water-hyacinth beds, vegetation-choked phospate pits, pastures, meadows, rice fields, freshwater swamps and marshes, salt and tidal marshes, treeholes, woodland pools, floodplains, and dredging spoil sites. For application sites connected by a water system, i.e., storm drains or catch basins, treat all of the water holding sites in the system to maximize the efficiency of the treatment program.

Application Rates and Intervals: For mosquito control in non-(or low-) flow, shallow depressions (up to 2 ft in depth), treat on the basis of surface area placing 1 ALTOSID Briquet per 100 sq ft. For applications in storm water drainage areas, sewers, and catch basins: Place 1 ALTOSID Briquet into each catch basin. Follow the chart below to determine the number of ALTOSID Briquets to use in large catch basins. Place 1 ALTOSID Briquet per 100 sq ft of surface area up to 2 feet deep for storm water drainage areas. Use 1 additional ALTOSID Briquet per 2 feet of water depth in areas deeper than 2 feet.

ALTOSID Briquet Application Chart

Number of Briquets	Catch Basin Size (gallons)	Water Depth (Feet)
1	0-1,500	0-2
2	1,500-3,000	2-4
3	3,000-4,500	4-6
4	4,500-6,000	6-8

STORAGE & DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **Storage**: Store in cool dry place. **Pesticide Disposal**: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal**: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT: To the fullest extent permitted by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For more information, call [1-800-248-7763phone number] or visit our Web site: [URL]

Wellmark International Schaumburg, IL 60173

Made in USA

ALTOSID® Briquets, ALTOSID® Insect Growth Regulator, and Zoëcon® are registered trademarks of Wellmark International.