| 🕸 EPA   | United States<br>Environmental Protection &<br>Washington, DC 20460                                       | Agency   | Registratio<br>Amendmer<br>X Other                                     |   |
|---|---|--|--|---|
| and the second secon | Applicati   | on for Pesticide - Secti   | ion I  |   |
| ECompany/Product Numbé<br>Wellmark International 2724≁  | 40 -  | 2. EPA Product Manager<br>L. Arrington   | r  | 3. Proposed Classification                          |
| 4 Company/Product (Name<br>Weilmark Internations, The<br>(RF 9606)  | con RF-322 Ovicidal Pump Spray  | PM #<br>10   |  | X None Restricted                                   |
| 5. Name and Address of Apple 1997<br>Wellmark International   | Pegistrant (Include ZIP Code)   | •  | <ul> <li>In accordance with<br/>similar or identical in cor</li> </ul> | FIFRA Section 3(C)(3)<br>nposition and labeling to: |
| 1100 East Woodfiel Root 13<br>Schaumburg, Illinois (80111)  | i(e 500   | EPA Reg. No  |  |   |
| Check if this we do not   | v oddress   | Product Name   |  |   |
|   |   | Section - II   |  |   |
| Amendment - Explain tation-   |   |  | printed labels in response to<br>cy letter dated                       |   |
| Resubmission in responses   | agency letter dated   |  | oo" Application  | NOTIFICATION  |
| Notification - Explain bar  | age(s) if necessary. (For section I and section   |  | - Explain below.   | FEB 1 3 2004  |
| and a second  | ind I may be subject to enforcement a   | Section - III  | sections 12 and 14 of Fil  | -RA.  |
| L Material This Product Will be F<br>Child-Resistant Packaging  | Packaged In:  | Water Soluble Packaging  | 2. Type of Conta   | ainer   |
| Yes   | Yes   | Yes  | Metal<br>X Plast   |   |
| X No  | No Voit No. per If  |  | per Pape   |   |
| * Certification must be submitted   | nuskaging wgt. container P  | tackaging wgt. con   | itainerOther   | (Specify)   |
| Location of Net Contents  | 4. Size(s) Retail Co  | ntainer  | 5. Location of Label Dire  | ctions  |
| X Label   | 8 oz, 16 oz, 1 g  | gallon   | X On Label<br>On Label Acc   | companying Product                                  |
| 6 Manner in Which Label is offener  | to Product Lithograpi<br>X Paper glu<br>Stenciled   | ed LJ-   | )lher  |   |
| 2001 K. 1. 1992   |   | Section - IV   |  |   |
| Contact Point (Complete iter  | is directly below for identification of indi  | and the second |  |   |
|   | Title<br>Reg  | gulatory Specialist  |  | elephone No. (Include Area Code)<br>347) 330-5376   |
| Jame  |   |  |  | 6. Date Application                                 |
| lame<br>Jancy Huebl<br>I certify that the state of  | Certification   | ments thereto are true, accurat  |  | Received  |
| lame<br>Nancy Huebl<br>I certify that the state of  |   | ments thereto are true, accurat  |  | 1 · · · · · · · · · · · · · · · · · · ·             |
| lame<br>Nancy Huebl<br>I certify that the state of<br>acknowledge that<br>under applicable ac                   | ents I have made on this form and all attach<br>cowingly false or misleading statements my                | ments thereto are true, accurat<br>y be punishable by fine or impre<br>  |  | Received  |
| Name<br>Nancy Huebl<br>Leertify that the state of<br>acknowledge that   | ants I have made on this form and all attach<br>convingly false or misleading statements my<br>actual Reg | ments thereto are true, accurat<br>y be punishable by fine or impra<br><br>itle                                  |  | Received  |

[] Indicate optional statement

## ZOECON® RF-322 OVICIDAL PUMP SPRAY

Alternate Brand Name: ZODIAC® PreStrike™ Mosquito Repellent for Dogs EFFECTIVE For dogs, puppies, cats, kittens, horses, ponies NA REFILL FOR 1 PT (PROBUCT MAUE) PPF MY SOUTHER Councils िि् ₹् aa. on Kills and Repels: Ticks, fleas, lice, flies, mosquitoes and gnats Kills fleas before they mature into adults Kills flea eads Effectively breaks the flea life cycle Controls [Kills] [and repels] Lyme disease-carrying ticks [including lxodes scapularis][including those that carry Lyme disease] Reduces bot infestation by killing botfly eggs Prevents botfly eggs from hatching An effective spray mist that kills adult fleas, plus prevents eggs from developing into biting adults No need to pump, spray in any position, even upside down Contains PRECOR® Insect Growth Regulator, plus pyrethrins, an adulticide Prevents [Stops] flea eggs from becoming full grown for 63 days [9 weeks][2 months][with PRECOR VIGRen®] Insect Growth Regulator] One treatment works for 63 [9 weeks][2 months] days [against flea eggs][to keep flea eggs from hatching] Keeps working to keep flea eggs from hatching for 63 days [9 weeks][2 months] with PRECOR [vIGRen] insect Growth Regulator [RF 9606] cosmetic-grade solvent formulation] [Rapid action][quick acting][fast acting] formula Quickly kills [repels] [expels] adult fleas plus kills their hatching eggs for up to 63 days [9 weeks][2 months] on your dog [puppy, cat, kitten, horse, pony] Strong flea repellant action that you can see One [single] treatment works for 63 days [9 weeks][2 months] to keep flea eggs from hatching Provides 63 days [9 weeks][2 months] protection against fleas Stops flea egg development, preventing further infestations for up to 63 days [9 weeks][2 months] [63 days][9 weeks][2 months] protection Protects for [63 days][9 weeks][2 months] Satisfaction 100% guaranteed Rapidly rids your animal of pesky biting fleas and ticks for up to 63 days [9 weeks][2 months] Kills fleas and ticks for up to 63 days [9 weeks][2 months] reducing itching and scratching Pleasant [name of scent] scent Egg stop formula

EPA Reg. No. 2724-404 EPA Est No.

#### ACTIVE INGREDIENTS:

| (S)-Methoprene (CAS #65733-16-6)                     | 0.27%         |
|--|---------------|
| Pyrethrins (CAS #8003-34-7)                          |               |
| Piperonyl butoxide (CAS #51-03-6)                    |               |
| N-octyl bicycloheptene dicarboximide (CAS #113-48-4) | 0.62%         |
| OTHER INGREDIENTS.                                   | <u>98.54%</u> |
| TOTAL  | 100.00%       |

### KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

Net Contents: 1 pt [1 gallon]

#### READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON [DOGS, CATS, PUPPIES, KITTENS][HORSES, PONIES]

Using a decidated non-household funnel, carefully pour into 1 pt. (product name) spray bottle only. Use as directed below.] (text for 1 gallon size only)

#### HOW ZOECON RF-322 WORKS:

RF-322 controls ticks, lice, mosquitoes, gnats, fleas, house flies, stable flies, horn flies, face flies, flea larvae and horse bots. Botfly eggs and flea eggs sprayed with RF-322 will not hatch into adults.

Zoecon RF-322 combines the adult flea killing power of pyrethrins with the long-lasting eggkilling power of PRECOR® [vIGRen®] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. [If fleas are already developing in your house then {premise product} and {yard product} should also be used.] Effective flea control requires treatment of your pets, house, and yard.

Zoecon RF-322 contains PRECOR [vIGRen] Insect Growth Regulator which effectively kills botfly eggs that have been glued to the hairs on the forelegs, shoulders, and faces of horses by adult botlflies (*Gastrophilus* spp.). If left untreated, botfly larvae emerge from these eggs and are taken into the mouth of the horse. After botfly larvae are swallowed they attach to the stomach and small intestinal linings in tremendous numbers where they can remain for months before passing out in the feces. Adult botflies emerge from pupae in the soil to begin the cycle all over again. Botflies have been implicated as a cause of some stomach and intestinal conditions in horses.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

#### FOR DO BE AND CATS

For Fletch Alight, even coverage of the hair coat will provide effective flea control. Do not allow spital from application or damp animal to come into contact with painted or finished surfaces individing wood floors/furniture, leather/vinyl materials, or other surfaces of concern. For best tenestration [results] ruffle the coat while spraying against the natural lay of the hair. Cover anomal's eyes with hand. [ICON] With a firm fast stroke, spray head, ears and chest. With cloth sub into face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters. finishing with legs and tail last. Avoid spraying rectum and genitals. Apply at the rate of 1 or 2 squeezes of the trigger sprayer [0.10 fluid ounce] per pound of body weight. For larger cogs, spray until damp, not saturated. Do not allow animals, cats in particular, to become chilled. Repeat every 2 months for continuous home flea infestation prevention. If your pet bacomes reinfested with adult fleas from outside sources, [Brand Name] may be reapplied weekly.

For Ticks: Make sure spray thoroughly wets individual ticks.

#### FOR PUPPLES AND KITTENS

For Fleas: Leaving the eyes, nose, and mouth exposed, treat puppies and kittens weighing less than 3 pounds by wrapping the animal in a towel that has been lightly sprayed with [Brand Name], for 5 to 10 minutes. Or lightly spray a brush or cotton ball and work thoroughly into the hair coal. Fleas may then be removed from the coat by picking or combing. Puppies and kittens over 3 pounds may be treated the same as dogs and cats as described above. Repeat every 2 months for continuous home flea infestation prevention. If your pet becomes reinfested with aduit fleas from outside sources, [Brand Name] may be reapplied weekly. Do not allow animal to become chilled. Do Not Use On Puppies and Kittens Under 12 Weeks of Age.

#### [FOR HORSES AND PONIES

**For Flies:** Remove excess dirt and dust by brushing coat. Apply spray directly to horse's coat giving particular attention to legs, shoulders, flanks, neck and topline. To treat face, dampen a cloth with spray and rub on face and head, being careful to avoid eyes. Repeat every 2 months for continuous fly infestation prevention. If your horse/pony becomes reinfested, [Brand Name] may be reapplied weekly. This product is not to be used on horses destined for slaughter.]

[FOR PREVENTION OF HATCH OF HORSE BOTFLY EGGS: Spray any infested areas directly at the first sign of visible eggs, paying particular attention to legs, shoulders, flanks, neck, and topline. Spray to the point of dampness but not to the point of run-off of the spray. For a high degree of botfly egg control, spray animals every 3-5 days during the botfly season.]

**STORAGE and DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

# 576

#### **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMANS -CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. May cause dermal sensitization (skin allergy).

HAZARDS TO ANIMALS - CAUTION: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some cats may be sensitive to products containing pyrethrins. Excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful. May cause dermal sensitization (skin allergy).

| FIRST AID                |  |
|--------------------------|--|
| Call a poison control ce | enter or doctor immediately for treatment advice.  |
| If in eyes               | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>  |
| If on skin or clothing   | <ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>  |
| If swallowed             | <ul> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul> |
|                          | ainer or label with you when calling a poison control center, doctor, or<br>or treatment. You may also contact 1-800-[phone number] for emergency  |

medical treatment information.

[Note: First Aid statement paragraph format may be used if space is limited.]

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

| Wellmark International<br>Schaumburg, IL 60173   | <b>((</b> )<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>()<br>() |
|--|---|
| Made in USA  | 6800<br>6 C<br>660098<br>6  |
| PreStrike <sup>™</sup> , ZODIAC®, ZOECON®, PRECOR® Insect Growth Regulator and viGRe.<br>Growth Regulator are trademarks of Wellmark International.                            | n® Insect   |
| For more information, [or in case of emergency (24 hrs)] call [phone number]<br>In case of emergency or for product use information, call [phone number] of Visit our<br>[URL] | Web <sup>*</sup> site:  |

n an Wordfuld Ang Erigian A Tha ng Plancis 2000 Tha 1900

# Wellmar

January 23, 2004

Document Processing Desk (NOTIF) Office cillesticide Programs 7504C U.S. Environmental Protection Agency Room 266A Crystal Mall 2 1921 Jefferson Davis Highway Arlington, Virginia 22202

ATTENTION: L. Arrington

SUBJECT: NOTIFICATION OF LABEL CHANGE PER PRN 98-10 FOR RF-322 OVICIDAL PUMP SPRAY (RF9606)/EPA REG. NO. 2724-404 616

Dear Ms. Arrington:

Enclosed is a completed EPA Form 8570-1 and 1 copy of a highlighted label (new text is red). The label change involves the addition of a marketing claim and text relating to an additional packaging size (meets criteria of PRN 98-10, §II, E – changes in packaging and related labeling statements) – a one gallon refill only for the one pint spray bottle (for product sold into the equine market where a larger size container is desired but a sprayer gallon container is not practical). I have enclosed a self-addressed postcard for notification confirmation.

If you have any questions or if I can provide any further assistance, please, call me directly at 847/330-5376. Thank you for your assistance in this matter.

Yours sincerely, WELLMARK INTERNATIONAL

Mancy Huebl

Nancy Huebl Regulatory Specialist

enclosure

cc: C. Eimi/J. Richardson