

ZOECON RF-318 APISTAN STRIP

PRECAUTIONARY STATEMENTS

NEW

EFFECTIVE

[] indicates optional statements

- * For Control of Varroa Mites
- * Protects Against Varroa Infestation
- * Kills [Controls] Varroa, not the Honeybee
- * Controls Varroa mite that may transmit Foul Brood
- * No-mess Application
- * Easy-to-Use Strips

ACTIVE INGREDIENT: Fluvalinate [RS- α -cyano-3-phenoxybenzyl (R)-2-chloro-4-(trifluoromethyl)anilino-3-methylbutanoate]..... 10.0%

INERT INGREDIENTS:..... 90.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautions/directions

NET CONTENTS :

APISTAN is a trademark of Sandoz Ltd.

ACCEPTED

JUL 24 1990

U.S. Patent No. 4,536,388; 4,411,912
Pat. Pending

2724-406

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Do not get in mouth. Harmful if swallowed. Wash hands thoroughly with soap and water after handling strip. If swallowed, contact your physician. Do not expose honey intended for human consumption to the strips. After treatment, do not use beeswax for human consumption.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its label.

Wear gloves (e.g., latex) when handling the strips.

Just before application, remove the required number of APISTAN^R strips from the pouch. Unused strips should remain in original package.

For best results, use two strips per brood chamber (hive body). Hang one strip between frames 3 and 4 and the second strip between frames 7 and 8. Hang with a thumbtack, staple, small nail or other suitable hanging device.

FOR CONTROL:

Remove honey supers before application of APISTAN strips and do not replace until the end of the control period.

Effective control may be achieved by treating hives [colonies] in the spring before the first honey flow and in the fall after the last honey flow. Do not remove strips for at least 28 days. Do not leave strips in hive [colony] for more than 45 days. Honey supers may be replaced after strips are removed.

FOR DETECTION:

Place white sticky paper below the frames (sticky side up). Remove honey supers before application of APISTAN strips and do not replace until the end of the survey period. At various intervals, check for Varroa on withdrawn white, sticky paper from below the frames. Remove strips from the hive within 7 days and replace the honey supers.

STORAGE & DISPOSAL :

Keep strips in original, unopened package until ready to use. Do not store in direct sunlight. Do not store unused strips in anything but original package. Do not store unused strips near pesticides or other chemical substances that could contaminate the strips and result in bee toxicity. Do not reuse strips. Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Zoecon Corporation makes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given on the label.

Zoecon Corporation

A Sandoz Company

12200 Denton Drive, Dallas, Texas 75234

EPA Reg. No. 2724-406

0590-E:0104E

U.S. Pat. 4,536,388; 4,411,912

Pat. Pending

EPA Est. No. 2724-TX-1

Made in USA

© 1987 Zoecon

PHIS 2724-3 pg. 1 of 2