

PM 14

2724-445

1 of 3

11 MAY 1989

455
~~655~~
17
241,971

Ms. Kelly J. Parker
Zoecon Corporation
12005 Ford Road, Suite 800
LB 44
Dallas, TX 75234-7296

Dear Ms. Parker:

Subject: R.B. #2
EPA Registration No. 9562-7
Your Application Dated March 2, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

1. On the center panel of the label, put a period after "continuous baiting."
2. Under "Application Directions," break baiting directions for "Rats" and for "Mice" into separate paragraphs.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Our letter of February 23, 1988 indicated that the efficacy requirement was satisfied but failed to note that you have not submitted the place-pack penetration test requested in our letter of May 1, 1985. Please comply.

56428:I:Palmateer:LM-18:KENCO:5/8/89:7/31/89:rw:vo:jh:ek

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

-2-

The Technical Data Sheet enclosed with the subject letter is acceptable.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

383

R.B. #2 KILLS RATS AND MICE

Kills Norway Rat, Roof Rat, and House Mice

Long term control may be attained through continuous baiting

ACTIVE INGREDIENT:

Warfarin: [3-(alpha-Acetylbenzyl)-4-hydroxycoumarin]..... 0.025%

INERT INGREDIENTS:..... 99.075%

NET WT.

Place Packs - ounces each

ACCEPTED
with COMMENTS
in EPA Letter D-9562-7

MAY 11 1989

United States Federal Insecticide,
Fungicide, and Rodenticide Act
Registration for the product
9562-7

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Wash thoroughly with soap and water after handling. Keep from contact with animals and pets. If swallowed, this material may cause the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K as indicated in bishydroxycoumarin overdoses. Monitor monitoring of prothrombin times.

ENVIRONMENTAL HAZARD: Keep out of lakes, streams or

This product is accepted as outlined by the establishments operating under the Federal meat, poultry and egg products inspection program.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: For control of Norway rats, Roof rats, around homes, industrial and agricultural buildings and structures.

Treated baits must be placed in tamper-proof bait boxes inaccessible to children, pets, domestic animals or wildlife. Do not use where there is a possibility of contaminating food or contact with food.

Selection of Treatment Areas: Determine areas where rodents are likely to find and consume the bait. Generally, they are found in gnawed openings, in burrows, in corners and concealed areas, under walls, or in locations where rodents or their signs are present. Remove bait from rain or snow. Remove as much food as possible.

Application Directions: Rats: Apply one to five level table spoonfuls per pack. Maintain an uninterrupted supply of fresh bait for 14 days. Apply 1/4 to 1/2 ounce (1-2 level table spoonfuls) at 7 day intervals. Larger placements (up to 2 ounces) may be used in areas of high mouse activity. Maintain an uninterrupted supply of fresh bait for 14 days.

Rats and Mice: Replace contaminated or spoiled bait. Dispose of all dead animals and unconsumed bait. If reinfestation, eliminate food, water, and harborages. If reinfestation does occur, repeat treatment. If reinfestation is present, establish permanent bait stations.

STORAGE AND DISPOSAL: Storage: Store only in original container inaccessible to children and pets. Disposal: Securely wrap in newspaper and discard in trash.

Zoecon Corporation
A Sandoz Company
12200 Denton Drive, Dallas, TX

EPA Reg. No. 9562-7
0388-A:0128E:0002A

BEST A