

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NOV - 8 1993

300/545/858
17/2

Ms. Kelly Parker
Zoecon Corporation
12200 Denton Drive
Dallas, TX 75234

Dear Ms. Parker:

Subject: Revised Labeling
Zoecon 9206 Fogger
EPA Registration No. 2724-453
Your Submission Dated July 30, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Under Directions for Use qualify food with feed, for example:
 "Do not use in the food/feed areas . . ."
 "Nonfood/nonfeed areas are . . ."
- You should delete the phrase, "Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals." It has been determined that the reference product (EPA Reg. No. 11715-181) and therefore your product are not sensitizers.

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

CONCURRENCES

SYMBOL	Enclosure						
SURNAME	Walters						
DATE	10-29-93						

[] Indicates optional wording

ZOECON 9206 FOGGER

Total Release Fogger

For use to control fleas and ticks

For use in garages, homes, offices, kennels, and the non-food/feed areas of restaurants, industrial buildings, warehouses, theaters.

Kills fleas (adult and larvae), roaches, ants, ticks, spiders, flying moths, flies, mosquitoes, silverfish, palmetto bugs, wasps, hornets, crickets.

One unit treats ___ cubic feet

[Delayed Release Fogger - It's patented! Gives you time to leave before the logging begins.]

ACTIVE INGREDIENTS:

••Permethrin 0.515
INERT INGREDIENTS 99.485

••[3-phenoxyphenyl] methyl (+) *cis/trans* 3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate. *Cis/trans* ratio: min. 35% (+) *cis* and max. 65% (+) *trans*

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET CONTENTS: ___ OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing vapors or spray mist. May cause eye irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after using. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

Remove pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to physician: May present aspiration hazard. If inhaled - Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Call a physician if effects occur. If on skin - Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists. If in eyes - Flush eyes with plenty of water. Obtain medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around area of release.

IMPORTANT! To avoid **FLAMMABILITY HAZARD**, use can as follows:
-Only one can per room.
-Do not place in cabinet or under counter or table.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in the food areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas where food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA meat and

poultry plants.

This product will kill fleas (cockroaches, carpet beetles, mosquitoes, silverfish, sawtooth crickets, confused flour beetle

Close doors and windows. Cover area. Shut off fans and air conditioning. Place at least 6 feet apart on floor in the middle of container to prevent marring of floor. (approximate)

To start logging: Press down on arm's length. Point top of can at position and leave the building. Open doors and windows and

[To start logging: Keep at arm's length and eyes. Press down actual delayed release mechanism on premises before the logging (60 seconds). Set in upright position undisturbed for 2 hours. Open door.]

STORAGE & DISPOSAL: Store in a dry area away from heat or open flame. Store container in several layers of newspaper to prevent incinerate or puncture.

*Note: Fill in as required for:
4 oz. size 4,000 cubic feet
6 oz. size 6,000 cubic feet
10 oz. size 10,000 cubic feet

Z
A
12200 Denton

EPA Reg. No. 2724-454
0793-C

ACCEPTED with COMMENTS
In EPA Letter Dated

NOV - 8 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the product registered under EPA Reg. No. 2724-454

BEST AVAILABLE COPY

2724-153

[] Indicates optional wording

ZOECON 9206 FOGGER

Total Release Fogger

For use to control fleas and ticks

For use in garages, homes, offices, kennels, and the non-food/feed areas of restaurants, industrial buildings, warehouses, theaters.

Kills fleas (adult and larvae), roaches, ants, ticks, spiders, flying moths, flies, mosquitoes, silverfish, palmetto bugs, wasps, hornets, crickets.

One unit treats ___ cubic feet.

[Delayed Release Fogger. It's patented! Gives you time to leave before the fogging begins.]

ACTIVE INGREDIENTS:

••Permethrin 0.515

INERT INGREDIENTS: 99.485

••[3-phenoxyphenyl] methyl (+) *cis/trans* 3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate] *Cis/trans* ratio: min. 35% (+) *cis* and max. 65% (+) *trans*.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET CONTENTS: ___ OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing vapors or spray mist. May cause eye irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after using. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. [Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.]

Remove pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

STATEMENT OF PRACTICAL TREATMENT: If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to physician: May present aspiration hazard. If inhaled - Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Call a physician if effects occur. If on skin - Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists. If in eye - Flush eyes with plenty of water. Obtain medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around area of release.

IMPORTANT! To avoid FLAMMABILITY HAZARD, use can as follows:

- Only one can per room.
- Do not place in cabinet or under counter or table.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

✓ Do not use in the food/^{feed} areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas where food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA meat and

poultry plants.

This product will kill fleas (adults and larvae), houseflies, cockroaches, carpet beetles, mites, spiders, flying moths, mosquitoes, silverfish, sawtoothed grain beetles, rice weevils, crickets, confused flour beetles, wasps, hornets, and palmetto bugs.

Close doors and windows. Open cabinets and doors within area. Shut off fans and air conditioners. Put out all open pilot light. Place at least 6 feet away from pilot light. Fogged on floor in the middle of the room. Place newspaper container to prevent marring surfaces. Use one container per cubic feet of area (approximately _____).

To start fogging: Press down actuator tab to lock in position. Point top of can away from face and eyes. position and leave the building at once. Leave undisturbed. Open doors and windows and allow to air for 1 hour.

[To start fogging: Keep at arm's length. Point top of can at arm and eyes. Press down actuator tab to lock in position. This delayed release mechanism which will allow you time to quit premises before the fogging agent is released (approximately 60 seconds). Set in upright position and leave the building undisturbed for 2 hours. Open doors and windows and allow to air for 1 hour.]

STORAGE & DISPOSAL: Storage: Store in a dry area away from heat or open flame. DISPOSAL: Repack container in several layers of newspaper and discard in incinerator or puncture.

*Note: Fill in as required for various label sizes:
4 oz. size 4,000 cubic feet 20' X 25' X 8'
6 oz. size 6,000 cubic feet 30' X 25' X 8'
10 oz. size 10,000 cubic feet 50' X 25' X 8'

Zoecon Corporation
A Sandoz Company
12200 Denton Drive, Dallas, Texas 75234

EPA Reg. No. 2724-454
0793-C

EPA Est. No.

Non-feed

BEST AVAILABLE COPY