

[ ] Indicates optional wording

### ZOECON® 9026 FOGGER

Alternate brand name: Vet-Kem® Siphotrol® Plus Fogger

Contains PRECOR® Insect Growth Regulator, Plus Permethrin, an adulticide  
For use in homes, garages, and kennels, [offices][and enclosed non-food/feed areas of  
restaurants, industrial buildings, warehouses, theaters]

Contains [With] PRECOR® [vIGRen®] Insect Growth Regulator [reaches fleas hidden in  
carpets, rugs, drapes, upholstery, pet bedding and floor cracks]

Stops hatching eggs [larvae][from developing into adult fleas] for 210 days [7 months][30  
weeks]

7 month protection

Contains an Insect Growth Regulator (IGR) – Kills flea eggs

Kills [Controls][adult] fleas and their hatching eggs, ticks, cockroaches, ants, spiders,  
mosquitoes & silverfish

Leaves no lingering odor [bad smell] or stains [no sticky mess]

Effectively breaks the flea life cycle

Easy to apply

Prevents flea reinfestation and flea build-up for 210 days [7 months][30 weeks]

[Each fogger treats \_\_\_ cubic feet (\_\_\_ sq ft)][Multi-room [use] 3 pack]

[Water based]

Contains no CFC or other ozone-depleting substances. Federal regulations prohibit CFC  
propellants in aerosols.

[Step 2 - Indoor][Step 3 of the Pet Protection Program]

[Part of the ZODIAC® 4-Step Guarantee Program]

[Logo: Revolutionary Technology - Kills Flea Eggs]

#### ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6).....	0.09%
Permethrin (CAS #52645-53-1).....	0.58%

**OTHER INGREDIENTS:**..... 99.33%

**TOTAL** ..... 100.00%

### KEEP OUT OF REACH OF CHILDREN CAUTION


See back panel for additional precautionary statements

EPA Reg. No. 2724-454

EPA Est. No.

Net Contents: 6 oz [4 oz/not for individual sale][2 oz/not for individual sale]

1



[Brand Name] Zoecon® 9026 Fogger kills adult fleas, hatching flea eggs, and ticks [houseflies, gnats, cockroaches, carpet beetles, ants, spiders, flying moths, clothes moths, mosquitoes, silverfish, sawtoothed grain beetles, rice weevils, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs]. PRECOR® (vIGRen®) Insect Growth Regulator, the ingredient in [Brand Name], provides 7 months' [210 days'] [30 weeks'] protection by preventing eggs from ever developing into biting fleas. This [Brand Name] product enables you to fill an entire room with insect-killing fog while you are away. For best results, use [Brand Name] fogger together with other [Brand Name] products for complete control of fleas and ticks.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in non-enclosed non-food/feed areas nor in food areas of food/feed handling establishments (i.e. restaurants, etc.) including places in which exposed food is held, processed, prepared, or served. Non-food/feed areas of food/feed establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Not for use in USDA meat and poultry plants.

[In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.]

**SHAKE WELL BEFORE USING**

1. Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, open inside doors and cabinets. Remove or cover exposed food, [FOOD COVER ICON] dishes, utensils, food preparation equipment, and surfaces. Remove pets and birds and remove or cover (and turn off) aquariums. Close outside doors and windows. **TURN OFF ALL IGNITION SOURCES SUCH AS PILOT LIGHTS (SHUT OFF GAS VALVES), OTHER OPEN FLAMES, OR RUNNING ELECTRICAL APPLIANCES THAT CYCLE OFF AND ON (I.E., REFRIGERATORS, THERMOSTATS, ETC.).** [PILOT LIGHT ICON]. **Call your gas utility or management company if you need assistance with your pilot lights.**
2. Use one container for each 6000 [4000][2000] cubic feet of area (a room 30' X 25' with an 8' ceiling)[20' X 25'] [10' X 25']. **DO NOT USE MORE THAN ONE FOGGER PER ROOM. DO NOT USE IN SMALL ENCLOSED SPACES SUCH AS CLOSETS, CABINETS, OR UNDER COUNTERS OR TABLES. DO NOT USE IN A ROOM 5 FT X 5 FT OR SMALLER; INSTEAD, ALLOW FOG TO ENTER FROM OTHER ROOMS.**
3. Remove all motor vehicles before fogging garage.
4. Elevate fogger by placing on stand or table covered by newspaper in center of room to be fogged. Newspapers should be spread on the floor for several feet around area of release. (ICON HERE)
5. Before activating, tilt can away from face (container sprays straight up). Press down firmly on edge of actuator tab until it locks into place.
6. After activating fogger, leave room or house at once. Keep treated area closed for at least two hours, then open all doors and windows and allow treated area to air for one hour before returning.

7. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

**STORAGE and DISPOSAL: STORAGE:** Store in a cool dry area away from heat or open flame.  
**DISPOSAL:** Do Not Puncture or Incinerate!. **If empty:** Place in trash or offer for recycling if available.  
**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:**

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing vapors or spray mist. May cause eye irritation. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after using. Avoid contamination of food, foodstuffs, and food preparation areas. Leave room or house at once after activating fogger. If pet is exposed to wet surface, wash fur with soap and water.

<b>FIRST AID</b>	
Call a poison control center or doctor immediately for treatment advice.	
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-[phone number] for emergency medical treatment information. Contact veterinarian if pets are exposed during application.	
<b>Note to Physician/Veterinarian:</b> May present aspiration hazard.	

[Note: First Aid statement paragraph format may be used if space is limited.]

**FIRE GRAPHIC**

**Highly Flammable Ingredient**  
**Ingredients Altamente Inflamable**

**PHYSICAL OR CHEMICAL HAZARDS:** Extremely Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. **THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THIS LABEL VERY CAREFULLY.**

4 7 6

For more information [about {Brand Name} products][about flea and tick problems and how to solve them] or in case of emergency, call 1-800 XXX XXXX [weekdays from][time]. [Unconditional money back guarantee][Satisfaction Guarantee][In case of emergency or for product use information, call (phone number) or visit our Web site: (URL)][If not completely satisfied with this product, return it to place of purchase with your receipt for a full refund.]

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

PRECOR® and viGRen® Insect Growth Regulator, ZODIAC®, Vet•Kem® Siphotrol®, and ZOECON® are registered trademarks of Wellmark International.

Wellmark International  
Schaumburg, IL 60173  
Made in USA

[Optional marketing information: one of following options to be used)

**IMPORTANT INFORMATION ABOUT FLEA CONTROL**

[3 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these three easy steps:

**STEP 1 - TREAT YOUR PET**

- Apply a topical or Shampoo, Dip or Mousse to your pet to kill biting adult fleas on your pet.
- [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**STEP 2 - PROTECT YOUR PET**

- Collar your pet to provide long-lasting protection.
- This collar kills biting adult fleas.
- Use[Brand Name] flea spray to provide quick kill of fleas your pet picks up on outings.

**STEP 3 - TREAT YOUR HOME**

- Treat indoors [premises] and outdoors with [Brand Name] products to protect your entire home and guard against reinfestation.
- [Brand Name] products in Step 3 kill biting adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**IMPORTANT INFORMATION ABOUT FLEA CONTROL**

[4 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these four easy steps:

**1 - Shampoo or Dip your pet**

- A Shampoo, Dip or Mousse will kill biting adult fleas on your pet.
- [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**2 - Place a Collar on your pet**

- A [Brand Name] Collar will provide long-lasting protection.
- This collar kills biting adult fleas.

**3 - Treat the areas your pet frequents**

- All [Brand Name] products in Step 3 contain PRECOR [VIGREN] Insect Growth Regulator. Use a [Brand Name] Aerosol, Fogger or Spray to kill adult fleas and flea larvae in your yard.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

**4 - Maintain your flea-free pet**

- Use a [Brand Name] On-Animal Spray to kill any fleas your pet picks up on outings.
- [Brand Name] products in Step 4 kill adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator. [optional marketing label text for Hartz:

**Important Information: The A B C's of Flea and Tick Control [Management]**

- A** Treat Your Pet with {Brand Name} to kill fleas and ticks [living on your pet] while conditioning your dog's coat.
- B** Protect Your Pet with {Brand Name} to keep fleas and ticks from reinfesting your pet. For continuous protection, use {Brand Name}.
- C** Treat Your Home with {Brand Name} containing VIGREN, an insect growth regulator (IGR). Both are guaranteed to kill fleas and ticks plus protect your home from reinfestation of hatching eggs for 210 days.

Be sure to read full directions and precautions on the label of each product you use.]

[{Brand Name} products are designed to work together in a complete insecticidal system. For [elimination] total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use {Brand Name} products to follow these simple ABC's for control [to get rid] of fleas and ticks on your pet and around your home.

- A** TREAT YOUR PET with one of the {Brand Name} on-animal products such as {Brand Name}. Use a {Brand Name} product containing VIGREN, an Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.
- B** PROTECT YOUR PET with a {Brand Name} repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The {Brand Name} collar with VIGREN IGR will also prevent flea eggs from hatching.
- C** TREAT YOUR HOME, both indoors and outdoors, with {Brand Name} home spray or fogger, both with VIGREN IGR and {Brand Name} yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on the label of each product you use.]