

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 19, 2011

Nancy Huebl Senior Registration Specialist Wellmark International 1501 East Woodfield Road, Suite 200 West Schaumburg, IL 60173

Subject: Label Amendment—Adding Agency-mandated mitigation for total release fogger

products

Product Name: ZOECON® 9026 Fogger

EPA Reg. No.: 2724-454

Application Dated: August 22, 2011

Decision Number: 458787

Dear Ms. Huebl:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following label revision provisions:

- 1. Revise the Storage and Disposal Statement on page 3 in accordance with PR Notice 2007-4, adding the following statement: "Do not contaminate water, food, or feed by storage or disposal."
- 2. Revise the Warranty Statement on page 4 as follows. "To the extent consistent with applicable law, buyer assumes all risks of use . . ."

A copy of the label stamped "accepted with comments" is enclosed for your records. You must submit two copies of the final printed label revised in accordance with the comments listed above before the product is released for shipment under this label. If you have any questions, you may contact Clayton Myers at (703) 347-8874 or myers.clayton@epa.gov.

Sincerely

Mark Suarez, Product Manager

Insecticide Branch

Registration Division (7505P)

[] Indicates optional wording

ZOECON® 9026 FOGGER

Alternate brand name: Vet•Kem® Siphotrol® Plus Fogger

Contains PRECOR® Insect Growth Regulator, Plus Permethrin, an adulticide

For use in homes [family rooms, great rooms], garages, and kennels, [offices][and enclosed

non-food/feed areas of restaurants, industrial buildings, warehouses, theaters]

Contains [With] PRECOR® [vIGRen®] Insect Growth Regulator [reaches fleas hidden in

carpets, rugs, drapes, upholstery, pet bedding and floor cracks]

Stops hatching eggs [Kills] [flea larvae][from developing into adult fleas] for 210 days [7 months][30 weeks]

7 month protection Protects for 7 months

Contains an Insect Growth Regulator (IGR) - Kills flea eggs

[Also] Kills [Controls][adult] fleas and their hatching eggs [flea larvae], ticks, cockroaches, ants, spiders, mosquitoes & silverfish

Leaves no lingering odor [bad smell] or stains [no sticky mess]

Effectively breaks the flea life cycle

Easy to apply

Prevents flea reinfestation and flea build-up for 210 days [7 months][30 weeks]

[Each fogger treats up to ___ cubic feet (up to___ sq ft)][Multi-room [use] 3 pack][Value Pack]

[Water based]

Contains no CFC or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

[Step 2 - Indoor][Step 3 of the Pet Protection Program]

[Part of the ZODIAC® 4-Step Guarantee Program]

[Logo: Revolutionary Technology - Kills Flea Eggs]

Optional Spanish note: For instructions and warranty in Spanish, see inside of carton. If you do not have a carton, call 1-800-xxx-xxxx

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.09%
Permethrin (CAS #52645-53-1)	0.58%
OTHER INGREDIENTS:	99.33%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

EPA Reg. No. 2724-454

EPA Est. No.

Net Contents: [2/3/4 oz/not for individual sale]

ACCEPTED
With COMMENTS
In EPA Letter Dated:
DEC 1 9 2011

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

2724-454

[Brand Name] Zoecon® 9026 Fogger kills adult fleas, hatching flea eggs, and ticks [houseflies, gnats, cockroaches, carpet beetles, ants, spiders, flying moths, clothes moths, mosquitoes, silverfish, sawtoothed grain beetles, rice weevils, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs]. **Does not control bedbugs.** PRECOR® (vIGRen®) Insect Growth Regulator, the ingredient in [Brand Name], provides 7 months' [210 days'][30 weeks'] protection by preventing eggs from ever developing into biting fleas. This [Brand Name] product enables you to fill an entire room with insect-killing fog while you are away. For best results, use [Brand Name] fogger together with other [Brand Name] products for complete control of fleas and ticks.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in non-enclosed non-food/feed areas nor in food areas of food/feed handling establishments (i.e. restaurants, etc.) including places in which exposed food is held, processed, prepared, or served. Non-food/feed areas of food/feed establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Not for use in USDA meat and poultry plants.

[In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.]

Use one fogger for each [500][375][250] square feet of floor space (a room 20' X 25' with an 8' ceiling or 4,000 cu ft)[a room 15' X 25' with an 8' ceiling or 3,000 cu ft][a room 10' X 25' with an 8' ceiling or 2,000 cu ft].

TO USE THIS PRODUCT CORRECTLY:

(EPA PRE-APPROVED PICTOGRAM 1 REPRESENTING-) DO NOT USE MULTIPLE FOGGERS PER ROOM. (EPA PRE-APPROVED PICTOGRAM 2 REPRESENTING-) DO NOT USE IN SMALL CONFINED SPACES SUCH AS CLOSETS, CABINETS, OR UNDER COUNTERS OR TABLES. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. DO NOT USE IN A ROOM 5 FT X 5 FT OR SMALLER; INSTEAD, ALLOW FOG TO ENTER FROM OTHER ROOMS. (EPA PRE-APPROVED PICTOGRAM 3 REPRESENTING-) UNPLUG AND TURN OFF ALL IGNITION SOURCES SUCH AS PILOT LIGHTS (SHUT OFF GAS VALVES), OTHER OPEN FLAMES, OR RUNNING ELECTRICAL APPLIANCES THAT CYCLE OFF AND ON (I.E., REFRIGERATORS, THERMOSTATS, ETC.). [PILOT LIGHT ICON]. (EPA PRE-APPROVED PICTOGRAM 4 REPRESENTING-) NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights.

BEFORE YOU FOG

Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, open inside doors and cabinets. (EPA PRE-APPROVED PICTOGRAM 5 REPRESENTING-) Remove or cover exposed food, dishes, utensils, food preparation equipment, and surfaces. Remove pets and birds and remove or cover (and turn off) aquariums. Close outside doors and windows. Remove all motor vehicles before fogging garage.

TO START FOGGING

SHAKE WELL BEFORE USING. Elevate fogger by placing on stand or table covered by newspaper in center of room to be fogged. Spread newspapers on the floor for several feet around area of release. Before activating, tilt can away from face (container sprays straight up). Press down firmly on edge of actuator tab until it locks into place. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate. After activating fogger, vacate the treated house, individual apartment unit, or other structure immediately. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

[Door Hang Tag Text]

Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

Do not enter until [space for time] on [space for date].

[Brand name][Product name] Treatment.

[This room is currently being treated by (Brand name)]

[Another room protected by (Brand Name)]

[(Brand name) treatment underway]

AIRING OUT

Do Not Re-enter for 2 Hours. (Clock pictogram with shaded entry restriction) (EPA PRE-APPROVED PICTOGRAM 6 REPRESENTING-) Air out the room before entering. Keep treated area closed for at least two hours, then open all doors and windows and allow treated area to air for two hours before returning.

STORAGE and DISPOSAL: STORAGE: Store in a cool dry area away from heat or open flame. **DISPOSAL:** Do Not Puncture or Incinerate!. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if inhaled, swallowed, or absorbed through the skin. Breathing spray mist may be harmful. May cause eye irritation. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after using. Avoid contamination of food, foodstuffs, and food preparation areas. Leave room or house at once after activating fogger. If pet is exposed to wet surface, wash fur with soap and water.

FIRST AID	
Call a poison	control center or doctor immediately for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
If swallowed	 Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
treatment. You	duct container or label with you when calling a poison control center or doctor, or going for ou may also contact 1-800-[phone number] for emergency medical treatment information. inarian if pets are exposed during application.

Note to Physician/Veterinarian: May present aspiration hazard.

[Note: First Aid statement paragraph format may be used if space is limited.]

FIRE GRAPHIC

Highly Flammable Ingredient

Ingredients Altamente Inflamable

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THIS LABEL VERY CAREFULLY.

For more information [about {Brand Name} products][about flea and tick problems and how to solve them] or in case of emergency, call 1-800 XXX XXXX [weekdays from][time]. [Unconditional money back guarantee][Satisfaction Guarantee][In case of emergency or for product use information, call (phone number) or visit our Web site: (URL)][If not completely satisfied with this product, return it to place of purchase with your receipt for a full refund.]

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

PRECOR® and vIGRen® Insect Growth Regulator, ZODIAC®, Vet•Kem® Siphotrol®, and ZOECON® are registered trademarks of Wellmark International.

Wellmark International 1501 East Woodfield Road 200W Schaumburg, IL 60173 Made in USA

Wellmark International confirms that the Spanish language text is/will be a true and accurate translation of the English text.

[Optional marketing information: one of following options to be used)

Flea Life Cycle graphic: Eggs/Larvae/Pupae/Adult Flea

IMPORTANT INFORMATION ABOUT FLEA CONTROL

[3 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these three easy steps:

STEP 1 - TREAT YOUR PET

- * Apply a topical or Shampoo, Dip or Mousse to your pet to kill biting adult fleas on your pet.
- * [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

STEP 2 - PROTECT YOUR PET

- Collar your pet to provide long-lasting protection.
- * This collar kills biting adult fleas.
- * Use[Brand Name] flea spray to provide quick kill of fleas your pet picks up on outings.

STEP 3 - TREAT YOUR HOME

- Treat indoors [premises] and outdoors with [Brand Name] products to protect your entire home and guard against reinfestation.
- [Brand Name] products in Step 3 kill biting adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

IMPORTANT INFORMATION ABOUT FLEA CONTROL

[4 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these four easy steps:

1 - Shampoo or Dip your pet

- * A Shampoo, Dip or Mousse will kill biting adult fleas on your pet.
- * [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

2 - Place a Collar on your pet

- * A [Brand Name] Collar will provide long-lasting protection.
- * This collar kills biting adult fleas.

3 - Treat the areas your pet frequents

- All [Brand Name] products in Step 3 contain PRECOR [VIGREN] Insect Growth Regulator. Use a
 [Brand Name] Aerosol, Fogger or Spray to kill adult fleas and flea larvae in your yard.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

4 - Maintain your flea-free pet

- Use a [Brand Name] On-Animal Spray to kill any fleas your pet picks up on outings.
- [Brand Name] products in Step 4 kill adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator. [optional marketing label text for Hartz:

Important Information: The A B C's of Flea and Tick Control [Management]

A Treat Your Pet with {Brand Name} to kill fleas and ticks [living on your pet] while conditioning your dog's coat.

- B Protect Your Pet with {Brand Name} to keep fleas and ticks from reinfesting your pet. For continuous protection, use {Brand Name}.
- C Treat Your Home with {Brand Name} containing VIGREN, an insect growth regulator (IGR). Both are guaranteed to kill fleas and ticks plus protect your home from reinfestation of hatching eggs for 210 days.

Be sure to read full directions and precautions on the label of each product you use.]

[{Brand Name} products are designed to work together in a complete insecticidal system. For [elimination] total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use {Brand Name} products to follow these simple ABC's for control [to get rid] of fleas and ticks on your pet and around your home.

- A TREAT YOUR PET with one of the {Brand Name} on-animal products such as {Brand Name}. Use a {Brand Name} product containing VIGREN, an Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.
- B PROTECT YOUR PET with a {Brand Name} repellant or flea and tick collar to keep fleas and ticks from reinfesting your pet. The {Brand Name} collar with VIGREN IGR will also prevent flea eggs from hatching.
- C TREAT YOUR HOME, both indoors and outdoors, with {Brand Name} home spray or fogger, both with VIGREN IGR and {Brand Name} yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on the label of each product you use.]