

2724-460

9/28/2010

1094

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Nancy Huebl
Wellmark International
1501 East Woodfield Road
Suite 200W
Schaumburg, IL 60173

SEP 28 2010

Dear Ms. Huebl:

Subject: Label Amendments to make revisions to label text per the Agency's Label Review Manual (LRM) and update the directions for use to be consistent with other Wellmark International products.
Zoecon RF-372 Collar and Zoecon 9207 Collar
EPA Reg. Nos.: 2724-426 and 2724-460
Your submissions dated July 1, 2010
Decision Numbers: 437215 and 437211

The amendments referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, have been received and reviewed, and the amendments are acceptable provided that you submit and/or cite all data required for registration/reregistration of your products under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the products bearing the amended labeling constitutes acceptance of these conditions. Please submit three (3) copies of your final printed labeling prior to shipment of your products. Should you have any questions, you may contact Mr. Colin Walsh directly at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,



Linda A. Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution

CONCURRENCES Prevention Division (7511P)

| | | | | | | | | |
|----------|-----------|--|--|--|--|--|--|--|
| SYMBOL | ▶ 7511P | | | | | | | |
| USERNAME | ▶ Walsh | | | | | | | |
| DATE | ▶ 9/20/10 | | | | | | | |

{ } Indicates optional statements

ZOECON 9207 COLLAR FOR CATS & KITTENS

with PRECOR® Insect Growth Regulator {IGR}

PRECOR {vIGRen®} is Prevention {Protection}™
 Ring of Prevention {Protection}™ against flea build-up in your home
 PRECOR {vIGRen} breaks the flea lifecycle
 exciting colors
 For cats of all sizes
 No {unpleasant}{insecticidal} odor
 Biochemical flea control
 Available through veterinarians
 Step 2 Pet Protection Program
 Part of the ZODIAC® 4 Step Guarantee Program
 Expandable safety feature {Unique Breakaway® feature}
 Prevents flea build-up in your home by killing flea eggs before they hatch
 {Prevents flea infestations}{Halts flea infestations} by preventing flea egg hatch on your cat
 Ovicidal - kills flea eggs {before they hatch} for 12 months
 Works gently for effective flea control
 Works from head to tail
 Provides pre-emergent flea control

ACTIVE INGREDIENT:

S-Methoprene2.1%

OTHER INGREDIENTS:.....97.9%

TOTAL100.0%

**DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR
CAUTION**

See back panel for Additional Precautionary Statements

EPA Reg. No. 2724-460

EPA Est. No.

Net Weight:

ACCEPTED

SEP 28 2010

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under

EPA Reg. No. 2724-460

3094

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use on kittens under 12 weeks of age. Consult a veterinarian before using this product on animals on medication, debilitated, aged, pregnant or nursing animals.

| | |
|---|---|
| FIRST AID | |
| If in Eyes | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information. | |

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS**

HOW ZOECON 9207 COLLAR WORKS

Zoecon 9207 Collar is specifically designed to kill only flea eggs, not adult fleas. To kill adult fleas on your pet, use this collar in conjunction with any other {insert brand name} on-animal product (spray, shampoo, dip) designed to kill adult fleas. 9207 Collar is a Ring of Prevention {Protection;} against flea build-up in your home. Since the collar kills flea eggs on your pet, your home is protected from future flea build-up. To kill adult fleas in your home and yard, use other {insert brand name} flea control products.

UNIQUE FEATURE

The expandable section molded into the collar will stretch under the weight of an average sized adult cat. It helps your cat to free itself (breakaway), if the collar gets snagged on a fixed object. If the collar is fitted improperly, so that it is loose enough for a cat to work the collar over its leg or jaw, this release feature may not stretch adequately to allow the extra room necessary for the cat to free itself.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Buckle collar around cat's/kitten's neck. [Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the possibility of neck irritation and buckle failure is reduced.] Fit collar snug enough to prevent placement of the cat's/kitten's leg or lower jaw through the collar, yet loose enough to be rotated about the neck. Leave 1-2 extra inches on the length of the collar for adjustment, cut off excess, and dispose of in trash. Make sure you can insert two fingers easily between collar and cat's {kitten's} neck. Check periodically and adjust fit, if necessary, especially when kittens are rapidly growing. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation. {To release the collar, squeeze sides of buckle between thumb and finger and pull sharply.}

To minimize flea infestation use appropriate products to:

1. Treat the pet
2. Treat the indoor environment, especially where pets spend time resting
3. Treat the outdoor environment when necessary
4. Only use EPA-registered products that are labeled for these uses.

WHAT TO EXPECT:

This collar is designed to kill flea eggs over the entire pet; this collar does not kill adult fleas. This collar provides continuous protection against flea egg hatch for up to 12 months. Since flea eggs will not hatch, your dog's/puppy's flea population will gradually be eliminated. Replace collar every 12 months or sooner if needed.

STORAGE AND DISPOSAL

Pesticide Storage: Do not open package until ready to use. Store in original, unopened container away from children. **Pesticide Disposal and Container Handling:** Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic. Do not allow children to have access to collar.

WARRANTY AND CONDITIONS OF SALE: To the extent consistent with applicable law, Seller makes no warranty, express or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

[URL]

PRECOR® Insect Growth Regulator, vIGRen® Insect Growth Regulator and ZODIAC® are registered trademarks of Wellmark International.

Made in USA

For information {or in case of emergency} call, 1-800-XXX-XXXX