





U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs
Registration Division (H7505C)
401 *M* St. S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE

BPA Regista

Unconditional Registration

Name of Pesticide, Product:

Methoprene/Chlorpyriphos Combination Collar for Dogs

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Sandoz Agro, Incorporated 1300 East Touhy Avenue Des Plaines, IL 60018

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce: In any correspondence on this product always refer to the above EPA registration number:

Registration

Reregistration

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. 2724-471".

Signature of Appreying Official:

Date:

EPA FOIR 8570

2016

page 2 EPA Reg. No. 2724-471

3. Submit five copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

[] indicates optional statements

METHOPRENE / CHLORPYRIFOS COMBINATION COLLAR FOR DOGS

(Controls or Kills) fleas and their eggs up to 11 months
Prevents flea eggs from hatching for 11 months
Prevents flea buildup in your home by killing fleas & flea eggs for 11 months
Prevents Flea Infestations for 11 months [Guaranteed]

(Controls or Kills) ticks [(immature and mature)] up to 7 months
(Controls or Kills) fleas & ticks up to 7 months
Aids in Tick control for an Additional 2 months
Aids in the Prevention of Sarcoptic Mange for up to 5 Months
Kills ticks that may carry and transmit Rocky Mountain spotted fever and tularemia

With [contains] PRECOR® [vIGRen®] IGR (The Original Insect Growth Regulator)

PRECOR IGR [Tested, Trusted, Effective]

PRECOR [vIGRen] IGR breaks the flea lifecycle

with [contains] Chlorpyrifos [Dursban®]

Works From Head to Tail
[Waterproof] [Not Effected by Water]

[One-piece buckle design]
[Integrated plastic buckle]
[Unique buckle design]
[Unique dating feature]
[Integrated one-piece buckle]
For [Fits] necks to [size] inches
Long Lasting Protection

ACTIVE INGREDIENTS:

S-Methoprene [Isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyi-2,4 dodecadienoate] 1.0% Chlorpyrifos [O,O-Diethyl O-3,5,6-trichloro-2-pyridyl) phosphorothioate 8.0% INERT INGREDIENTS 91.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautions on back panel

NET CONTENTS:

ACCEPTED

MAR 10 1997

Under the Federal Insecticide, Funcioide, and Rodenicide gate, as amended, for the pesticide registered under 140.47

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. Buckle collar around dog's neck. [Thread flat end of the collar through buckle hole and tight necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the possibility of neck irritation and buckle failure is reduced.] Collar fit snug enough to prevent placement of the dog's leg or lower jaw through the collar, yet to enough to be rotated about the neck to prevent irritation. Generally, if used on large dogs three fingers should fit between the collar and dog's neck.
- 2. Leave 2 3 extra inches on the collar for adjustment, cut off excess length and dispose in t
- 3. As with any collar, initially observe neck area every few days for irritation. Remove if irritation occurs. [To release the collar, squeeze buckle between thumb and finger and pull sharply.]
- Check periodically and adjust fit if necessary, especially when pupples are rapidly growing.
 use on dogs under 12 weeks of age.
- 5. May be used in addition to regular collar.

STORAGE & DISPOSAL: Store in original unopened package, away from children. Do not reuse pa or used collar. Wrap and put in trash.

WHAT TO EXPECT:

For Fleas:

- This [brandname] collar is specifically designed to kill both adult fleas and flea eggs before thatch.
- This collar contains PRECOR [vIGRen] IGR, an insect growth regulator that kills flea eggs an prevents flea eggs from hatching.
- 3. This collar will begin to kill fleas and flea eggs as soon as it is placed on the pet.
- 4. Full protection against fleas will be achieved within a couple of days, providing continuous protection for 11 months.
- 5. Replace collar every 11 months to continuously prevent flea infestations in your home.
- 6. New adult fleas that may appear on your pet will also be killed while the collar is worn.

For Ticks:

- 1. Ticks are tougher to kill than fleas and are killed more slowly.
- Full protection against all stages of ticks will be achieved within a couple of days, providing continuous protection for 7 months.
- Adult ticks will be killed over the entire pet; dead ticks will fall off or may be easily remove
- 4. Replace collar every 7 months for continuous protection from ticks.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION:

Humans: Do not open protective pouch until ready to use. Do not allow children to handle this May cause eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with so water after handling collar.

Animals: Do not use on sick and convalescing dogs. Do not use on dogs under 12 weeks of This product contains a cholinesterase inhibitor. Do not use other cholinesterase-inhibiting per on dogs while collar is worn. Some breeds or individuals may be sensitive. Remove conformation of cholinesterase inhibition (which may include salivation, vomiting, and/or diarrhea) of antidotal only if symptoms of cholinesterase inhibition are present.



[Optional marketing information: one of following options may be used]

IMPORTANT INFORMATION ABOUT FLEA CONTROL

[3 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brandname] Products containing PRECOR [vIGRen] Insect Growth Regulator and an adulticide have been formulated to work together. For best results, simply follow these three easy steps:

STEP 1 - TREAT YOUR PET

- Shampoo, Dip, or Mousse your pet to kill biting adult fleas on your pet.
- [Brandname] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [viGRen] Insect Growth Regulator.

STEP 2 - PROTECT YOUR PET

- Collar your pet to provide long-lasting protection.
- This collar kills flea eggs and biting adult fleas.
- Use [brandname] flea spray to provide quick kill of fleas your pet picks up on outings.

STEP 3 - TREAT YOUR HOME

- Treat indoors and outdoors with [brandname] products to protect your entire home and guard against reinfestation.
- [Brandname] products in Step 3 kill biting adult fleas and flea eggs using a combination of an adulticide and PRECOR [vIGRen] Insect Growth Regulator.

IMPORTANT INFORMATION ABOUT FLEA CONTROL

[4 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brandname] Products containing PRECOR [vIGRen] Insect Growth Regulator and an adulticide have been formulated to work together. For best results, simply follow these four easy steps:

1 Shampoo, Mousse or Dip your pet

- A Shampoo or dip will kill biting adult fleas on your pet
- [Brandname] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [viGRen] Insect Growth Regulator.

2 Place a collar on your pet

- A [Brandname] collar will provide long-lasting protection.
- This collar kills flea eggs & biting adult fleas

3 Treat the Areas your Pet Frequents

- All [Brandname] products in Step 3 contain PRECOR [vIGRen] Insect Growth Regulator.
 Use a [Brandname] Aerosol, Fogger or Spray to kill adult fleas and flea larvae in your home. The [Brandname] Yard Spray Concentrate kills flea larvae in your yard.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

4 Maintain your Flea-free Pet

- Use a [Brandname] On-Animal Spray to kill any fleas your pet picks up on outings.
- [Brandname] products in Step 4 kill adult fleas and flea eggs using a combination of an adulticide and PRECOR [vIGRen] Insect Growth Regulator.

For Best Results - Follow these steps in order

60f6:

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

SANDOZ Agro, Inc. 1300 East Touhy Ave. Des Plaines, Illinois 60018

For more information or in Emergency: Call 1-800-xxx-xxxx .

PRECOR [vIGRen] is a registered trademark of Sandoz Ltd. Dursban is a registered trademark of DowElanco

Made in USA

EPA Reg. No. 2724-

EPA Est. 2724-TX-1