

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JAN 2 8 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Nancy Huebl Wellmark International 1501 East Woodfield Road, Suite 200 West Schaumburg, Illinois 60173

Subject: Revision to Add Headers to Clarify Collar

Dear Ms. Huebl:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 15, 2009 for:

EPA Registration 2724-491

Wellmark International RF 9907 Flea Collar for Cats & Kittens

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Sincerely.

Dani Daniel

Registration Division (7505P)

Insecticide/Rodenticide Branch

Please read instructions on r	everse before co ting	torm.		1 Approve	ed. OMB No. 207	0-0060. Approval expires 2-26-95		
⇔ EPA	n Agency 60		istration endment er	OPP Identifier Number				
· · · · · · · · · · · · · · · · · · ·		Applic	ation for Pesticide - Sectio	n I	MFIC	TION		
1 Commonw/Droduct Number		Дрио	2. EPA Product Manager			3. Proposed Classification		
Company/Product Number Wellmark International/272	24-491		John Hebert		JAN 2 8			
4. Company/Product (Name) Wellmark International/I	RF 9907 Flea Collar for	Cats & Kittens	PM# 7			X None Restricted		
5. Name and Address of Applicant / Registrant (Include ZIP Code) Wellmark International 1501 East Woodfield Road, Suite 200W Schaumburg, Illinois 60173 Check if this is a new address			6. Expedited Review. (b)(i), my product is sim EPA Reg. No. Product Name	(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.				
Uneck ii diis is	a new address		Section - II					
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.			Final pri Agency	Final printed labels in response to Agency letter dated "Me Too" Application Other - Explain below.				
Notification to add "For Fle This notification is consiste labeling or the confidential EPA. I further understand	ent with the provisions of statement of formula of t that if this notification is	der to existing ap PR Notice 98-1 this product. I un not consistent w	section II.) proved DFU for clarification of 8 of 8 of 8 of 9 of 9 of 9 of 9 of 9	R 152.46, and r B U.S.C. Sec. and 40 CFR 19	no other change 1001 to willfully	s have been made to the make any false statement to		
			Section - III					
1. Material This Product Wil	l be Packaged In:							
Child-Resistant Packaging	Unit Packaging	4	Water Soluble Packaging	2. Tvo	e of Container			
oma recolorari r donaging	_			- 7				
Yes	X Yes		Yes		Metal			
 	No		X No	<u> </u>	X Plastic			
No No				—— —,	Glass X Paper			
* Certification must be submitted	If "Yes Unit Packaging wgt. 0.2-1.5 oz	No. per container . 1	If "Yes Unit No. p Packaging wgt. conta	~	Other (Speci	fy)		
	<u> </u>		1		····			
3. Location of Net Contents In	ontainer	4. Size(s) Reta 0.2 - 1.5 oz		X On	5. Location of Label Directions X On Label On Label Accompanying Product			
6. Manner in Which Label is /	Affived to Product	Lithog	graph X Oth	ner printed on o		ying Froduct		
· · · · · · · · · · · · · · · · · · ·	anked to I roduct		rglued	printed on t	Daiuboard			
		Stend						
			Section - IV					
1. Contact Point (Complete	items directly below for	identification of	individual to be contacted, if nece	ssary, to proce	ss this applicati	on.)		
Name	<u> </u>		Title		Telephor	e No. (Include Area Code)		
Nancy Huebl	•		Senior Registration Specialist		(847) 33	0-5376		
		Certifica	ition			6. Data Application		
	any knowingly false or mis	his form and all a	tachments thereto are true, accurate ts my be punishable by fine or imprise		ا د دردد د د	Received		
2. Signature Aulbl			3. Title Senior Registration Specialist		(((((((((((((((((((; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		
4. Typed Name			5. Date 15-Dec-09		(; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	c c		

White - EPA File Copy (original) Cyellow - Applicant copy

3

Weimark International

1501 East Woodfield Rood, Suite 200 West Schaumburg, Illinois 60173 847 330 5300 www.wellmarkinternational.com



December 15, 2009

Document Processing Desk (AMEND)
Office of Pesticide Programs 7504P
U.S. Environmental Protection Agency
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

ATTENTION: J. Hebert, PM 7

SUBJECT: LABEL NOTIFICATION

REVISION TO ADD HEADERS TO CLARIFY COLLAR

REAPPLICATION FOR FLEAS/TICKS

FOR RF-9907 FLEA COLLAR FOR CATS & KITTENS/EPA REG. NO. 2724-491

Dear Mr. Hebert:

Enclosed is a completed EPA Form 8570-1 and 1 copy of revised labeling for the above product. New text is highlighted in red. The label cover sheet details the change. The purpose of this notification is to add "For Fleas" and "For Ticks" to the two sentences in the existing approved DFU text (No. 4) indicating "reapply collar at 8 months" and "reapply collar at 6 months". The 8 months is related to fleas and the 6 months is related to ticks. No other changes were made to the label.

If you have any questions or if I can provide any further assistance, please, call me directly at 847/330-5376. Thank you for your assistance in this matter.

Yours sincerely,

WELLMARK INTERNATIONAL

Nancy Huebl

Sr. Registration Specialist nhuebl@central.com

enclosure

CC:

J. McFadden/C. Elmi/H. Friedli/C. Purcell

[] indicates optional statements

JAN 2 8 2010

RF-9907 FLEA COLLAR FOR CATS & KITTENS Alternate brand Names: ZODIAC® Flea & Tick Collar for Cats, ZODIAC® Flea & Tick Collar for Cats & Kittens, ZODIAC® Breakaway® Flea & Tick Collar for Cats & Kittens VET KEM® Breakaway® Plus Flea & Tick Collar for Cats

with [Plus] PRECOR® [vIGRen®] Insect Growth Regulator [IGR][Kills flea eggs]

Kills [Adult] Fleas & Ticks

Up to [245 days][35 weeks][8 months] protection [control of] against immature and adult fleas and flea eggs Up to [175 days][25 weeks][6 months] protection [control of] against ticks

Works in as little as [24 hours][1 day]

[Available through veterinarians]

PRECOR [vIGRen] breaks the flea life cycle

Works From Head to Tail [to kill fleas for up to 8 months and ticks for up to 6 months]

Satisfaction 100% Guaranteed or your money back

[Ovicidal] - kills flea eggs [before they hatch] for up to [245 days][35 weeks][8 months]

Kills fleas and kills flea eggs

For cats of all sizes

[Unique one-piece buckle design][Integrated one-piece buckle]

[Unique breakaway design]

[Integrated plastic buckle] [Breakaway Collar][Expandable Collar][Stretch Band]

Effective against ticks

Kills immature [fleas] and adult fleas and flea eggs up to [35 weeks][245 days][8 months]

Flea protection for up to 8 months

Kills ticks up to [175 days][25 weeks][6 months]

(FRONT OR BACK PANEL)

ACTIVE INGREDIENTS:

Propoxur (CAS #114-26-1)	10.0%
(S)-Methoprene (CAS # 65733-16-6)	2.1%
OTHER INGREDIENTS:	<u>87.9%</u>
Total:	100.0%


DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR CAUTION

See Precautions on back

EPA Reg. No 2724-491

Net Weight:

EPA Est. No.



READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS 12 WEEKS OF AGE AND OLDER

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Buckle collar around cat's neck. [Thread flat end of the collar through buckle hole and tighten as
 necessary, so that at least 2 ridges are covered by the buckle. Since the plastic buckle is molded
 into the collar, the possibility of neck irritation and buckle failure is reduced.] Fit collar snug enough
 to prevent placement of the cat's leg or lower jaw through the collar, yet loose enough to be rotated
 about the neck.
- 2. Leave 1-2 extra inches on the length of the collar for adjustment, cut off excess, and dispose of in trash
- 3. Check periodically and adjust fit if necessary, especially when kittens are rapidly growing.
- 4. **For Fleas**: Replace in [245 days][35 weeks][8 months] or sooner if needed. **For Ticks**: Replace in [175 days][25 weeks][6 months] or sooner if needed. [To release the collar, squeeze buckle between thumb and finger and pull sharply.] Collar does not need replacement if cat becomes wet.

[UNIQUE FEATURE: This collar is designed to stretch under the weight of an average sized adult cat. It helps the cat to free itself ("breakaway") if the collar gets snagged on a fixed object. If the collar is fitted improperly, so that it is loose enough for a cat to work the collar over its leg or jaw, this release feature may not stretch adequately to allow the extra room necessary for the cat to free itself.]

To minimize flea infestation use appropriate products to:

- 1. Treat the pet
- 2. Treat the indoor environment, especially where pets spend time resting
- 3. Treat the outdoor environment when necessary
- 4. Only use EPA-registered products that are labeled for these uses.

STORAGE and DISPOSAL: Collar should be left in place once fitted on cat. If collar is temporarily removed, do not set it on wood or other surfaces. **Storage**: Store in original unopened package away from children. **Disposal**: Do not reuse container or collar. Dispose of in trash. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT:

For Fleas:

- 1. This [brand name] collar is designed to kill adult fleas and flea eggs.
- 2. Protection against fleas and flea eggs [hatch] will be achieved within a few days [48 hours], providing continuous protection for up to [35 weeks][245 days][8 months].
- 3. Replace collar every [35 weeks][245 days][8 months] or sooner if needed.

For Ticks:

- 1. Protection against adult and immature ticks will be achieved within a few days, providing continuous protection for up to [25 weeks][175 days][6 months].
- 2. Adult ticks will be killed over the entire pet. Dead ticks will fall off or may be easily removed.
- 3. Replace collar every [25 weeks][175 days][6 months] or sooner if needed.

PRECAUTIONARY STATEMENTS

present.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-CAUTION: Do not get dust or collar in mouth. Harmful if swallowed or absorbed through skin. Do not get dust in eyes, will cause temporary constriction of the pupils*. The dust released by this collar is a cholinesterase inhibitor. Avoid contact with skin, eyes or clothing. NOTICE: This product contains propoxur, a chemical known to the State of California to cause cancer. (in red bold).

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Pesticidal dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing cats. Do not use on kittens under 12 weeks of age. Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting** drugs or pesticides (eg.carbaryl or propoxur etc.). However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your cat with mild soap and rinse with large amounts of water.

FIRST AID		
Call a poison control center	er or doctor immediately for treatment advice.	
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. 	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	
CENTER . Have the producenter or doctor or going f	·	
	ETERINARIAN: Contains an N-methyl carbamate that inhibits is antidotal only if symptoms of cholinesterase inhibition are	, (((((((((((((((((((

To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International 1501 East Woodfield Road 200W Schaumburg, IL 60173

100% satisfaction guaranteed or your money back. For product use information, call [1-800-XXX-XXXX] or visit our website [][zodiacpet.com][adamsfleacontrol.com] [vet-kem.com][sergeants.com].

**For information on cholinesterase inhibition please call our 800 number or consult your veterinarian.

Breakaway®, VET KEM®, ZODIAC®, PRECOR® and vIGRen® Insect Growth Regulator are registered trademarks of Wellmark International.

Made in USA