

2724-493

4-25-2003

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2724-493

Date of Issuance:

APR 25 2003

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Term of Issuance:

Conditional

Name of Pesticide Product:

RF-2007 Collar

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Wellmark International
1100 East Woodfield Road, Suite 500
Schaumburg, IL 60173

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/re-registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.

2. Make the following label changes before you release the product for shipment:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 2724-493".
- b. Within the First Aid section, add the statement "Call a poison control center or doctor for treatment advice" to both the dermal statement and the eye statement. Alternatively, this statement may be placed in a general location at the top or bottom of the First Aid section so that it applies to all routes of exposure.

Signature of Responsible Official:

Daniel C. Kenny, Product Manager (01)
Insecticide-Rodenticide Branch, Registration Division (7505C)

Date:

APR 25 2003

2/7

page 2
EPA Reg. No. 2724-493

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Daniel C. Kenny
Product Manager (01)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

DK: 305-7546: IRB / PM01							
CONCURRENCES							
SYMBOL	7505C						
SURNAME	D. KENNY						
DATE	4/25/03						

3/7

[] indicates optional statements

RF-2007 COLLAR

(FRONT OR BACK PANEL)

ACTIVE INGREDIENTS:

Propoxur (CAS #114-26-1).....10.0%

(S)-Methoprene (CAS # 65733-16-6).....2.1%

OTHER INGREDIENTS:.....87.9%

Total: 100.0%

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR

CAUTION

See back panel for [Ingredients and] additional Precautionary Statements

EPA Reg. No 2724-XXX

EPA Est. No.

Net Weight:

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

APR 25 2003

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

2724-493

MARKETING CLAIMS

For use only on dogs/puppies
 [Contains][Plus] with PRECOR® [vIGRen®] Insect Growth Regulator (IGR)
 Contains an Insect Growth Regulator (IGR) to prevent flea development
 Kills Flea Eggs to [help eliminate][prevent][flea][infestation][reinfestation][of your home] for up to [5 months][150 days]
 [Controls][Kills] [Prevents] [Helps eliminate] [adult] Fleas
 [Controls][Kills][Lasts][Works][Protects][Helps Eliminate] up to [150 days][5 months]
 Contains an adulticide [to kill adult fleas and ticks]
 Kills [adult fleas][ticks][flea eggs] & [flea larvae] for up to [5 months][150 days]
 Effectively [controls][stops][prevents] flea infestations, Helps [prevent][eliminate] tick infestations
 Kills [adult][fleas][to] Prevents infestations [and reinfestations][on your pet] for up to [5 months][150 days]
 Up to [150 days][5 months] protection [control of] against [immature and adult] fleas and flea eggs
 Up to [150 days][5 months] protection [control of] against ticks
 PRECOR [vIGRen®] is Prevention of fleas
 [Long Lasting][Protection][Relief] up to [5 months][150 days]
 Ring of Prevention [Protection] to prevent flea build-up in your home or on your pets
 PRECOR [vIGRen] breaks [stops] the flea life cycle
 Works From Head to Tail
 Kills fleas and ticks
 Satisfaction Guaranteed or your money back
 Temporary wetting will not impair effectiveness
 [Ovicidal] - kills flea eggs [before they hatch] for up to [150 days][5 months]
 Prevents flea build-up by killing fleas on your pet and flea eggs before they hatch in your home
 Kills [adult] fleas before they infest your home
 [Helps] Eliminates [stops][prevents] major [primary][main] source of home infestation by killing [controlling] fleas and ticks on your pet, helps [prevent][eliminate] ticks
 Kills [adult] fleas which may cause flea bite anemia
 Kills [adult] fleas which may cause flea allergy dermatitis
 Kills [adult] fleas which may transmit tapeworms
 Prevents flea reinfestation for up to (5 months)(150 days)
 For use on [small][medium][large] dogs/puppies [with necks up to (#)][of all sizes]
 Collar can be fitted for all dogs
 [Unique one-piece buckle design][Integrated one-piece buckle]
 [Integrated plastic buckle][Expandable Collar][Stretch Band]
 Kills [deer] ticks (including *Ixodes scapularis*), which may transmit Lyme disease [*borreliosis*] [the major carrier of human and canine Lyme disease]
 Effective against ticks [vectors, deer ticks, *Ixodes scapularis*] which may transmit Lyme disease [*borreliosis*]
 Controls [Kills] Lyme disease [*borreliosis*]-carrying ticks, Brown Dog Ticks (*Rhipicephalus sanguineus*), American Dog Tick (*Dermacentor variabilis*), Lone Star Tick (*Amblyomma americanum*), Deer Ticks (*Ixodes scapularis*)
 Kills [ticks][including those that may transmit Lyme disease][Brown Dog Ticks][American Dog Tick][Lone Star Tick][Deer Ticks][which may carry Lyme disease] for up to [5 months][150 days]
 Kills tick species [common to dog] including: Brown Dog Tick (*Rhipicephalus sanguineus*), American Dog Tick (*Dermacentor variabilis*), Lone Star Tick (*Amblyomma americanum*), Rocky Mountain Wood Tick (*Dermacentor variabilis* or *andersoni*), Deer Tick (*Ixodes scapularis* or *dammini*)
 [Prevents][Kills] all [flea] stages of the flea life cycle
 Stops and prevents infestations on your pet for up to [5 months][150 days]
 [5 months][150 days] Dual Action [formula] Collar
 Protects your pet
 Professional Brand pet care products
 Experience in serving the veterinarian and pet supply industry for over 30 years
 One step hassle free protection
 Complete protection [collar] against [fleas][all stages of the flea life cycle]
 Kills immature and adult fleas and flea eggs for up to [5 months][150 days]
 Kills ticks for up to [150 days][5 months]
 Waterproof [Works even when wet]
 Specially formulated for dogs/puppies
 Collar gives up to [150 days][5 months] protection
 [Descriptor] Blue/Green/Red/Black Collar

5/7

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 12 WEEKS OF AGE AND OLDER**

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Buckle collar around dog's/puppy's neck. [Thread flat end of the collar through buckle hole and tighten as necessary, so that at least two ridges are covered by the buckle. Since the plastic buckle is molded into the collar, the possibility of neck irritation and buckle failure is reduced.] Collar should fit snug enough to prevent placement of the dog's/puppy's leg or lower jaw through the collar, yet loose enough to be rotated about the neck.
2. Leave 1-2 extra inches on the length of the collar for adjustment, cut off excess, and dispose of in trash.
3. Check periodically and adjust fit if necessary, especially when puppies are rapidly growing.
4. Replace in [150 days][5 months] for continuous protection from adult fleas, ticks, and flea egg[s] [hatch]. [To release the collar, squeeze buckle between thumb and finger and pull sharply.] Collar does not need replacement if dog/puppy becomes wet.

To minimize flea infestation use appropriate [other {Brand Name} flea and tick] products to:

1. Treat the indoor environment, especially where pets spend time resting
2. Treat the outdoor environment when necessary

STORAGE and DISPOSAL: **Storage:** Store in original unopened package away from children. **Disposal:** Dispose of in trash. Collar should be left in place once fitted on dog/puppy. If collar is temporarily removed, wrap in paper or plastic; do not allow children to have access to collar.

WHAT TO EXPECT:

For Fleas and Ticks:

1. This [brand name] collar is designed to kill adult fleas, ticks, and flea eggs over the entire pet.
2. This collar begins working to kill fleas, ticks, and flea eggs as soon as it is placed around the dog's/puppy's neck.
3. This collar will provide continuous protection against fleas, ticks, and flea eggs [hatch] for up to [5 months][150 days].
4. Dead ticks will fall off or may be easily removed.
5. Replace collar every [5 months][150 days] to help control adult flea and tick infestations on your pet and in your home or if the adult flea problem is under control but flea build-up protection is desired.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS-

CAUTION: Do not get dust or collar in mouth. Harmful if swallowed or absorbed through skin. Do not get dust in eyes, will cause temporary constriction of the pupils*. The dust released by this collar is a cholinesterase inhibitor. Avoid contact with skin, eyes or clothing.

6/7

Humans: Do not open package until ready to use. Do not allow children to play with this collar. Pesticidal dust will form on this collar during storage. Wash hands thoroughly with soap and water after handling collar.

Animals: Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. Do not use on puppies under 12 weeks of age. Do not use this product on dogs/puppies simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting** drugs or pesticides (e.g. carbaryl or tetrachlorvinphos, etc.). However, flea and tick collars may be immediately replaced. When collar is first worn, observe neck area every few days for irritation. Remove collar at the first sign of irritation or adverse reaction. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your dog/puppy with mild soap and rinse with large amounts of water.

FIRST AID	
If swallowed	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IN CASE OF EMERGENCY, CALL [PHONE NUMBER] OR A POISON CONTROL CENTER. Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
NOTE TO PHYSICIAN/VETERINARIAN: Contains an N-methyl carbamate that inhibits cholinesterase. *Atropine is antidotal only if symptoms of cholinesterase inhibition are present.	

7/17

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International
Schaumburg, Illinois 60173

Satisfaction guaranteed or your money back. Call [phone number] or visit our Web site [internet address] for additional product use information.

**For information on cholinesterase inhibition please call our 800 number or consult your veterinarian.

PRECOR® and vIGRen® Insect Growth Regulator are registered trademarks of Wellmark International.

Made in USA