



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 26, 2013

Ms. Nancy Huebl Wellmark International 1501 E. Woodfield Rd, Suite 200W Schaumburg, IL 60173

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Huebl:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 22, 2013 for the following product(s):

RF9908 Spot-On

EPA Reg. No. 2724-497

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken
Product Manager (PM10)
Insecticide Branch

Registration Division (7504P)

Please read instructions on reverse before completely form. Form., roved. OMB No. 2070-0060. Approval expires 2-28-95								
<b>⇔</b> EPA	PEPA Environmental Protect Washington, DC 2			×	Registrat Amendm Other		OPP Identifier Number	
		Applica	tion for Pesticide - S	Section I			<del></del>	
Company/Product Number     Wellmark International/2724-497			EPA Product Manager     Richard Gebken			3. Proposed Classification		
4. Company/Product (Name) Wellmark International/RF9908 Spot On			PM# 10				X None Restricted	
5. Name and Address of Applicant / Registrant (Include ZIP Code) Wellmark International 1501 East Woodfield Road, Suite 200W Schaumburg, Illinois 60173  Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(C)(3) (b)(i), my product is similar or NOTE FIFE CAPTION and labeling to:  EPA Reg. No.  Product Name					
			Section - II					
Amendment - Explain below Resubmission in respons X Notification - Explain below Explanation: Use additionable Interest	e to Agency letter dated w. nal page(s) if necessary. ( aphics (for already appront with the provisions of statement of formula of hat if this notification is	oved text) and sm PR Notice 98-10 this product. I un not consistent wi	ection II.)  all miscellaneous addition  and EPA regulations at a derstand that it is a violation th the terms of PR Notice	Agency letter of "Me Too" Appli Other - Explain as as 40 CFR 152.4 on of 18 U.S. 98-10 and 40	teation  below.  16, and no othe C. Sec. 1001 to	r changes ha	ce any false statement to	
			0 - 1 - 11					
			Section - III					
1. Material This Product Will								
Child-Resistant Packaging  Yes  No	Yes  X No  If "Yes Unit No. per Packaging wgt.  Certification must be		Water Soluble Packagin  Yes  X No  If "Yes Unit No. per Packaging wgt. container		2. Type of Container  X Metal X Plastic Glass			
* Certification must be submitted						X Paper Other (Specify)		
Location of Net Contents Information     4. Size(s) Ret			Container	5. Loc	cation of Label D	irections		
		1-3 ∞, 1-50/	50/container X On Label On Label According			ompanying Product		
Pape			ograph  er glued  ciled					
			Section - IV					
1. Contact Point (Complete	itams dimetly halow for	identification of i		if nococcony	to amongo this	application 1		
Name	items unecuy below for		Fitle	n necessary,	to process ans		o. (Include Area Code)	
Nancy Huebl					847-330-537	· ·		
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements my be punishable by fine or imprisonment or both under applicable law.  6. Date Application Received  (Stamped)								
2. Signature  A Typed Name	webl	!	3. Title Senior Registration Specialist					
4. Typed Name Nancy Huebl			5. Date 22-May-13					

### **Wellmark International**

1501 East Woodfield Road, Suite 200 West Schaumburg, Illinois 60173 847 330 5300 www.wellmarkinternational.com



May 22, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs 7504P
U.S. Environmental Protection Agency
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

ATTENTION:

Richard Gebken, PM 10

SUBJECT:

LABEL NOTIFICATION TO ADD GRAPHICS (FOR ALREADY APPROVED TEXT)

FOR RF9908 SPOT ON/EPA REG. NO. 2724-497

Dear Mr. Gebken:

Enclosed is completed EPA Form 8570-1 and 2 copies of highlighted revised labeling for the above product (red is new text, blue strikethrough is deleted text). This label change is submitted per PRN 98-10, §II, M, 2 which allows "graphics which present the same use directions already approved by EPA in narrative form" as a notification. Additionally, small specific additions were included (phone numbers, EPA Est No). If you have any questions please, call me directly at 847-330-5376. Thank you for your assistance in this matter.

Yours sincerely.

WELLMARK INTERNATIONAL

Nancy Huebl

Senior Registration Specialist

nhuebl@central.com

enclosure

CC:

J. McFadden/C. Elmi/H. Friedli

### **RF9908 SPOT ON**

Alternate Brand Names: ZODIAC® Groomers' Spot ON® Pack
ZODIAC® Spot On® Flea & Tick Control for Small Dogs 16-30 lbs.
ZODIAC® Spot On® Flea & Tick Control for Medium Dogs 31-60 lbs.
ZODIAC® Spot On® Flea & Tick Control for Large Dogs Over 60 lbs.
ZODIAC® Spot On® Flea & Tick Control for Puppies, Toys, & Miniatures Under 15 lbs.
Font size for word "Dog" in product name must be at least 75% the height of the largest letter in the primary brand name

For Use Only on Dogs and Puppies 7-15 lbs [puppies, toys, & miniatures]/16-30 lbs [small dogs]/31-60 lbs [medium dogs]/over 60 lbs [large dogs] & 6 Months of Age or Older

Topical Flea and Tick Treatment only for Dogs and Puppies six months and older Contains [With] Precor®, Vigren®, [Insect Growth Regulator (IGR)], or FGR® (Flea Growth Regulator) Prevents Flea Eggs from Developing into Biting Adults for up to 30 Days [3 Months] Each applicator Kills and Repels Fleas, Ticks and Mosquitoes for up to 30 Days Kills Fleas Before they Lay Eggs Contains Insect Growth Regulator (IGR)] to [Kill(s) Flea Eggs] [to][and] Prevent Reinfestation [Number] Convenient, Pre-filled Applicators Easy and Convenient to Use 3 [Number] Month Supply [1 applicator = 1 month treatment]
3 [Number] month Flea & Tick Treatment Four [Number] Monthly Treatments Once a Month Flea, Tick and Mosquito Treatment 3 [Number] Month treatment Month 1 Month 2 Month 3 Month [#] NOTIFICATION Unique applicator design [shape] helps prevent misapplication on cats Helps prevent misapplication on cats with unique applicator AUG 2 6 2013 Longer applicator tip for easy application to long-haired dogs Accu-Tip Dispenser Pet Specifix™ Applicator EZ-Squeeze Applicator **ACTIVE INGREDIENTS:** 

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Net Contents: 3 - 0.022 fl oz (.65 ml) applicators (dogs 7-15 lbs) [Alternate applicator sizes permissible as long as dosage/ratios are maintained the same. See end of label for examples\*]

EPA Reg. No. 2724-497 EPA Est. No. 2724-TX-1

> DO NOT USE ON CATS (Minimum size 1.5 cm X 1.5 cm)

## READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES 6 MONTHS OF AGE OR OLDER. DO NOT USE ON CATS!

### **PRECAUTIONARY STATEMENTS**

### HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:

**Humans:** Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before use.

**Domestic Animals:** 

### DO NOT USE ON CATS!

May be toxic and potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

Do not use on puppies less than six months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog/puppy with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. In the event of an emergency, contact 1-800-950-4783.

#### **FIRST AID**

If on Skin or Clothing:	Take off contaminated clothing.
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
	• [Call a poison control center or doctor for treatment advice.] (if space available)
Have the product container of	or label with you when calling a poison control center or doctor or going for treatment.
You may also contact 1-800-	950-4783 [1-800-766-7661/1-800-234-2269 or a Poison Control Center] for
emergency medical treatment	nt.

[First Aid statement paragraph format may be used if space is limited]

### PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store hear heat or open flame.

Dog's Name	First Treatment Date	Second Treatment Date (30 Days From 1 <sup>st</sup> )	Third Treatment Date (30 Days From 2 <sup>nd</sup> )
	rchased RF9908 Spot On frecan be expanded based or		NOTES:

**DIRECTIONS FOR USE**: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product [or product name] prevents eggs from developing into adult fleas for up to 30 days [3 months]. This product [or product name] also kills and repels ticks and mosquitoes for up to 30 days.

**USE RESTRICTIONS**: Do not apply to dogs/puppies weighing less than 7 lbs (for smallest size dog package only). Do not use more than one tube per dog/puppy and do not retreat more than once per month. Do not allow your dog/puppy to ingest this product.

[Graphics for Each	Stenl	(see helow)			
Chapmics for Laoi	Clop	(000 00.00)			

# APPLICATION METHOD





















[Alternate applicator sizes permissible as long as dosage/ratios are maintained the same. See end of label for examples\*]

Remove pre-filled applicator(s) from package and hold in an upright position.

- 1. Gently press cap to break the seal of the applicator. [Simply twist cap to break the seal of the applicator.] Open applicator by carefully cutting the top of the tube.
- 2. [Carefully remove the cap.] Position the tip of the applicator on the dog's back between the shoulder blades. Apply half of the contents of the tube (0.5 cc) and proceed with steps 3 and 4.
- 3. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the tube (0.5 cc).
- Do not reapply product for 30 days.

[Alternate Packaging Directions 1][Application Method]

Bend at perforation and tear off first month's applicator.

Hold applicator [and bend area of plastic at perforation, tear off and discard]. [Hold applicator] upright and snap tip back, away from face and body.

[Alternate Packaging Directions 2]

Bend at perforation and tear off first month's applicator.

Hold applicator and bend numbered area of plastic at perforation, tear off and discard.

Hold applicator upright away from face and body, and use scissors to cut secure seal applicator tip.

Note: DO NOT APPLY this product [or product name] to cats. These flea drops are intended for dogs only!

Although this product [or product name] is applied only between the shoulder blades and at the base of the tail [and in the middle of the back (over 60 lbs)], the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. This product [or product name] is most effective when used as part of a total flea and tick management program. Use other

[Zodiac][Wellmark][Scratchex][Adams][Bio Spot] products registered for residential area control of these pests in conjunction with this treatment. [For additional control of fleas in and around the home, use [product names]

### STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry area in a location out of reach of children and pets.

Pesticide Disposal and Container Handling: If Empty: Do not reuse this container [empty applicator]. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Copy: \_\_\_\_\_ Product Code: \_\_\_\_\_ Made in USA

Wellmark International 1501 East Woodfield Road Suite 200W Schaumburg, Illinois 60173 [Web site URL]

Questions? Call (1-800-950-4783/234-2269-xxx-xxxx) Monday through Friday, [time] [In case of emergency or for product use information, call (1-800-950-4783/234-2269 phone number) or visit our Web site: (URL)

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Brand] at 1-800-950-4783/234-2269 phone number.



DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

### **TEXT FOR TUBE/APPLICATOR**

Product Name
Permethrin 45%, S-methoprene 3%
KEEP OUT OF REACH OF CHILDREN
CAUTION
[READ DIRECTIONS BEFORE USING] (if space permits)
EPA Reg No. 2724-497
Net Contents:



For Use Only on Dogs and Puppies 7-15 lbs [puppies, toys, & miniatures]/16-30 lbs [small dogs]/31-60 lbs [medium dogs]/over 60 lbs [large dogs] & 6 Months of Age or Older

[Alternate Language for dogs Over 60 lbs][W]

[Alternate applicator sizes permissible as long as dosage/ratios are maintained the same.

4 Month Supply [1 applicator = 1 month treatment]

Net Contents: 4-3 cc applicators

1. Remove pre-filled applicator(s) from package and hold in an upright position.

- 2. [Gently press cap to break the seal of the applicator.][Simply twist cap to break the seal of the applicator.] Open applicator by carefully cutting the top of the tube.
- 3. Position the tip of the applicator at the base of the dog's neck. Apply 1/3 of the contents of the applicator.
- 4. Invert the applicator to an upright position and move to the middle of the dog's back. Apply ½ of the remaining contents of the applicator.
- 5. Invert the applicator to an upright position and move to the base of the dog's tail. Apply the remaining 1/3 of the contents of the applicator.
- 6. Do not reapply product for 30 days.

### [Alternate Packaging Directions 1]

- 1. Bend at perforation and tear off first month's applicator.
- 2. Hold applicator and bend area of plastic at perforation, tear off and discard.
- 3. Hold applicator upright and snap tip back, away from face and body.

### [Alternate Packaging Directions 2]

Bend at perforation and tear off first month's applicator.

Hold applicator and bend numbered area of plastic at perforation, tear off and discard.

Hold applicator upright away from face and body, and use scissors to cut secure seal applicator tip.

### [Alternate Language for dogs of all sizes][W]

[Alternate applicator sizes permissible as long as dosage/ratios are maintained the same. See end of label for examples\*]

Net Contents: 50 - 1 cc applicators

- 1. Remove pre-filled applicator(s) from package and hold in an upright position.
- 2. [Gently press cap to break the seal of the applicator.][Simply twist cap to break the seal of the applicator.] Open applicator by carefully cutting the top of the tube. [Carefully remove the cap.]
- 3. Apply as directed below.
- 4. Do not reapply product for 30 days.

### [Alternate Packaging Directions 1]

Bend at perforation and tear off first month's applicator.

Hold applicator upright and snap tip back, away from face and body.

### [Alternate Packaging Directions 2]

Bend at perforation and tear off first month's applicator.

Hold applicator and bend numbered area of plastic at perforation, tear off and discard.

Hold applicator upright away from face and body, and use scissors to cut secure seal applicator tip.

### MONTHLY [product name] APPLICATION

Application by Weight	# of 1 cc Tubes [applicators]	Where to Apply
Dogs 16 - 29 pounds	One tube [applicator]	½ tube [applicator] at base of neck
		1/2 tube [applicator] at base of tail
Dogs 30 to 59 pounds	Two tubes [applicator]	1 tube [applicator] at base of neck
		1 tube [applicator] at base of tail
Dogs 60 pounds +	Three tubes [applicator]	1 tube [applicator] at base of neck
		1 tube [applicator] in middle of back
		1 tube [applicator] at base of tail

## [Alternate applicator sizes permissible as long as dosage/ratios are maintained the same. Examples]

DOG WEIGHT	SIZE	WHERE TO APPLY
7-15 lbs	0.022 fl oz (0.65 cc)	½ at neck, ½ at tail
16-30 lbs	0:034 fl oz (1 cc)	½ at neck, ½ at tail
31-60 lbs.	0.068 fl oz (2 cc)	½ at neck, ½ at tail
Greater than 60 lbs.	0.101 fl oz (3 cc)	1/3 at neck, 1/3 at mid-back, 1/3 at tail