

2724-498

8-24-2007

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Nancy Huebl
Sr. Registratrrion Specialist
Wellmark International
1501 East Woodfield Road
Suite 200W
Schaumburg, ILL 60173

AUG 24 2007

RE: (Redundant Labeling Statements) - Add Alternate Application Instructions or Small
Packaging
EPA Registration Number: 2724-498
Date of Submission: June 29, 2007

Dear Ms. Huebl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 29, 2007, for the product Wellmark International/ RF 2018 Magma. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

| | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Registration |
| <input type="checkbox"/> | Amendment |
| <input checked="" type="checkbox"/> | Other |

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|--|--|
| 1. Company/Product Number Wellmark International/2724-498 | 2. EPA Product Manager Richard Gebken | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Wellmark International/RF-2018 Magma | PM # 10 | |
| 5. Name and Address of Applicant / Registrant (Include ZIP Code) Wellmark International 1501 East Woodfield Road, Suite 200W Schaumburg, Illinois 60173 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(C)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

NOTIFICATION

AUG 24 2007

Explanation: Use additional page(s) if necessary. (For section I and section II.)

Section II, I - (Redundant Labeling Statements) - added alternate Application Instructions Formatted for Small Packaging
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

| | | | | | |
|--|---|---|--|---|-------------------|
| 1. Material This Product Will be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Unit Packaging <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ | | |
| * Certification must be submitted | | If "Yes" Unit Packaging wgt. 30 gm | No. per container 1 | If "Yes" Unit Packaging wgt. | No. per container |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input checked="" type="checkbox"/> Container | | 4. Size(s) Retail Container 1-4 30 gram syringes | | 5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Label Accompanying Product | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | <input checked="" type="checkbox"/> Other Printed cardboard carton | | |

Section - IV

| | | |
|--|--|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Nancy Huebl | Title Senior Registration Specialist | Telephone No. (Include Area Code) (847) 330-5376 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received (Stamped) |
| 2. Signature <i>Nancy Huebl</i> | 3. Title Senior Registration Specialist | |
| 4. Typed Name Nancy Huebl | 5. Date June 29, 2007 | |

3/13

**COMMERCIAL LABEL
RF-2018 MAGMA**

NOTIFICATION

AUG 24 2007

**Alternate Brand Name: MATRIX™ Roach & Ant Bait
KILLS ROACHES, ANTS, AND CRICKETS**

For Use By Pest Control Operators for Commercial, Industrial, and Residential Use Only

CONTAINS Bitrex®

Controls Roaches and Ants

Contains Hydramethylnon with Effective Bait Matrix Combining Proteins & Sugars

Approved for Indoor and Outdoor Use

For Use on Residential, Commercial, & Institutional Property

Apply as a Spot or Crack and Crevice Treatment

Ready to Use (No Mixing Required)

Conveniently Packaged in Plastic Syringe Dispenser

For Use in Refillable Bait Stations

Product contains processed peanuts.

ACTIVE INGREDIENT:

Hydramethylnon (CAS #67485-29-4) 2.15%

OTHER INGREDIENTS:..... 97.85%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

Do not apply to areas accessible to children or pets.


CAUTION

See side panel for additional Precautionary Statements

EPA Reg. No. 2724-498

EPA Est. No.

Net Weight:



INDOOR

Indoor application sites are areas such as: entry areas, under sinks, voids, crawlspaces, sewers, pipe chases, hollow legs, receiving areas, edible waste storage, false ceilings, lavatories, locker rooms, restrooms, machine areas, under equipment, boiler rooms, garages, closets, storage areas, and commercial and private food storage, preparation, and consumption areas, such as pantries, kitchens, dining rooms, and taverns/bars.

Cockroaches


The application rate for small cockroaches such as German or Brown banded is 1 to 2 pea-sized spots (each about 0.25 gm) of bait per 6 square feet. Double this rate for large cockroaches such as the American cockroach. In heavy infestations, increase the rate to 3 to 12 inch beads of bait per 6 square feet. Use the lower application rate for low to moderate infestations and the higher rate for severe infestations or where the population occurs in inaccessible areas such as in walls. Inspect for potential application sites and determine locations frequented by pest(s). Place bait where inspection indicates that pests frequent. Usual locations include cracks, and crevices under and behind files, storage cabinets and equipment, under refrigerators and sinks; in, under, and behind cabinets and tables, in closets, in void spaces, in attics, in electrical boxes (use caution when applying to electrical boxes), in pantries and food storage areas, and under water heaters. Numerous small placements of bait will provide better control than fewer larger placements. This is especially true for German cockroaches. Do not place bait where it is accessible to children or animals.

Ants

Ant food preferences change during the season and some species prefer carbohydrates over proteins. RF-2018 MAGMA bait contains a mix of protein and sugars that some ants find attractive. For ants feeding on protein such as Pharaoh ants, apply RF-2018 MAGMA bait near foraging trails and sites of ant activity. Foraging workers will transport the product into the colony and to the brood and queen(s). Re-treat as necessary for heavy infestations. This product is not designed for applications to control fire ants or carpenter ants. The application rate for ant control is 1 to 2 pea-sized spots (each about 0.25 gm) of bait per 6 square feet. For heavy infestations, increase the rate to 3 to 12 inch beads of bait per 6 square feet. Apply to areas where ants are entering the structure, foraging trails, or where ants are nesting. Examples are cracks, crevices, wall voids, unfinished attics and crawl spaces (only if space is secured or otherwise inaccessible to children and pets).

Use caution when applying bait to porous surfaces such as wallpaper, wood, or paper, to avoid possible staining. In questionable cases, place a small amount of bait in an inconspicuous location.

Applications in Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. RF-2018 MAGMA is packaged in a plastic syringe dispenser. Apply by placing applicator tip into cracks, crevices, holes, and other small openings where cockroaches harborage, then depress plunger to dispense desired amount of product.



6/13

Do not apply bait to areas where food/feed, food utensils, or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130° F (portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes) as bait may run. Avoid depositing bait onto exposed surfaces. If bait contacts exposed surfaces, remove bait and wash exposed surfaces.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food-feed area when food is exposed and facility is in operation.

Apply bait in small amounts between different elements of constructions, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where cockroaches hide.

During follow-up visits, inspect bait placement and reapply when necessary. Application of this product in food/feed areas of food-feed handling establishments other than as a crack and crevice treatment is not permitted. Do not treat food preparation surfaces.

Applications in Non-Food/Non-Feed Areas: Apply as a spot or crack and crevice treatment to Non-Food/Non-Feed areas. Use Indoor label rates of application and directions for use in INSTITUTIONAL, WAREHOUSING AND COMMERCIAL ESTABLISHMENTS, including WAREHOUSES THAT STORE CANNED, BOTTLED, OR PACKAGED FOOD ITEMS), OFFICE BUILDINGS, MANUFACTURING FACILITIES, RETAIL/WHOLESALE STORES (GROCERY STORES/SUPERMARKETS/PET SHOPS), RESTAURANTS, FOOD PROCESSING PLANTS, HOSPITALS, HOTELS/MOTELS, SCHOOLS, DAY CARE CENTERS, NURSING HOMES, MILITARY INSTALLATIONS, LABORATORIES, COMPUTER FACILITIES, SEWERS, BUSES, BOATS/SHIPS, AIRCRAFT, TRAINS, AND ZOOS. Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food areas of food-feed handling establishments as outlined below.]

OUTDOOR

For outdoor baiting, use labeled indoor rates and place in areas adjacent to the structure, at potential access points such as foundation cracks, soffits, sills, pipe and wire penetrations, expansion joints and eaves, in/around wood piles, around windows, doors, sashes, storage buildings, siding, shingles, eaves, weep holes, and water meter boxes. Concentrate applications at points of entry.

For heavy infestations, reinspect the treated area between 1 week and 1 month after initial bait placement. Replace bait as necessary if visibly depleted and the pest(s) are still present. Noticeable visible reduction in the pest(s) should be seen within a few days after application.

7/13

Refillable bait stations

To use RF-2018 MAGMA in refillable bait stations, such as B&G Bait Stations, place 0.5 to 5 grams of RF-2018 MAGMA per refillable bait station. Locate stations along the perimeter of a structure or fence line with 1 station every 5 - 10 linear feet. Locate stations near potential entry points of a structure or near locations where ants are a problem. Examples include: weep holes, foundation walls and vents, stairs, decks, patios, windows, doors, foundations, picnic areas, utility areas, and other areas frequented by pests. Inspect stations frequently and replenish bait if soiled or wet. Following filling, affix a sticker to each station indicating the contents of the station and date of application.

STORAGE and DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.


Storage: Store in original container out of reach of children and pets. Do not store above 100° F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of according to use directions or at an approved waste disposal facility. **Container Disposal:** Wrap used container and place in trash can.

For information or in case of an emergency, call [phone number] or visit our Web site: [URL].

Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are not in accordance with directions.

Wellmark International
Schaumburg, IL 60173
Made in USA



[] indicates optional language

**CONSUMER LABEL
RF-2018 MAGMA**

From AMDRO
KILLS COCKROACHES, ANTS, AND CRICKETS
Kills ants and roaches
CONTAINS Bitrex®
Controls Cockroaches and Ants
Contains Hydramethylnon with Effective Bait Matrix Combining Proteins & Sugars
Approved for Indoor and Outdoor Use
For Use on Residential Property
Apply as a Spot or Crack and Crevice Treatment
For Crack & Crevice or Spot Treatments
Ready to Use (No Mixing Required)
Convenient, Easy to Use Syringe
Conveniently Packaged in Plastic Syringe Dispenser
Syringe Dispenser for Spot Applications
Product contains processed peanuts

ACTIVE INGREDIENT:

Hydramethylnon (CAS #67485-29-4) 2.15%

OTHER INGREDIENTS:..... 97.85%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

Do not apply to areas accessible to children or pets.


CAUTION

See side panel for additional Precautionary Statements

EPA Reg. No: 2724-498

EPA Est. No.

Net Weight:



9/13

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION:

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies.

| | |
|---|--|
| FIRST AID | |
| Call a poison control center or doctor immediately for treatment advice. | |
| If swallowed | <ul style="list-style-type: none"> • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If on skin or clothing | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. |
| If in eyes | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-[phone number] for emergency medical treatment information. | |

[Note: First Aid statement paragraph format may be used if space is limited.]


ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

GENERAL INFORMATION

USE AS A SPOT OR CRACK AND CREVICE TREATMENT FOR THE INDOOR AND OUTDOOR CONTROL OF COCKROACHES, CRICKETS, AND ANTS IN RESIDENTIAL AREAS (TO INCLUDE HOMES AND APARTMENT BUILDINGS)

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RF-2018 MAGMA is a slow-drying insecticidal bait for the control of cockroaches, ants, and crickets.



10/13

| APPLICATION RATES | | |
|---|--|--|
| COCKROACHES | | Amt. to Use per 6 Sq. Ft. (1 pea-sized spot = 0.25 gm of bait) |
| Low to Moderate Infestations | Small cockroaches (such as German or Brown banded) | 1 to 2 pea-sized spots of bait |
| | Large cockroaches (such as American) | 2 to 4 pea-sized spots of bait |
| Severe Infestations or where the population occurs in inaccessible areas such as in walls | Small cockroaches (such as German or Brown banded) | 3 to 12 inch beads of bait |
| | Large cockroaches (such as American) | |
| ANTS, CRICKETS | | Amt. to Use per 6 Sq. Ft. (1 pea-sized spot = 0.25 gm of bait) |
| Low to Moderate Infestations | | 1 to 2 pea-sized spots of bait |
| Heavy Infestations | | 3 to 12 inch beads of bait |

INDOORS

Indoor application sites are areas such as: entry areas, under sinks, voids, crawlspaces, sewers, pipe chases, hollow legs, receiving areas, false ceilings, lavatories [bathrooms] [washrooms], home office/work areas, under equipment [appliances], boiler [furnace] rooms, garages, basements, crawl spaces, closets, attics, storage areas, and food storage, preparation, and consumption areas, such as pantries, kitchens, and dining rooms.

Use Restrictions: Do not place bait where it is accessible to children or animals. Application within kitchens, pantries, dining rooms or other areas where food or feed may be stored, prepared or consumed is limited to crack and crevice treatment only. Do not apply bait to areas where food/feed, food utensils, or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing.

Do not apply bait to surfaces where the temperature exceeds 130° F (portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes) as bait may run. Avoid depositing bait onto exposed surfaces. If bait contacts exposed surfaces, remove bait and wash exposed surfaces. Use caution when applying bait to porous surfaces such as wallpaper, wood, or paper, to avoid possible staining. In questionable cases, place a small amount of bait in an inconspicuous location.

RF-2018 MAGMA is packaged in a plastic syringe dispenser. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment [appliance] legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where pests hide. For crack and crevice treatment, apply by placing applicator tip into cracks, crevices, holes, and other small openings where pests are located, then depress plunger to dispense desired amount of product.

Cockroaches: Inspect for potential application sites and determine locations frequented by pest(s). Place bait where inspection indicates that pests frequent. Usual locations include cracks and crevices under and behind files, storage cabinets and equipment, under refrigerators and sinks; in, under, and behind cabinets and tables, in closets, in void spaces, in attics, in pantries and food storage areas, and under water heaters. Numerous small placements of bait will provide better control than fewer larger placements. This is especially

11/13

true for German cockroaches.

Ants: Ant food preferences change during the season and some species prefer carbohydrates over proteins. RF-2018 MAGMA bait contains a mix of protein and sugars that some ants find attractive. For ants feeding on protein such as Pharaoh ants, apply RF-2018 MAGMA bait near foraging trails and sites of ant activity. Foraging workers will transport the product into the colony and to the brood and queen(s). Re-treat as necessary for heavy infestations. This product is not designed for applications to control fire ants or carpenter ants. Apply to areas where ants are entering the structure, foraging trails, or where ants are nesting. Examples are cracks, crevices, wall voids, unfinished attics and crawl spaces (only if space is secured or otherwise inaccessible to children and pets).

OUTDOORS

For outdoor baiting, place in areas adjacent to the structure, at potential access points such as foundation cracks, soffits, sills, pipe and wire penetrations, expansion joints and eaves, in/around wood piles, around windows, doors, sashes, storage buildings, siding, shingles, eaves, weep holes, and water meter boxes. Concentrate applications at points of entry.

For heavy infestations, reinspect the treated area between 1 week and 1 month after initial bait placement. Replace bait as necessary if visibly depleted and the pest(s) are still present. Noticeable visible reduction in the pest(s) should be seen within a few days after application.

OPTIONAL ALTERNATE DIRECTIONS FOR USE FOR SMALL PACKAGING:


[DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDOORS

Use Restrictions: Do not place bait where it is accessible to children or animals. Application within kitchens, pantries, dining rooms or other areas where food or feed may be stored, prepared or consumed is limited to crack and crevice treatment only. Do not apply bait to areas where food/feed, food utensils, or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing.

Do not apply bait to surfaces where the temperature exceeds 130° F as bait may run. Avoid depositing bait onto exposed surfaces. If bait contacts exposed surfaces, remove bait and wash exposed surfaces. Use caution when applying bait to porous surfaces such as wallpaper, wood, or paper, to avoid possible staining. In questionable cases, place a small amount of bait in an inconspicuous location.

Apply bait in small amounts between different elements of construction, between appliances and floors, around plumbing pipes, and other hard to reach areas where pests hide. Insert plunger into syringe body and remove cap on tip of syringe. Apply by placing applicator tip into cracks, crevices, holes, and other small openings where pests are located, then depress plunger to dispense desired amount of bait. Recap syringe after use.



12/13

| APPLICATION RATES | | |
|---|--|--|
| COCKROACHES | | Amt. to Use per 6 Sq. Ft. (1 pea-sized spot = 0.25 gm of bait) |
| Low to Moderate Infestations | Small cockroaches (such as German or Brown banded) | 1 to 2 pea-sized spots of bait |
| | Large cockroaches (such as American) | 2 to 4 pea-sized spots of bait |
| Severe Infestations or where the population occurs in inaccessible areas such as in walls | Small cockroaches (such as German or Brown banded) | 3 to 12 inch beads of bait |
| | Large cockroaches (such as American) | |
| ANTS, CRICKETS | | Amt. to Use per 6 Sq. Ft. (1 pea-sized spot = 0.25 gm of bait) |
| Low to Moderate Infestations | | 1 to 2 pea-sized spots of bait |
| Heavy Infestations | | 3 to 12 inch beads of bait |

Cockroaches: Place bait where inspection indicates that pests frequent.

Ants: Bait contains a mix of protein and sugars. Apply near foraging trails and sites of ant activity. Foraging workers will transport bait into the colony and to the brood and queen. Retreat as necessary for heavy infestations. This product is not designed for applications to control fire ants or carpenter ants.

OUTDOORS

Place bait in areas adjacent to the structure, at potential access points such as foundation cracks, soffits, and around windows, doors, and sashes. Reinspect treated area between 1 week and 1 month after initial bait placement. Replace bait as necessary if visibly depleted and the pests are still present.]


STORAGE and DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container out of reach of children and pets. Do not store above 100° F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below. **Container Disposal: If empty:** Do not reuse the plastic syringe. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information or in case of an emergency, call [phone number] or visit our Web site: [URL].

Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are not in accordance with directions.

Wellmark International
Schaumburg, IL 60173
Made in USA



13/13
Wellmark International
1501 East Woodfield Road, Suite 200 West
Schaumburg, Illinois 60173
847 330 5300
www.wellmarkinternational.com

Wellmark

June 29, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs 7504P
U.S. Environmental Protection Agency
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

ATTENTION: Linda Arrington, Minor Formulation and Notification Coordinator

SUBJECT: LABEL NOTIFICATION FOR RF-2018 MAGMA/EPA REG. NO. 2724-498
CONSUMER SUBLABEL
ADD ALTERNATE APPLICATION INSTRUCTIONS FOR SMALL PACKAGING

Dear Ms. Arrington:

Enclosed is completed EPA Form 8570-1 and 1 copy of revised labeling for the above product. New text is highlighted in red. The label cover sheet details the changes. The change involves revising the consumer use label to add alternate Application Instructions Formatted for Small Packaging. These are basically a subset of the consumer sublabel Directions for Use, deleting much of the redundant text. No EPA mandated text was removed. No changes were made to the commercial label.

I have enclosed a self-addressed postcard for notification confirmation. If you have any questions or if I can provide any further assistance, please, call me directly at 847/330-5376. Thank you for your assistance in this matter.

Yours sincerely,
WELLMARK INTERNATIONAL

Nancy Huebl

Nancy Huebl
Senior Registration Specialist

enclosure

cc: M. Garbett/B. Horton