

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

7-30-13

James McFadden Wellmark International 1501 E. Woodfield Rd. Suite 200W Schaumburg, IL 60173

Subject:

Amended Reregistration Label

Product Name: Speer-It Fogger III with Nylar

EPA Registration Number: 2724-666

Dear Mr. McFadden:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the permethrin, mgk 264, and pyrethrin RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2 EPA Reg. 2724-666

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at <a href="mailto:Kraft.Erik@epa.gov">Kraft.Erik@epa.gov</a> or Richard J. Gebken at (703) 305-6701 or via e-mail at <a href="mailto:Gebken.Richard@epa.gov">Gebken.Richard@epa.gov</a>.

Sincerely yours,

Richard J. Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7504P)

# SPEER-IT FOGGER III WITH NYLAR®

One [4/3/2 oz.] Unit Treats up to [500/375/250] Sq Feet of Unobstructed Space [room 20' x 25' with an 8'ceiling or 4,000 cu ft][a room 15' X 25' with an 8 foot ceiling or 3,000 cubic feet][room 10' x 25' with an 8' ceiling or 2,000 cu ft]

[Note: 1 ounce of product will cover 1,000 cubic feet of area. Variance in can sizes will alter the coverage areas listed using this formula.]

For use in and around: Apartments, Attics, Basements, Boats, Barns, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree Houses, Trucks, Verandas, Warehouses, and Zoos.

[Speer-It Fogger III with Nylar®] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer-It Fogger III with Nylar®] stops [prevents] the flea from developing into egg laying adults [Speer-It Fogger III with Nylar®] can be used as part of an integrated pest management [IPM] program [Speer-It Fogger III with Nylar®] can be a biorational approach to insect control

[Speer-It Fogger III with Nylar®] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite [Speer-It Fogger III with Nylar®] activity keeps working for [210 days] [30 weeks][7 months]

Controls [stops (kills)(prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited onto treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

[Speer-It Fogger III with Nylar®] acts on the immature life stage of the flea, preventing it biting adults

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long term control

Home Protection

Optional Spanish note: For instructions and warranty in Spanish, see inside of carton If you do not have a carton, call 1-800-xxx-xxxx

7-20-13

Under the Federal insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. Z

#### **ACTIVE INGREDIENTS:**

Pyriproxyfen (CAS #95737-68-1)	,	
N-Octyl bicycloheptene dicarboximide* (CAS #113-48-4)	• • • • • • • • • • • • • • • • • • • •	0.050%
Permethrin** (CAS #52645-53-1)		0.400%
Permethrin** (CAS #52645-53-1)		0.400%
OTHER INGREDIENTS:		99.050%
.0772		100.000%

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Additional Precautionary Statements on Side Panel

EPA REG. NO. 2724-6	66	
---------------------	----	--

EPA EST, NO.

Batch/Lot No.	

NET CONTENTS: 2/3/4 oz [not for individual sale](3 per carton)

<sup>\*</sup>MGK® 264, Insecticide Synergist

<sup>\*\*</sup>Cis-trans isomers ratio: Max 55% (+ or -) cis and Min. 45% (+ or -) trans

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

# PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear the following:

Long-sleeve shirt,

Long pants,

Shoes and socks

Chemical-resistant gloves such as Barrier Laminate, Nitrile Rubber, Neoprine Rubber, or Viton [Selection Category E\*]

[\*If the Selection category E gloves do not provide adequate protection for this products, the registrant should indicate a specific glove category from the EPA chemical resistance glove selection chart that will provide adequate protection.]

### **USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly ad change into clean clothing.

# For total release fogger use:

Wait four (4) hours after application, then open windows, vents, and doors for one hour. There should be no remaining trace of pesticide fog or aerosol. If an odor is still detected, continue ventilating until no remaining trace or odor of pesticide remains.

### **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that has been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

	FIRST AID
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Immediately call a poison control center or doctor.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
•	ontainer or label with you when calling a poison control center or treatment. You may also contact 1-800-XXX-XXXX for emergency of the process of the contact and the contact are contact as a contact and the contact are contact as a contact are contact are contact as a contact are contact are contact as a contact are contact are contact are contact as a contact are contact are contact as a contact are contact are contact as a contact are contact.

PHYSICAL OR CHEMICAL HAZARDS



# Highly Flammable Ingredient Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions For Use on this label very carefully. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[Speer-It Fogger III with Nylar<sup>®</sup>], an insect growth regulator, is similar to growth hormones that occur naturally in insect. [Speer-It Fogger III with Nylar<sup>®</sup>] inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months] preventing them from reaching the biting adult stage.

# **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater or rinsate. See Directions for Use for additional precautions and requirements.

[Speer-It Fogger III with Nylar®] contains a combination of three insecticides that stops [blocks][interrupts][terminates] the flea life cycle in three ways and controls other listed insects. The first insecticide is [Speer Nylar® EC], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [Speer Nylar® EC] takes effect. [Speer-It Fogger III with Nylar®] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] before they grow up to bite. [Speer Nylar® EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] for 210 days [30 weeks][7 months] by preventing their development into the adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [such as][brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo], in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name][pressurized] [Ready-to-Use] [RTU] flea and tick [indoor][premise] spray.

Kills [controls] insects [on contact (residually)] [such as]: Cockroaches, [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], Australian Cockroach [adults (nymphs)], Palmetto Bugs, Waterbugs [adults (nymphs)], Sowbugs, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Earwigs, Lice, Pillbugs, Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Deer Tick, Other *Ixodid* species,

American Dog Tick, Gulf Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Carpenter Ants [Eastern (Western)]. Granary Insects: Cadelles, Rice Weevils, Flat Grain Beetles, Flour Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheesemites. Carpenter Bees, Carpet Beetles [Dermestids (*Trogoderma*)], Flies, Midges, Flying Moths, Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid Fly, Firebrat, Silverfish, Booklice, Woodborers (exposed stages), Almond Moth, Chocolate Moth, Tobacco Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Wasps, Yellowjackets [Eastern (Western)]. **Does not control bedbugs.** 

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree Houses, Trucks, Verandas, Warehouses, and Zoos.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING.
USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS.
INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

### FOR OCCUPATIONAL USE:

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

### READ ALL DIRECTIONS AND CAUTIONS COMPLETELY BEFORE USE.

### FOR OCCUPATIONAL USE ONLY:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For best results, treat all infested areas [sites]. Use one fogger for each [500/375/250] sq feet [a room approximately 20 ft. x 25 ft. with an 8 ft. ceiling or 4,000 cu ft] [a room 15 x 25' with an 8 ft. ceiling or 3,000 cu ft] [a room 10' x 25' with an 8 ft. ceiling or 2,000 cu ft] of unobstructed area.

### TO USE THIS PRODUCT CORRECTLY

(EPA PRE-APPROVED PICTOGRAM 1 REPRESENTING-) DO NOT use MULTIPLE foggers per room. (EPA PRE-APPROVED PICTOGRAM 2 REPRESENTING-) DO NOT use in small, confined spaces such as closets, cabinets, or under counters or tables. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. (EPA PRE-APPROVED PICTOGRAM 3 REPRESENTING-) TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). (EPA PRE-APPROVED PICTOGRAM 4 REPRESENTING-) NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights. For use only when building has been vacated by human beings and pets.

### **BEFORE YOU FOG**

(EPA PRE-APPROVED PICTOGRAM 5 REPRESENTING-) REMOVE or cover exposed food, dishes, utensils, surfaces and food-handling equipment. SHUT OFF fans and air conditioners. Put out all flames and pilot lights Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. REMOVE OR COVER fish tanks and bowls. REMOVE OR COVER childrens' and pets' toys. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental cockroach,], [Crickets, (Waterbugs)(Palmetto Bugs)] and to ensure unobstructed flow of fogger mist, OPEN all inside doors, cabinets, cupboard doors, [kitchen, bathrooms, pantry], drawers, and closets in areas to be treated for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

# TO START FOGGING:

SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set fogger in an upright position on a table, stand, etc. (up to 30 inches in height in the center or the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Vacate the treated house, individual apartment unit, or other structure immediately. Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

### [Door Hang Tag Text]

"Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 4 hours."

Do not enter until [space for time] on [space for date]. [Brand Name][Product Name] Treatment. [This room is currently being treated by (Brand Name)] [Another room protected by (Brand Name)] [(Brand Name) treatment underway]

### **AIRING OUT:**

(EPA PRE-APPROVED PICTOGRAM 6 REPRESENTING-) Air out the room BEFORE entering. DO NOT RE-ENTER BUILDING FOR TWO HOURS. (Clock pictogram with shaded entry restriction.) After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air out for 2 hours before reoccupying. If additional units are used, increase airing out time accordingly.

Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. If additional units are used, increase airing out time accordingly.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea and tick control product registered for use on pets before allowing them to re-enter the treated areas.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. (for occupational use only)

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! If empty:

Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency disposal instructions.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173
[URL]
Made in USA
NYLAR® MGK® - Registered trademarks of McLaughlin Gormley King Co.

Wellmark International confirms that the Spanish language text is/will be a true and accurate translation of the English text as approved by the California DPR.

## SUBLABEL B - RESIDENTIAL USE

# SPEER-IT FOGGER III WITH NYLAR®

One [4/3/2 oz.] Unit Treats up to [500/375/250] Sq Feet of Unobstructed Space [room 20'  $\times$  25' with an 8'ceiling or 4,000 cu ft][a room 15'  $\times$  25' with an 8 foot ceiling or 3,000 cubic feet][room 10'  $\times$  25' with an 8' ceiling or 2,000 cu ft]

[Note: 1 ounce of product will cover 1,000 cubic feet of area. Variance in can sizes will alter the coverage areas listed using this formula.]

For use in and around: Apartments, Attics, Basements, Boats, Barns, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kennels, Kitchens, Pet Sleeping Areas, Trailers, Tree Houses, Trucks, and Verandas,

[Speer-It Fogger III with Nylar®] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer-It Fogger III with Nylar®] stops [prevents] the flea from developing into egg laying adults

[Speer-It Fogger III with Nylar®] can be used as part of an integrated pest management [IPM] program

[Speer-It Fogger III with Nylar®] can be a biorational approach to insect control

[Speer-It Fogger III with Nylar®] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite

[Speer-It Fogger III with Nylar®] activity keeps working for [210 days] [30 weeks][7 months]

Controls [stops (kills)(prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited onto treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

[Speer-It Fogger III with Nylar<sup>®</sup>] acts on the immature life stage of the flea, preventing it from developing into biting adults

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long term control

Home Protection

Optional Spanish note: For instructions and warranty in Spanish, see inside of carton

If you do not have a carton, call 1-800-xxx-xxxx

# **ACTIVE INGREDIENTS:**

Pyriproxyfen (CAS #95737-68-1)	0.100%
Pyrethrins (CAS #8003-34-7)	
N-Octyl bicycloheptene dicarboximide* (CAS #113-48-4)	0.400%
Permethrin** (CAS #52645-53-1)	0.400%
OTHER INGREDIENTS:	
TOTAL	100.000%

<sup>\*</sup>MGK® 264, Insecticide Synergist

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Additional Precautionary Statements on Side Panel

EPA REG. NO.	2724-666	EPA EST. NO.	Batch/Lot No.	
NET CONTENT	S: 2/3/4 oz [not fo	r individual sale!(3 per carton)		

<sup>\*\*</sup>Cis-trans isomers ratio: Max 55% (+ or -) cis and Min. 45% (+ or -) trans

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pant, socks, Shoes, and chemical-resistant gloves (such as Barrier Laminate, Nitrile Rubber, Neoprine Rubber, or Viton [Selection Category E\*].

[\*If the Selection category E gloves do not provide adequate protection for this products, the registrant should indicate a specific glove category from the EPA chemical resistance glove selection chart that will provide adequate protection.]

	FIRST AID
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Immediately call a poison control center or doctor.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
·	Do not give anything by mouth to an unconscious person.
Have the product co	ontainer or label with you when calling a poison control center or
doctor, or going for medical treatment in	treatment. You may also contact 1-800-XXX-XXXX for emergency information.

## PHYSICAL OR CHEMICAL HAZARDS



# Highly Flammable Ingredient Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions For Use on this label very carefully. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

[Speer-It Fogger III with Nylar®], an insect growth regulator, is similar to growth hormones that occur naturally in insect. [Speer-It Fogger III with Nylar®] inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months] preventing them from reaching the biting adult stage.

## **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater or rinsate. See Directions for Use for additional precautions and requirements.

[Speer-It Fogger III with Nylar®] contains a combination of three insecticides that stops [blocks][interrupts][terminates] the flea life cycle in three ways and controls other listed insects. The first insecticide is [Speer Nylar® EC], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [Speer Nylar® EC] takes effect. [Speer-It Fogger III with Nylar®] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] before they grow up to bite. [Speer Nylar® EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] for 210 days [30 weeks][7 months] by preventing their development into the adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [such as][brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo], in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name][pressurized] [Ready-to-Use] [RTU] flea and tick [indoor][premise] spray.

Kills [controls] insects [on contact (residually)] [such as]: Cockroaches, [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], Australian Cockroach [adults (nymphs)], Palmetto Bugs, Waterbugs [adults (nymphs)], Sowbugs, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Earwigs, Lice, Pillbugs. Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Deer Tick, Other Ixodid species, American Dog Tick, Gulf Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Carpenter Ants [Eastern (Western)]. Granary Insects: Cadelles, Rice Weevils, Flat Grain Beetles, Flour Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheesemites. Carpenter Bees, Carpet Beetles [Dermestids (Trogoderma)], Flies, Midges, Flying Moths, Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid Fly, Firebrat, Silverfish, Booklice, Woodborers (exposed stages), Almond Moth, Chocolate Moth, Tobacco Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Wasps, Yellowjackets [Eastern (Western)]. Does not control bedbugs.

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kennels, Kitchens, Pet Sleeping Areas, Rooms, Trailers, Tree Houses, Trucks, and Verandas

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# READ ALL DIRECTIONS AND CAUTIONS COMPLETELY BEFORE USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS. INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA

# **Entry Restrictions**

Do not allow adults, children, or pets to enter until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilates as specified on the label.

Wait four (4) hours after application, then open windows, vents and doors for one hour. There should be no remaining trace of pesticide fog or aerosol. If a odor is still detected, additional ventilation is required.

Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.

# **Application Restrictions**

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

## Homeowner User Safety Recommendations

Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

For best results, treat all infested areas [sites]. Use one fogger for each [500/375/250] sq feet [a room approximately 20 ft. x 25 ft. with an 8 ft. ceiling or 4,000 cu ft] [a room 15 x 25' with an 8 ft. ceiling or 3,000 cu ft] [a room 10' x 25' with an 8 ft. ceiling or 2,000 cu ft] of unobstructed area.

# TO USE THIS PRODUCT CORRECTLY

(EPA PRE-APPROVED PICTOGRAM 1 REPRESENTING-) DO NOT use MULTIPLE foggers per room. (EPA PRE-APPROVED PICTOGRAM 2 REPRESENTING-) DO NOT use in small, confined spaces such as closets, cabinets, or under counters or tables. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. (EPA PRE-APPROVED PICTOGRAM 3 REPRESENTING-) TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). (EPA PRE-APPROVED PICTOGRAM 4 REPRESENTING-) NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights. For use only when building has been vacated by human beings and pets.

# 13/14

# **BEFORE YOU FOG**

(EPA PRE-APPROVED PICTOGRAM 5 REPRESENTING-) REMOVE or cover exposed food, dishes, utensils, surfaces and food-handling equipment. SHUT OFF fans and air conditioners. Put out all flames and pilot lights Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. REMOVE OR COVER fish tanks and bowls. REMOVE OR COVER childrens' and pets' toys. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental cockroach,], [Crickets, (Waterbugs)(Palmetto Bugs)] and to ensure unobstructed flow of fogger mist, OPEN all inside doors, cabinets, cupboard doors, [kitchen, bathrooms, pantry], drawers, and closets in areas to be treated for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

#### TO START FOGGING:

SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set fogger in an upright position on a table, stand, etc. (up to 30 inches in height in the center or the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Vacate the treated house, individual apartment unit, or other structure immediately. Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

# [Door Hang Tag Text]

"Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 4 hours."

Do not enter until [space for time] on [space for date].

[Brand Name][Product Name] Treatment.

[This room is currently being treated by (Brand Name)]

[Another room protected by (Brand Name)]

[(Brand Name) treatment underway]

## AIRING OUT:

(EPA PRE-APPROVED PICTOGRAM 6 REPRESENTING-) Air out the room BEFORE entering. DO NOT RE-ENTER BUILDING FOR TWO HOURS. (Clock pictogram with shaded entry restriction.) After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air out for 2 hours before reoccupying. If additional units are used, increase airing out time accordingly.

Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. If additional units are used, increase airing out time accordingly.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea and tick control product registered for use on pets before allowing them to re-enter the treated areas.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. (for occupational use only)

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! If empty:

Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency disposal instructions.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173
[URL]
Made in USA
NYLAR® MGK® - Registered trademarks of McLaughlin Gormley King Co.

Wellmark International confirms that the Spanish language text is/will be a true and accurate translation of the English text as approved by the California DPR.