



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

August 15, 2025

Noelle Sanfilippo
Regulatory Affairs Specialist
Wellmark International
1501 East Woodfield Road, Suite 200 West
Schaumburg, Illinois 60173

Subject: Label Amendment - Registration Review Mitigation for Permethrin and
Pyriproxyfen
Product Name: Speer-It Fogger III with Nyler
EPA Registration Number: 2724-666
Case Number: 00482264 and 00471942
Application Dates: February 11th, 2021, and April 10th, 2020

Dear Noelle Sanfilippo:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Permethrin and Pyriproxyfen Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label

printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Samantha Carter by phone at (202) 566-1179, or via email at carter.samantha@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive, flowing style.

Jaclyn Pyne, Team Leader
Risk Management and Implementation Branch 3
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

[] or () indicates alternate or optional wording

SUBLABEL A - OCCUPATIONAL USE

SPEER-IT FOGGER III WITH NYLAR®

One [4/3/2 oz] Unit Treats up to [500/375/250] Sq Feet of Unobstructed Space [room 20' x 25' with an 8' ceiling or 4,000 cu ft][a room 15' X 25' with an 8 foot ceiling or 3000 cubic feet][room 10 x 25 with an 8' ceiling or 2,000 cu ft.

[Note: 1 ounce of product will cover 1,000 cubic feet of area. Variance in can sizes will alter the coverage areas listed using this formula.]

For use in and around: Apartments, Attics, Basements, Boats, Barns, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree Houses, Trucks, Verandas, Warehouses and Zoos.

[Speer-It Fogger III with Nylar®] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer-It Fogger III with Nylar®] [stops /prevents] the flea from developing into egg laying adults

[Speer-It Fogger III with Nylar®] can be used as part of an integrated pest management [IPM] Program

[Speer- It Fogger III with Nylar®] can be a biorational approach to insect control

[Speer-It Fogger III with Nylar®] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days/30 weeks/7 months]

Kills adult and preadult fleas including flea eggs for [210 days/30 weeks/7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days][30 weeks][7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite.

[Speer-It Fogger III with Nylar®] activity keeps working for [210 days][30 weeks][7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas.

Flea eggs deposited onto treated area will not develop into adult fleas.

Larvae crawling onto treated areas will not develop into adult fleas

[Speer-It Fogger III with Nylar®] acts on the immature life stage of the flea, preventing it from developing into biting adults.


Kills [Inhibits] Cockroaches, Ticks, Spiders, Ants and other listed insects

Also kills Deer Ticks and other *Ixodid* species that may carry and transmit Lyme Disease

Effective long term control

Home protection

Optional Spanish note: For instructions and warranty in Spanish, see inside of carton. If you do not have a carton, call 1-800-234-2269.



ACTIVE INGREDIENTS:

Pyriproxyfen (CAS #95737-68-1).....	0.100%
Pyrethrins (CAS #8003-34-7)	0.050%
N-Octyl bicycloheptene dicarboximide* (CAS #113-48-4)	0.400%
Permethrin** (CAS #52645-53-1)	0.400%

OTHER INGREDIENTS: 99.050%

TOTAL 100.000%

*MGK® 264, Insecticide Synergist

**Cis-trans isomers ratio: Max 55% (+ or -) cis and Min. 45% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements on Side Panel

EPA Reg. No. 2724-666

EPA Est. No.

Batch/Lot No.

NET CONTENTS: 2/3/4 oz (Not for individual sale)(3 per carton)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear the following:

Long-sleeve shirt

Long pants

Shoes and socks

“chemical-resistant gloves made of waterproof material (barrier laminate, butyl rubber ≥ 14 mils, natural rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, polyethylene, polyvinyl chloride (PVC) ≥ 14 mils, or viton ≥14 mils),

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

For total release fogger use:

Wait four (4) hours after application, then open windows, vents, and doors for one hour.

There should be no remaining trace of pesticide fog or aerosol. If an odor is still detected, continue ventilating until no remaining trace or odor of pesticide remains.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that has been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes• Call a poison control center or doctor for treatment advice
IF SWALLOWED	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.	

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient
Ingrediente Altamente Inflamable



This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions For Use on this label very carefully. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

[Speer-It Fogger III with NyLar®], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [Speer-It Fogger III with NyLar®] inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months] preventing them from reaching the biting adult stage.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater or rinsate. See Directions for Use for additional precautions and requirements.

[Speer-It Fogger III with NyLar®] contains a combination of three insecticides that stops [blocks][interrupts][terminates] the flea life cycle in three ways and controls other listed insects. The first insecticide is [Speer NyLar® EC], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [Speer NyLar® EC] takes effect. [Speer-It Fogger III with NyLar®] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] before they grow up to bite. [Speer NyLar® EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] for 210 days [30 weeks][7 months] by preventing their development into the adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [such as][brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name] [Ready-to-Use] [RTU] flea and tick [indoor][premise] spray.

Kills [controls] insects [on contact (residually)] [such as]: Cockroaches, [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], Australian Cockroach [adults (nymphs)], Palmetto Bugs, Waterbugs [adults (nymphs)], Sowbugs, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Earwigs, Lice, Pillbugs, Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Deer Tick, Other *Ixodid* species,

American Dog Tick, Gulf Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Carpenter Ants [Eastern (Western)]. Granary Insects: Cadelles, Rice Weevils, Flat Grain Beetles, Flour Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheese Mites. Carpenter Bees, Carpet Beetles [Dermestids (*Trogoderma*)], Flies, Midges, Flying Moths, Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid Fly, Firebrat, Silverfish, Book Lice, Woodborers (exposed stages), Almond Moth, Chocolate Moth, Tobacco Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Wasps, Yellowjackets [Eastern (Western)]. Does not control bed bugs.

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree Houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ALL DIRECTIONS AND CAUTIONS BEFORE USING. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS. INSTRUCCIONES EN ESPANOL DENTRO D LA CAJA

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

FOR OCCUPATIONAL USE:

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

READ ALL DIRECTIONS AND CAUTIONS COMPLETELY BEFORE USE.

FOR OCCUPATIONAL USE ONLY: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For best results, treat all infested areas [sites]. Use one fogger for each [500/375/250] sq feet [a room approximately 20 ft. x 25 ft. with an 8 ft. ceiling or 4,000 cu ft] [a room 15 x 25' with an 8 ft. ceiling or 3,000 cu ft]] [a room 10' x 25' with an 8 ft. ceiling or 2,000 cu ft] of unobstructed area.

TO USE THIS PRODUCT CORRECTLY

(EPA PRE-APPROVED PICTOGRAM 1 REPRESENTING-



DO NOT use MULTIPLE foggers per room.

(EPA PRE-APPROVED PICTOGRAM 2 REPRESENTING-



DO NOT use in small, confined spaces such as closets, cabinets, or under counters or tables. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms.

(EPA PRE-APPROVED PICTOGRAM 3 REPRESENTING-



TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).

(EPA PRE-APPROVED PICTOGRAM 4 REPRESENTING-



NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights. For use only when building has been vacated by human beings and pets.

BEFORE YOU FOG



(EPA PRE-APPROVED PICTOGRAM 5 REPRESENTING-

REMOVE or cover exposed food, dishes, utensils, surfaces and food-handling equipment. SHUT OFF fans and air conditioners. Put out all flames and pilot lights Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. REMOVE OR COVER fish tanks and bowls. REMOVE OR COVER childrens' and pets' toys. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental cockroach], [Crickets, (Waterbugs)(Palmetto Bugs)] and to ensure unobstructed flow of fogger mist, OPEN all inside doors, cabinets, cupboard doors, [kitchen, bathrooms, pantry], drawers, and closets in areas to be treated for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.


TO START FOGGING:

SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set fogger in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Vacate the treated house, individual apartment unit, or other structure immediately. Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

[Door Hang Tag Text] "Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 4 hours."

Do not enter until [space for time] on [space for date]. [Brand Name][Product Name] Treatment. [This room is currently being treated by (Brand Name)] [Another room protected by (Brand Name)] [(Brand Name) treatment underway]

AIRING OUT:



(EPA PRE-APPROVED PICTOGRAM 6 REPRESENTING-

Air out the room BEFORE entering. DO NOT RE-ENTER BUILDING FOR TWO HOURS. (Clock pictogram with shaded entry restriction.) After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air out for 2 hours before reoccupying. If additional units are used, increase airing out time accordingly.

Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. If additional units are used, increase airing out time accordingly.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea and tick control product registered for use on pets before allowing them to re-enter the treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal, (for occupational use only)

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose of down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

Made in USA

NYLAR® MGK® - Registered trademarks of McLaughlin Gormley King Co.

Wellmark International confirms that the Spanish language text is/will be a true and accurate translation of the English text as approved by the California DPR.

SUBLABEL B - RESIDENTIAL USE

SPEER-IT FOGGER III WITH NYLAR®

One [4/3/2 oz] Unit Treats up to [500/375/250] Sq Feet of Unobstructed Space [room 20' x 25' with an 8' ceiling or 4,000 cu ft][a room 15' X 25' with an 8 foot ceiling or 3,000 cubic feet][room 10 x 25 with an 8' ceiling or 2,000 cu ft.]

[Note: 1 ounce of product will cover 1,000 cubic feet of area. Variance in can sizes will alter the coverage areas listed using this formula.]

For use in and around: Apartments, Attics, Basements, Boats, Barns, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kennels, Kitchens, Pet Sleeping Areas, Trailers, Tree Houses, Trucks, and Verandas

[Speer-It Fogger III with Nylar®] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer-It Fogger III with Nylar®] stops [prevents] the flea from developing into egg laying adults

[Speer-It Fogger III with Nylar®] can be used as part of an integrated pest management [IPM] program

[Speer- It Fogger III with Nylar®] can be a biorational approach to insect control

[Speer-It Fogger III with Nylar®] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days][30 weeks][7 months]

Kills adult and preadult fleas, including flea eggs for [210 days][30 weeks][7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days][30 weeks][7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite.

[Speer-It Fogger III with Nylar®] activity keeps working for [210 days][30 weeks][7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas.

Flea eggs deposited onto treated area will not develop into adult fleas.

Larvae crawling onto treated areas will not develop into adult fleas

[Speer-It Fogger III with Nylar®] acts on the immature life stage of the flea, preventing it from developing into biting adults.

Kills [Inhibits] Cockroaches, Ticks, Spiders, Ants and other listed insects

Also kills Deer Ticks and other *Ixodid* species that may carry and transmit Lyme Disease

Effective long term control

Home protection

Optional Spanish note: For instructions and warranty in Spanish, see inside of carton. If you do not have a carton, call 1-800-234-2269

ACTIVE INGREDIENTS:

Pyriproxyfen (CAS #95737-68-1).....	0.100%
Pyrethrins (CAS #8003-34-7)	0.050%
N-Octyl bicycloheptene dicarboximide* (CAS #113-48-4)	0.400%
Permethrin** (CAS #52645-53-1)	0.400%

OTHER INGREDIENTS: 99.050%

TOTAL 100.000%

*MGK 264, Insecticide Synergist

**Cis-trans isomers ratio: Max 55% (+ or -) cis and Min. 45% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements on Side Panel

EPA Reg. No. 2724-666

EPA Est. No.

Batch/Lot No

NET CONTENTS: 2/3/4 oz (Not for individual sale)(3 per carton)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pant, socks, Shoes, and chemical-resistant gloves made of waterproof material (barrier laminate, butyl rubber ≥ 14 mils, natural rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, polyethylene, polyvinyl chloride (PVC) ≥ 14 mils, or viton ≥14 mils).

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes• Call a poison control center or doctor for treatment advice
IF SWALLOWED	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.	

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions For Use on this label very carefully. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

[Speer-It Fogger III with Nylar®], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [Speer-It Fogger III with Nylar®] inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months] preventing them from reaching the biting adult stage.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater or rinsate. See Directions for Use for additional precautions and requirements.

[Speer-It Fogger III with NyLar®] contains a combination of three insecticides that stops [blocks][interrupts][terminates] the flea life cycle in three ways and controls other listed insects. The first insecticide is [Speer NyLar® EC], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [Speer NyLar® EC] takes effect. [Speer-It Fogger III with NyLar®] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] before they grow up to bite. [Speer NyLar® EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] for 210 days [30 weeks][7 months] by preventing their development into the adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [such as][brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo], in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name] [Ready-to-Use] [RTU] flea and tick [indoor][premise] spray.

Kills [controls] insects [on contact (residually)] [such as]: Cockroaches, [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], Australian Cockroach [adults (nymphs)], Palmetto Bugs, Waterbugs [adults (nymphs)], Sowbugs, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Earwigs, Lice, Pillbugs, Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Deer Tick, Other *Ixodid* species, American Dog Tick, Gulf Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Carpenter Ants [Eastern (Western)]. Granary Insects: Cadelles, Rice Weevils, Flat Grain Beetles, Flour Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheese Mites. Carpenter Bees, Carpet Beetles [Dermestids (*Trogoderma*)], Flies, Midges, Flying Moths, Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid Fly, Firebrat, Silverfish, Book Lice, Woodborers (exposed stages), Almond Moth, Chocolate Moth, Tobacco Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Wasps, Yellowjackets [Eastern (Western)]. Does not control bed bugs.

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kennels, Kitchens, Pet Sleeping Areas, Rooms, Trailers, Tree Houses, Trucks, and Verandas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ALL DIRECTIONS AND CAUTIONS COMPLETELY BEFORE USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS. INSTRUCCIONES EN ESPANOL DENTRO DE LA CAJA**

Entry Restrictions: Do not allow adults, children, or pets to enter until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated as specified on the label. Wait four (4) hours after application, then open windows, vents and doors for one hour. There should be no remaining trace of pesticide fog or aerosol. If a odor is still detected, additional ventilation is required. Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and/or mists have dispersed.

Application Restrictions: Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Homeowner User Safety Recommendations

Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

For best results, treat all infested areas [sites]. Use one fogger for each [500/375/250] sq feet [a room approximately 20 ft. x 25 ft. with an 8 ft. ceiling or 4,000 cu ft] [a room 15 x 25' with an 8 ft. ceiling or 3,000 cu ft][a room 10' x 25' with an 8 ft. ceiling or 2,000 cu ft] of unobstructed area.

TO USE THIS PRODUCT CORRECTLY



(EPA PRE-APPROVED PICTOGRAM 1 REPRESENTING-

DO NOT use MULTIPLE foggers per room.



(EPA PRE-APPROVED PICTOGRAM 2 REPRESENTING-

DO NOT use in small, confined spaces such as closets, cabinets, or under counters or tables. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms.



(EPA PRE-APPROVED PICTOGRAM 3 REPRESENTING-

TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).



(EPA PRE-APPROVED PICTOGRAM 4 REPRESENTING-

NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights. For use only when building has been vacated by human beings and pets.

BEFORE YOU FOG



(EPA PRE-APPROVED PICTOGRAM 5 REPRESENTING-)

REMOVE or cover exposed food, dishes, utensils, surfaces and food-handling equipment. SHUT OFF fans and air conditioners. Put out all flames and pilot lights Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. REMOVE OR COVER fish tanks and bowls. REMOVE OR COVER childrens' and pets' toys. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs)(Palmetto Bugs)] and to ensure unobstructed flow of fogger mist, OPEN all inside doors, cabinets, cupboard doors, [kitchen, bathrooms, pantry], drawers, and closets in areas to be treated for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

TO START FOGGING:

SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set fogger in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. **Vacate the treated house, individual apartment unit, or other structure immediately.** Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

[Door Hang Tag Text] "Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 4 hours." Do not enter until [space for time] on [space for date], [Brand Name][Product Name] Treatment. [This room is currently being treated by (Brand Name)] [Another room protected by (Brand Name)] [(Brand Name) treatment underway]

AIRING OUT:



(EPA PRE-APPROVED PICTOGRAM 6 REPRESENTING-)

Air out the room **BEFORE** entering. **DO NOT RE-ENTER BUILDING FOR TWO HOURS.** (Clock pictogram with shaded entry restriction.) After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air out for 2 hours before reoccupying. If additional units are used, increase airing out time accordingly.

Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. If additional units are used, increase airing out time accordingly.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea and tick control product registered for use on pets before allowing them to re-enter the treated areas.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal, (for occupational use only) **PESTICIDE STORAGE:** Store in a cool dry area away from heat or open flame. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose of down-the-drain or sewer. Call your local solid waste agency for disposal instructions.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173
Made in USA

NYLAR® MGK® - Registered trademarks of McLaughlin Gormley King Co.

Wellmark International confirms that the Spanish language text is/will be a true and accurate translation of the English text as approved by the California DPR.