



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AUG 11 2008

Ms. Nancy Huebl
Wellmark International
1501 East Woodfield Road
Suite 200 West
Schaumburg, IL 60173

Subject: Amendment – To Add Specific Indoor Use Sites and other Label updates
Flying Insect Killer II
EPA Reg. No. 2724-668
Your submission dated April 1, 2008

Dear Ms. Huebl:


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. The product is currently registered "For use in non-food feed areas only". Barns and stables are considered food/feed use sites since they are used as shelters and feeding areas for livestock animals. There are no tolerances to cover use of etofenprox on livestock or in/around livestock premises. You can either delete these indoor use sites or add the prohibition; "Do not use in structure (barns, stables) that house food producing animals or animals that may be used for food or feed".
2. Add "and before eating, drinking, chewing gum or using tobacco" to the end of the third sentence under precautionary statements.
3. Under Disposal add "None Refillable container. Do not reuse or refill this container".

286

If you have any questions in regard to this letter please feel free to contact me at (703) 305-6100.

Sincerely,



George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505P)

Enclosure

FLYING INSECT KILLER II

Contains Synergized Etofenprox and Tetramethrin

Sweeps the Air of Flying Insects

Can be used in homes, apartment buildings, barns, stables, and the non-food/feed areas of hotels, stores, warehouses, office buildings, schools, nursing homes, hospitals, industrial buildings, vessels, rail cars, trucks, & trailers

No Staining - Low Odor

Kills house flies, stable flies, mosquitoes, gnats, wasps, hornets, and other flying/crawling insects

ACTIVE INGREDIENTS:

Etofenprox*	0.50%
Tetramethrin**	0.20%
Piperonyl butoxide, Technical***	0.80%
OTHER INGREDIENTS:	<u>98.50%</u>
Total	100.00%

*2-(4-Ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether

**1-cyclohexene-1,2-dicarboximidomethyl-2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

***Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

NET CONTENTS:


EPA Reg. No. 2724-668
EPA Est. No.

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

AUG 11 2008

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

2724-668



**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling. If clothing becomes contaminated, remove and launder before use.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> •Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS.

Shake well before using. Hold container upright while spraying. Spray away from self and other persons.

Repeat treatments to infested areas as necessary at intervals of 14 days or greater. Do not make more than six applications per site per year.



Note: Do not apply to classrooms when in use. Do not use in aircraft cabins. Do not apply to patient rooms in hospitals and nursing homes while occupied. For use in the non-food and non-feed areas of food and feed handling establishments. Non-food and non-feed areas of food and feed establishments are areas such as garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning and bottling). Remove food from food serving areas of commercial establishments prior to treatment. Wash all exposed food serving/handling surfaces thoroughly with potable water following treatment and before use. Do not use in food or feed areas of food or feed handling establishments, restaurants, or other areas where food or feed is commercially prepared or processed. Do not use in serving areas while food is exposed or the facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. In homes, remove all food and cooking utensils. Cover all food handling surfaces and wash thoroughly after treatment and before use. Repeated exposure to etofenprox can cause skin irritation.

TO KILL HOUSEHOLD INSECTS: TO KILL HOUSE FLIES, STABLE FLIES, MOSQUITOES, SMALL FLYING MOTHS, GNATS, WASPS, HORNETS, AND OTHER FLYING INSECTS: Close doors and windows in area to be sprayed. Point nozzle upward. Direct spray to all parts of area to be treated, especially light sources such as windows. Spray for 5 - 10 seconds for each 1000 cubic feet. Keep room closed for one hour after spraying. Do not remain in treated area. Ventilate before reoccupying.

TO KILL ROACHES, CRICKETS, ANTS, SOWBUGS, SPIDERS, AND OTHER CRAWLING INSECTS, USE AS A SPOT SPRAY ONLY. Hit as many insects as possible with the spray. To kill ants, spray around door and window frames. Thoroughly treat trails, runs, walks, and other places where insects may be seen.

ALSO KILLS: CONFUSED FLOUR BEETLES, RICE WEEVILS AND OTHER PACKAGE PESTS. Locate and discard infested packages. Remove all other items from shelves to be treated. Spray shelves to kill insects. After insects are killed clean shelves, replace paper, and return items.

TO KILL TICKS AND FLEAS. DO NOT TREAT ANIMALS WITH THIS PRODUCT. Remove and destroy old pet bedding. Spray sleeping quarters of pets. Do not allow pets to use treated areas until spray has dried. Replace bedding with clean or new material. Treat pets with a product registered for animal application to control the source of flea and tick infestation.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store near heat or open flame. Store in cool, dry area away from children.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

6 8 6

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Wellmark International
1501 East Woodfield 200 West
Schaumburg, IL 60173

0000
0 0000
0000
0000
0000
00000
0 0 0
0 0000
00000
00000
00000
00000
00000
0000
00000
0000
00000
0000
0000
0000
0000
0000
0000