1/4

ALTERNATE LANGUAGE appears in brackets [] and italics

ELITE ALOE EAR MITE TREATMENT FOR DOGS & CATS

KILLS EAR MITES ON CONTACT
[Contains Aloe to Help Soothe Irritated Skin]
[Easy to Use Applicator Tube]
[With Soothing Aloe & Lanolin][offers relief for (cats)(dogs) suffering from ear mites]

(FRONT OR BACK PANEL)ACTIVE INGREDIENTS:0.05%Pyrethrins0.50%Piperonyl Butoxide, Technical*0.50%OTHER INGREDIENTS:99.45%Total100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel For [Ingredient Statement and] Precautionary Statements

NET CONTENTS: 3 TUBES-3 cc's 0.06 fl oz. each; 9 cc 0.18 fl oz. total.

EPA Reg. No. 2724-734 EPA Est. No.

A C	C	Ē	P	T	E	D
	AUG	2	2	200	17	
Under Fungi	cid∈ :	354		nsor entre e pes		
as am Regis BPA						

^{*}Equivalent to 0.40% of Butylcarbityl 6-propylpiperonyl ether and 0.10% of related compounds

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS OR DOGS.

[Elite Aloe Ear Mite Treatment offers relief for dogs and cats suffering from ear mites. Dogs & cats that have ear mites will typically shake their heads and scratch their ears frequently. Ear Mites live in the ear canal of the animal and cause a brownish, waxy debris to be formed.][Ear mites usually induce the formation of a dry, dark brown, waxy exudate with crusts in the ears of pets.] Ear mites may be detected by placing some of the waxy debris on a dark surface and carefully watching for the movement of tiny white specks away from the debris. Inflamed, watery, or blocked ear canals indicate a more serious condition which requires the services of a veterinarian.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HUMANS: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes. Wash hands with soap and water after using.

ANIMALS: Avoid contact with eyes. If in eyes, flush with water. Do not use on any meat or milk-producing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Call a poison control center or doctor immediately for treatment advice. IF Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. HOT LINE NUMBER		FIRST AID			
 Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	Call a poison control center or doctor immediately for treatment advice.				
center or doctor. Do not give anything by mouth to an unconscious person. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	IF	Have person sip a glass of water if able to swallow.			
 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	SWALLOWED:	, ,			
 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 		 Do not give anything by mouth to an unconscious person. 			
 artificial respiration, preferably by mouth-to-mouth, if possible. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	IF INHALED:	Move person to fresh air.			
minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.					
HOT LINE NUMBER	IF IN EYES:	minutes. Remove contact lenses, if present, after the first 5 minutes,			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Kill Ear Mites

Clean ears to remove built-up wax and dirt. While firmly holding pet, fill ear canal with labeled number of drops in each ear. Massage base of ear to insure insecticidal action penetrates ear wax. Gently dry ear with a cotton ball, soft cloth, or cotton swab. This product may be applied daily for 7 to 10 days. Repeat treatment in two weeks if necessary.

[Alternate tube directions]

- [(1) Remove one applicator tube from package and hold in an upright position.
- (2) Pull off cap. Turn the cap around and place on top of tube.
- (3) Simply press cap down to break the seal of tube and remove cap carefully.
- (4) Position the tip of the tube at the base of the pet's ear. Firmly hold pet and fill each ear canal with labeled number of drops.
- (5) Massage base of ear to insure insecticidal action penetrates ear wax.
- (6) Gently dry with a cotton ball, soft cloth or cotton swab.
- (7) After application, simply invert the cap of the tube and snap back on the tube for easy closure.]

(Alternate tube directions)

- [(1) Remove one applicator tube from package and hold in an upright position.
- (2) Hold bottom of tube with one hand. With other hand, snap cap off.
- (3) Position the tip of the tube at the base of the pet's ear. Firmly hold pet and fill each ear canal with labeled number of drops.
- (4) Massage base of ear to insure insecticidal action penetrates ear wax.
- (5) Gently dry with a cotton ball, soft cloth or cotton swab.
- (6) After application, simply invert the cap of the tube and snap back on the tube for easy closure.]

Body Weight

5 to 15 lbs. [< 15 lbs.] 16-30 lbs. 30 lbs. & over [> 30 lbs.]

Dosage

4-5 drops/day/ear 5-10 drops/day/ear 10-15 drops/day/ear

[Each tube contains 100 drops]

If conditions for which this preparation is used persist or if an irritation develops, discontinue use and consult a veterinarian.

For Use With a Swabstick:

Open packet, remove swabstick. While firmly holding pet, fill ear with liquid from packet. Massage base of ear to insure that insecticidal action penetrates ear wax. Use swabstick to remove as much waxy exudate as possible from <u>outer</u> ear.

This product may be applied daily for 7 to 10 days. Repeat treatment in two weeks if necessary.

Do not use on puppies or kittens less than 12 weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medications.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

In case of emergency or for product use information call (901) 362-1950, Monday – Friday, &:30 AM – 4:30 PM, CST (distributors may elect to use their own phone numbers and hours of operation).

To learn more, visit [URL] Wellmark International Schaumburg, Illinois 60173

[ELITE ALOE EAR MITE TREATMENT SMALL TUBE COPY]:

Elite Aloe Ear Mite Treatment

Pyrethrins	0.05%
Piperonyl Butoxide, Technical*	`

CAUTION

See label for Precautionary Statements and Directions for Use USE ONLY ON CATS OR DOGS.

EPA Est. No.

EPA Reg. No. 2724-734

(contents)

Wellmark International Schaumburg, IL 60173