

2724-786

12/7/2006

1 of 5



**U.S. ENVIRONMENTAL PROTECTION AGENCY**  
**Office of Pesticide Programs**  
**Registration Division (7505C)**  
**Ariel Rios Building**  
**1200 Pennsylvania Ave., NW**  
**Washington, D.C. 20460**

EPA Reg. Number:  2724-786	Date of Issuance:  DEC - 7 2006
Term of Issuance: Conditional	
Name of Pesticide Product:  RF2050 Spray	

**NOTICE OF PESTICIDE:**  
 Registration  
 Reregistration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Wellmark International  
1501 East Woodfield Road  
Suite 200 West  
Schaumburg, Il 60173

**Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.**

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Submit the results of a one-year storage stability study (830.6317) and corrosion characteristics study (830.6320). The submitted accelerated studies do not exempt you from submitting one-year studies. It is recommended that the observations be made at 0, 3, 6, 9, and 12 month intervals. The results should be submitted in both a hard copy and electronic format.
3. Submit a revised Confidential Statement of Formula form which includes the date of May 19, 2006 (to match your cover letter's date), and revise box 9 of the form to indicate flame extension of "0 inches" and in this box also provide the flash point as required by GRN 830.6315.

Signature of Approving Official:  
**George LaRocca**  
Product Manager 13  
Insecticide Branch  
Registration Division (7505P)

Date:  
  
DEC - 7 2006

- 4. You have cited efficacy data for only one of the active ingredients, etofenprox. Etofenprox is conditionally reregistered pending review of the cited efficacy data. You must submit the listed data below, conducted in accordance with the 40 CFR Part 158 test guidelines referred to below on this specific product:

<u>Title of Study</u>	<u>Guideline Reference Numbers</u>	<u>Due Date</u>
Product Performance Data for Cockroaches, Yellowjackets, Hornets, and Wasps	810.3500 810.3400	December 8, 2007

Submit protocols prior to conducting the above studies for Agency review and approval.

- 5. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 2724-786".
  - b. Qualify non-food warehouses to read "non-food/non-feed warehouses".
  - c. The outdoor applications for wasp, hornet, yellowjacket, ant, and cockroach control must be restricted to nests attached to the outside of the structure or pests on outside surfaces of buildings only. Applications are not allowed to any other outdoor sites because the Agency has not completed an outdoor environmental fate and effects risk assessment.
  - d. Delete Tent Caterpillars since these are outdoor sites.
  - e. Under Environmental Hazards, delete the end of the second sentence "... or to areas where surface water is present or to intertidal areas below the median high water mark.".
  - f. Add "residential" to the limitation "Do not apply indoors in domestic/residential dwellings...etc.".

Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

30f5

**RF2050 SPRAY**

- Dissipating Foam Formulation
- Foaming Waterbased Formulation
- Quick Kill/Knockdown
- Quickly kills on contact and provides residual activity
- Jet Spray- Will reach nests up to 20 feet away
- Can be used Indoors (attics and other places where nests are built) and Outdoors on Wasp & Hornet Nests
- Kills on contact

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1) .....	0.50%
Tetramethrin (CAS #7696-12-0) .....	0.20%
Piperonyl Butoxide (CAS #51-03-6) .....	1.00%
<b>OTHER INGREDIENTS:*</b> .....	<b>98.30%</b>
<b>TOTAL:</b>	<b>100.00%</b>

\*Contains petroleum distillates

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 See Additional Precautions on Side Panels

**NET CONTENTS:**


EPA Reg. No. 2724-XXX  
 EPA Est. No.

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**

**DEC - 7 2006**

**Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under EPA Reg. No.**

2724-786



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> Contains Petroleum Distillates – vomiting may cause aspiration pneumonia.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-xxx-xxxx- for emergency medical treatment information.	

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.


**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS.**

[Use RF2050 Spray] [This product] to kill wasps, hornets, yellow jackets and other pests outdoors and indoors. Indoor locations would be identified as attics, steeples, mechanical rooms, barns, sheds, non-food warehouses, garages, and carports. Do not apply indoors in domestic dwellings, i.e., homes, residences, apartments, hotels, etc. **DO NOT TREAT ANIMALS WITH THIS PRODUCT.** Remove [livestock] [and] [pets] before spraying indoors. Do not allow children or animals to contact treated surfaces until spray has dried.

Prior to treatment, shake can well, hold can upright and, stand upwind at a safe distance from nests, and spray away from self and other persons. This product is generally non-staining but is not recommended for vinyl siding. In areas of concern, test product in a small, inconspicuous area to determine if staining potential exists.



**WASPS, HORNETS, AND YELLOW JACKETS**

**Wasps**

Spray nest until thoroughly wet. Wasps on the nest will fall quickly to the ground, wasps returning to the nest will be killed by the residual action of the spray. Wait 24 hours before removing nest.

**Hornets**

Hornets build nests under eaves, in trees, shrubs, and ivy. It is best to wait until dusk or early morning to treat as hornets are less active at that time. Locate entrance hole in the nest, and thoroughly spray the entrance hole. Spraying the outside of the nest and not the entrance hole will not have the desired effect and may cause the hornets to attack. For best results for large nests, repeat application.

**Yellow Jackets**

Yellow jackets typically build nests in the ground or in tree stumps, landscape timbers, and railroad ties. Locate entrance holes, note that there may be more than one. Wait until dusk or early morning to spray. Spray entrances thoroughly. For best results for large nests, repeat application.

**OTHER OUTDOOR PESTS**

**Tent caterpillars**

Treat webs in late afternoon when caterpillars return and spray tent until soaked.

**Ants**

Spray trails, ants, nests, and locations where ants are entering a building. Directly hit as many ants as possible with the spray.

**Cockroaches**

Treat for cockroaches at locations where they live such as leaf litter and wood piles and potential entry points, such as areas where outside plumbing enters the building and cracks or crevices in the foundation. Spray cockroaches directly when seen.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Do not store near heat or open flame. Store in cool dry area away from children.

**DISPOSAL:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For more information or in case of emergency, call 1-800-XXX-XXXX or visit our Web site: [URL].

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.