

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 2 9 2008

Mr. James McFadden Regulatory Project Manager Wellmark International 1501 E. Woodfield Road Suite 200W Schaumberg, IL 60173

Dear Mr. McFadden:

Subject: Label Amendment

Product Name: RF2056 OL EPA Registration No. 2724-791 Application dated October 13, 2008

The label amendment above, submitted in connection with the Federal Insecticide, Rodenticide, and Fungicide Act, as amended, is acceptable provided you make the following changes:

1. Page 4 – Thermal Fogging Application. As directed in the conditional registration notice of August 15, 2008 you must specify the range of droplet sizes to be used in accordance with ground application from PR Notice 2005-1. Therefore, add a droplet size range for thermal fogging applications as you have done for ULV ground applications or make reference to the same droplet sizes used for ULV if they are appropriate for your product.

Submit three (3) copies of your final printed labeling before releasing the product shipment. If you have any questions, please contact Kevin Sweeney at (703)-305-5063 or by email at sweeney.kevin@epa.gov

Sincerely,

Richard Gebken

Product Manager 13

Registration Division (7505P)

Insecticide Branch

RF2056 OL

Alternate Brand Name: Zenivex™ E20

For use only by federal, state, tribal, or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision

- For the control of Adult Mosquitoes, Non-biting Midges, and Black flies
- For use as a Space Spray by Air and Ground Application to Control Adult Mosquitoes
- · Can be used undiluted or diluted
- Quick permanent knockdown of Adult Mosquitoes
- Controls Non-Biting Midges, nuisance and biting flies
- Controls adult mosquitoes that may carry West Nile Virus, Eastern Equine Encephalitis, St. Louis Encephalitis

ACTIVE INGREDIENT: Etofenprox ((CAS #80844-07-1)	20%
OTHER INGREDIENTS*:		
Total		100%

Contains 1.48 lbs Etofenprox per gallon


*Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back/side panels

EPA Reg. No. 2724-791 EPA Est. No.

Net Contents:



2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and launder before reuse. Repeated exposure to etofenprox can cause skin irritation.

FIRST AID						
If swallowed	Immediately call a poison control center or doctor.					
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 					
	Do not give any liquid to the person.					
	 Do not give anything by mouth to an unconscious person. 					
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 					
	Remove contact lenses, if present, after the first 5 minutes, then continue					
	rinsing eyes.					
	Call a poison control center or doctor for treatment advice.					
Have the prod	uct container or label with you when calling a poison control center or doctor or					
going for treatr	ment. You may also contact 1-800-[phone number] for emergency medical					
treatment infor	mation.					
Note to Physic	ian: May pose an aspiration pneumonia hazard. Contains petroleum distillate.					

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition into bodies of water may be hazardous to fish and other aquatic organisms. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwasters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Time applications to provide the maximum possible interval between treatment and the next period of bee activity. Do not apply to blooming crops or weeds when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mesquitoes of the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

PHYSICAL/CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ AND FOLLOW ALL LABEL DIRECTIONS. Before making the first application of the season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

6.00

GENERAL

RF-2056 OL is an effective insecticide used at low volumes to control adult mosquitoes. non-biting midges, biting and non-biting flies. Use RF-2056 OL, either undiluted as Ultra-Low Volume (ULV) or diluted with mineral oil or other suitable oil diluent, for the control of pest species in or near residential, industrial, commercial, urban, recreational areas. woodlands, golf courses, and other areas where these pests are a problem. Do not spray on or allow drift onto pastureland, cropland, or potable water supplies. In the treatment of corrals, feedlots, swine lots, and zoos, cover any exposed drinking water, drinking water fountains, and animal feed before application. Apply RF-2056 OL aerially (both fixed and rotary aircraft) for low volume applications or through mist-blowers, backpack, and handheld sprayers for ground applications. RF-2056 OL will control flies and mosquitoes and can be used as part of a total integrated pest management program for controlling disease vectors. Apply RF-2056 OL at rates from 0.00175 to 0.0070 pounds of etofenprox per acre. Dilute this product with oil (10-50 cps) only; do not mix with water. Apply when wind is ≥ 1 m.p.h. Do not apply when wind speeds exceed 10 mph. A temperature inversion is preferable to keep the fog close to the ground and applications should be made when labeled insects are most active.

Do not retreat a site more than once in 3 days; make no more than 2 applications to a site in any 1 week or 25 applications in one year. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

GROUND APPLICATION

Use a vehicle-mounted cold aerosol ULV sprayer to apply the product. Direct the spray equipment nozzle to provide even distribution of the product. For best results, apply perpendicular to the wind direction using a swath width of 300 ft. Spray equipment must be adjusted so that the volume median diameter (VMD) is between 10-30 microns ($10\mu \le Dv$ $0.5 \le 30\mu$) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv $0.9 < 50\mu$). Directions from the equipment manufacturer or vendor, pesticide registrant, or test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

c outpo

The appropriate application rate can be achieved by altering the dilution rate of RF-2056 OL. Refer to the following chart for examples.

Application	Vehicle	Flow rates				
rate	Speed	Undiluted	Diluted	Diluted	Diluted	
pound A.I.	MPH		1 to 1	1 to 2	1 to 4.5	
per acre		Oz/minute	Oz/minute	Oz/minute	Oz/minute	
0.00175	10	0.9	1.8	2.74	4.57	
	15	1.4	2.7	5.40	9.90	
	20	1.8	3.6	7.20	13.20	
0.00350	10	1.8	3.6	5.48	9.140	
	·15	2.7	5.4	10.80	19.80	
	20	3.6	7.2	14.40	26.40	
0.00700	10	3.60	7.20	10.78	19.80	
	15	5.40	10.80	16.18	39.60	
	20	7.20	14.40	21.50	52.80	

Use the higher label rates when spraying areas where dense vegetation is present. Conduct applications when temperatures are between 50-95° F.

Backpack Sprayer ULV Application:

Apply RF-2056 OL diluted or undiluted through non-thermal ULV backpack sprayer capable of applying the product in the 10 to 30 micron range. Apply product to the area as evenly as possible. Apply at the rate of 0.00175 to 0.0070 pounds etofenprox per acre.

Urban ULV Mosquito Control Applications: For control of resting or flying adult mosquitoes, biting flies and non-biting midges in areas such as utility tunnels, sewers, storm drains and catch basins, pipe chases, underground basements, underground passages, parking decks, crawl spaces or uninhabited buildings, apply RF2056 OL using mechanical foggers, hand-held or truck-mounted ULV equipment, thermal foggers or other spray equipment suitable for this application. Apply RF2056 OL at rates up to but not exceeding 0.007 pounds of etofenprox per acre.

Thermal Fogging Application

Apply using a truck, dolly mounted, handheld, or other thermal fogging equipment. Following the equipment manufacturer's instructions, apply this product at a rate of 0.00475 to 0.0070 pounds etofenprox per acre. Direct fog to areas where mosquitoes and other to pests are located.

AERIAL APPLICATION

Apply RF-2056 OL aerially, either diluted or undiluted, by fixed wing or rotary aircraft. Apply at the rate of 0.00175 to 0.0070 pounds of etofenprox per acre. Apply using ULV equipped and capable aircraft. Spray equipment must be adjusted so that the volume median diameter (VMD) produced is less than 60 microns (Dv 0.5 < 60µ) and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100µ). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated. Do not apply RF2056 OL at altitudes below 100 feet. Apply at altitudes from 100-300 feet. Apply when wind speed on the ground is ≥ 1 mph. Apply when labeled insects are most active. For best results, use Global Positioning System (GPS) equipped aircraft.

[IN FLORIDA: Do not apply by aircraft except in emergency situations and with the approval of the Florida Department of Agriculture & Consumer Services.]

PESTICIDE STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage and Spill Procedures: Store upright at room temperature, [but do not store at temperatures below 75° F]. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: Refillable 30 Gallon Drums: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Non-refillable 2.5 gallon containers: Non-refillable container. Do not all reuse or refill this container. Triple rinse (or equivalent), promptly after emptying. Triple rinse as follows. Empty the remaining contents into application equipment or mix tank and drain container for 10 seconds after the flow begins to drip. Fill the container ¼ full of water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tanks. Drain container for 10 seconds after the flow begins to drip. Repeat this proceedure two more times. Once triple rinsed, recycle is available.

In case of an emergency or for product use information, call 1-800-[phone number]

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

Wellmark International 1501 East Woodfield Road 200 W Schaumburg, IL 60173 [URL] Made in USA