

2724-797

11-17-2011

1
14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Ms. Nancy Huebl
Senior Registration Specialist
Wellmark International
1501 East Woodfield Road
Suite 200 West
Schaumburg, Illinois 60173

NOV 17 2011

Subject: Label Notification per PR Notice 98-10
Notification to add Alternate Brand Name
EPA Reg. 2724-797
Submission dated October 18, 2011

Dear Ms. Huebl,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated October 18, 2011 for the product RF 2063 Pet Spray, EPA Reg. No. 2724-797. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application have been stamped "Notification" and will be placed in our records.

If you have any questions, please call Kevin Sweeney at (703) 305-5063.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken", written over a horizontal line.

Richard Gebken
Product Manager
Registration Division (7505P)
Office of Pesticide Programs

2
14



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Wellmark International/2724-797	2. EPA Product Manager R. Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Wellmark International/RF2063 Pet Spray	PM # 13	
5. Name and Address of Applicant / Registrant (Include ZIP Code) Wellmark International 1501 East Woodfield Road, Suite 200 West Schaumburg, Illinois 60173 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(C)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION
NOV 17 2011

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and section II.)

Notification of alternate brand name: Vet Kern Ovitrol X-Tend Flea & Tick Spray for Dogs and Cats
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packagin <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Unit Packaging wgt.	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
			No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 16 fl. oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Label Accompanying Product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Nancy Huebl	Title Sr. Registration Specialist	Telephone No. (Include Area Code) (847) 330-5376
<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature <i>Nancy Huebl</i>	3. Title Sr. Registration Specialist	
4. Typed Name Nancy Huebl	5. Date October 18, 2011	

SUBLABEL FOR DOGS

RF2063 PET SPRAY

Alternate brand name: **Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs**

Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats (combination product of both sublabels with required text for each species included on combo label)

For Dogs and Puppies 10 weeks of age and older

Contains Etofenprox, [to kill adult insects (fleas, ticks)] *Plus* PRECOR® Insect Growth Regulator

Kills [adult] fleas and ticks, repels [adults] mosquitoes

Kills flea and ticks on contact

[Kills flea eggs and larvae][Kills more than 90% of fleas in 1 day][Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for Dogs and Puppies 10 weeks of age and older]

[Protects [Dogs] [Puppies] for up to [2] [Two] Weeks] [[2] Two Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development][Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes][for 2 weeks]

Contains an Insect Growth Regulator (IGR) to [kill flea eggs] and prevent [reinfestation] flea development for [up to 10 weeks] up to [69 days] [2 months] [in Dogs] [In Puppies]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [69 days] [2 months]

[Controls flea reinfestation for [up to 10 weeks] up to [69 days] [2 months]

[One][1] Month Protection with 2 applications [Reapply every two weeks][Suitable for year-round use]

Protects against fleas, ticks & mosquitoes for up to 2 weeks

Contains an Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

Pets may be treated indoors or outdoors

Effective in multi-pet households

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....0.50%

(S)-Methoprene (CAS #65733-16-6)..... 0.27%

Piperonyl Butoxide (CAS #51-03-6)*.....1.75%

OTHER INGREDIENTS..... 97.48%

TOTAL..... 100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-797

EPA Est. No.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO DOMESTIC ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age. For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

[Brand Name] [Product Name] RF2063 PET SPRAY

With Etofenprox, [to kill adult insects] Plus [S-Methoprene] Precor® Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD**

HOW RF2063 PET SPRAY WORKS:

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

SHAKE WELL BEFORE USING.

For Fleas and Ticks: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog/puppy to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks from outside sources, [RF2063 Pet Spray] may be reapplied every two weeks after the initial application. Repeat every month for continuous home flea and tick infestation prevention.

Recommended dosage: Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired dogs/puppies will need less; more spray may be needed for long-haired dogs/puppies. In all cases, apply spray until the coat is damp, not saturated.

For Mosquitoes: A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs/puppies with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Pesticide Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECOR® Insect Growth Regulator is a registered trademark of Wellmark International.
Made in USA

SUBLABEL FOR CATS

RF2063 PET SPRAY

Alternate brand name: Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Cats

Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats (combination product of both sublabels with required text for each species included on combo label)

For Cats and Kittens 12 weeks of age and older]

Contains Etofenprox, [to kill adult insects (fleas, ticks)] Plus PRECOR® Insect Growth Regulator

Kills [adult] fleas and ticks, repels [adult] mosquitoes

Kills fleas and ticks on contact

[Kills flea eggs and larvae] [Kills more than 90% of fleas in 1 day] [Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for Cats and Kittens 12 weeks of age and older]

[Protects [Cats] [Kittens] for up to [3] [Three] Weeks] [Three (3) Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development] [Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes] [for 3 weeks]

Contains an Insect Growth Regulator (IGR) to kill flea eggs and prevent flea development for [up to 11 weeks] up to [80 days] [2.5 months] [in Cats] [in Kittens]

[Breaks Flea Life Cycle for [up to 11 weeks] up to [80 days] [2.5 months]

[Controls flea reinfestation for [up to 11 weeks] up to [80 days] [2.5 months]

[[Reapply monthly] [Suitable for year-round use]

Protects against fleas, ticks and mosquitoes for up to 3 weeks

Contains an Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]

[Ready - To - Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....0.50%

(S)-Methoprene (CAS #65733-16-6)..... 0.27%

Piperonyl Butoxide (CAS #51-03-6)*.....1.75%

OTHER INGREDIENTS...... 97.48%

TOTAL..... 100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-797

EPA Est. No.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID

If in eyes

- Call a poison control center or doctor for treatment advice.
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact **1-800-XXX-XXXX** for emergency medical treatment information.

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

[Brand Name] [Product Name] RF2063 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [S-Methoprene] Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD**

HOW RF2063 PET SPRAY WORKS:

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

The maximum application rate for this product is once per month

SHAKE WELL BEFORE USING.

For Fleas and Ticks: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat/kitten to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. Repeat every month for continuous home flea and tick infestation prevention.

Recommended dosage: Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired cats/kittens will need less; more spray may be needed for long-haired cats/kittens. In all cases, apply spray until the coat is damp, not saturated.

For Mosquitoes: A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats/kittens with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Pesticide Storage: Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

10
14

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECOR® Insect Growth Regulator is a registered trademark of Wellmark International.
Made in USA

NOV 17 2011

SUBLABEL FOR DOGS/CATS

RF2063 PET SPRAY

Alternate brand name: Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats

For Dogs and Puppies 10 weeks of age and older and Cats and Kittens 12 weeks of age and older
 Contains Etofenprox, [to kill adult insects (fleas, ticks)] Plus PRECOR® [S-Methoprene] Insect Growth Regulator
 Kills [adult] fleas and ticks [on contact], repels [adults] mosquitoes
 [Kills flea eggs and larvae][Kills more than 90% of fleas in 1 day][Kills 80% of ticks in 1 day]
 [Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks of age and older][Cats and Kittens 12 weeks of age and older]
 [Protects [Dogs] [Puppies] for up to [2] [Two] Weeks] [[2] Two Week Flea and Tick Treatment]
 [Protects [Cats][Kittens] for up to [3][Three] Weeks] [[3] Three Week Flea and Tick Treatment]
 [Dual Action kills adult fleas and prevents flea development][Dual protection (against fleas and ticks)]
 [Protects against blood feeding by mosquitoes] [Repels mosquitoes][for 2 weeks (dogs)][for 3 weeks (cats)]
 Contains an Insect Growth Regulator (IGR) to [kill flea eggs] and prevent [reinfestation] flea development for [up to 10 weeks] up to [69 days] [2 months] [in Dogs][In Puppies], [up to 11 weeks] up to [80 days] [2.5 months] [in Cats][In Kittens]
 [Breaks Flea Life Cycle for [up to 10 weeks] up to [69 days] [2 months](dogs), [up to 11 weeks] up to [80 days] [2.5 months](cats)
 [Controls flea reinfestation for [up to 10 weeks] up to [69 days] [2 months] (dogs), [up to 11 weeks] up to [80 days] [2.5 months] (cats)
 [One][1] Month Protection with 2 applications [Reapply every two weeks] (dogs)
 [Reapply monthly] (cats)
 [Suitable for year-round use]
 Protects against fleas, ticks & mosquitoes for [up to 2 weeks (dogs)] [up to 3 weeks (cats)]
 Contains an Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation
 Pets may be treated indoors or outdoors
 Effective in multi-pet households
 Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease
 [With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]
 [Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....	0.50%
(S)-Methoprene (CAS #65733-16-6).....	0.27%
Piperonyl Butoxide (CAS #51-03-6)*	1.75%
OTHER INGREDIENTS	<u>97.48%</u>
TOTAL	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-797
 EPA Est. No.

12
14

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO DOMESTIC ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats: In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

[Brand Name] [Product Name] RF2063 PET SPRAY

With [Contains] Etofenprox, [to kill adult insects [fleas and ticks]] Plus [S-Methoprene] Precor® Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD OR CATS AND
KITTENS MORE THAN 12 WEEKS OLD**

HOW RF2063 PET SPRAY WORKS:

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

For Dogs and Puppies: The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

For Cats and Kittens: The maximum application rate for this product is once per month.

SHAKE WELL BEFORE USING.

For Fleas and Ticks: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. Repeat every month for continuous home flea and tick infestation prevention.

Recommended dosage: Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired pets will need less; more spray may be needed for long-haired pets. In all cases, apply spray until the coat is damp, not saturated.

For Mosquitoes: A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Pesticide Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

14
14

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**
[For more information, or in case of emergency, call 1-800-766-7661]

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECOR, Vet-Kem, and Ovitrol are registered trademarks of Wellmark International. X-Tend is a trademark of Farnam Companies, Inc.

Made in USA