

2724-797

02/05/2013

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

February 5, 2013

Mr. James J. McFadden, Ph.D.  
Senior Regulatory Project Manager  
Wellmark International  
1501 East Woodfield Road, Suite 200 West  
Schaumburg, IL 60173-5417

**Subject: Amending Labeling; Addition of \*InfestStop™ to Subject Label  
RF2063 PET SPRAY, EPA Reg. No. 2724-797  
Your Submission Dated November 6, 2012**

Dear Mr. McFadden

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following label revision provision(s):

General Comment(s):

1. Delete all text throughout the label marked with "strikethrough."

**SUBLABEL FOR DOGS**

Optional Marketing Statements section comment(s), top of page 1 of 12:

2. Revise the 6<sup>th</sup> optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for Dogs and Puppies (10 Weeks of Age or Older)]"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 2 of 12:

3. Revise the existing 3<sup>rd</sup> sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), bottom of page 2 of 12:

4. Revise the existing 2<sup>nd</sup> sentence within the "HOT LINE NUMBER:" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxxx, twenty-four (24) hours per day, seven (7) days per week."<sup>1</sup>

Directions for Use section comment(s), top of page 3 of 12:

5. Revise the statement starting with "IMPORTANT! READ ENTIRE LABEL ..." to read "IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES (10 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!" and relocate this revised statement to appear on the subject label immediately following the statement "It is a violation of ..."
6. Insert the following new text statements immediately preceding the existing 1<sup>st</sup> sentence within the "USE RESTRICTIONS" subsection to read "For indoor use only. Do not apply this product to puppies less than 10 weeks of age, and do not apply this product to other animals!"

<sup>1</sup> Please note that the "1-800-xxx-xxxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

Storage & Disposal section comment(s), top of page 4 of 12:

- 7. Revise the existing "**Pesticide Storage:**" subsection to read "Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 8. Revise the subsection heading "**Disposal:**" to read "**Container Disposal:**"

**SUBLABEL FOR CATS**

Optional Marketing Statements section comment(s), top of page 5 of 12:

- 9. Revise the 6<sup>th</sup> optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for Cats and Kittens (12 Weeks of Age or Older)]"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 6 of 12:

- 10. Revise the existing 3<sup>rd</sup> sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), bottom of page 6 of 12:

- 11. Revise the existing 2<sup>nd</sup> sentence within the "**HOT LINE NUMBER:**" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxxx, twenty-four (24) hours per day, seven (7) days per week."<sup>2</sup>

Directions for Use section comment(s), top of page 7 of 12:

- 12. Revise the statement starting with "**IMPORTANT! READ ENTIRE LABEL ...**" to read "**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS (12 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!**" and relocate this revised statement to appear on the subject label immediately following the statement "It is a violation of ..."
- 13. Insert the following new text statements immediately preceding the existing 1<sup>st</sup> sentence within the "**USE RESTRICTIONS**" subsection to read "For indoor use only. Do not apply this product to kittens less than 12 weeks of age, and do not apply this product to other animals!"

Storage & Disposal section comment(s), middle of page 8 of 12:

- 14. Revise the existing "**Pesticide Storage:**" subsection to read "Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 15. Revise the subsection heading "**Disposal:**" to read "**Container Disposal:**"

**SUBLABEL FOR DOGS/CATS**

Optional Marketing Statements section comment(s), top of page 9 of 12:

- 16. Revise the 5<sup>th</sup> optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies (10 Weeks of Age or Older)][Cats and Kittens (12 Weeks of Age or Older)]"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 10 of 12:

- 17. Revise the existing 3<sup>rd</sup> sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), bottom of page 10 of 12:

- 18. Revise the existing 2<sup>nd</sup> sentence within the "**HOT LINE NUMBER:**" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxxx, twenty-four (24) hours per day, seven (7) days per week."<sup>3</sup>

<sup>2</sup> Please note that the "1-800-xxx-xxxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

<sup>3</sup> Please note that the "1-800-xxx-xxxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

3/15

Directions for Use section comment(s), top of page 11 of 12:

- 19. Revise the statement starting with "**IMPORTANT! READ ENTIRE LABEL ...**" to read "**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES (10 WEEKS OF AGE OR OLDER) AND CATS AND KITTENS (12 WEEKS OF AGE OR OLDER)!**" and relocate this revised statement to appear on the subject label immediately following the statement "It is a violation of ..."
- 20. Insert the following new text statements immediately preceding the existing 1<sup>st</sup> sentence within the "**USE RESTRICTIONS**" subsection to read "For indoor use only. Do not apply this product to puppies less than 10 weeks of age and to kittens less than 12 weeks of age!"

Storage & Disposal section comment(s), middle of page 12 of 12:


- 21. Revise the existing "**Pesticide Storage:**" subsection to read "Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 22. Revise the subsection heading "**Disposal:**" to read "**Container Disposal:**"

Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR §156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely Yours,



Richard J. Gebken  
 Product Manager (10)  
 Insecticide Branch  
 Registration Division (7504P)

Enclosure: Label stamped "Accepted with Comments," dated February 5, 2013

002724-00797 D472565



**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1) .....	0.50%
(S)-Methoprene (CAS #65733-16-6).....	0.27%
Piperonyl Butoxide (CAS #51-03-6)* .....	1.75%
<b>OTHER INGREDIENTS</b> .....	<u>97.48%</u>
<b>TOTAL</b> .....	100.00%

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 2724-797  
EPA Est. No.  
Lot No.:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO DOMESTIC ANIMALS - CAUTION:** Do not use on puppies less than 10 weeks of age. For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

**FIRST AID**

If in eyes

- Call a poison control center or doctor for treatment advice.
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact **1-800-XXX-XXXX** for emergency medical treatment information.

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**[Brand Name] [Product Name] RF2063 PET SPRAY**

With Etofenprox, [to kill adult insects] Plus [S-Methoprene] [Precor®] [\*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

6/15

~~IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE~~  
~~USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD~~

**HOW RF2063 PET SPRAY WORKS:**

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with RF2063 Pet Spray will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

\*[S]-Methoprene (Must occur on same panel wherever InfestStop™ is used)

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS**

The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

**SHAKE WELL BEFORE USING.**

**For Fleas and Ticks:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog/puppy to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks from outside sources, [RF2063 Pet Spray] may be reapplied every two weeks after the initial application. Repeat every month for continuous home flea and tick infestation prevention.

**Recommended dosage:** Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired dogs/puppies will need less; more spray may be needed for long-haired dogs/puppies. In all cases, apply spray until the coat is damp, not saturated.

**For Mosquitoes:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs/puppies with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL: Pesticide Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.


**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call 1-800-xxx-xxxx

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR, vIGRen, Vet-Kem and Ovitrol are registered trademarks of Wellmark International. X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden & Pet Company.  
Made in USA



8/15

SUBLABEL FOR CATS

# RF2063 PET SPRAY

**Alternate brand name: Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Cats**

Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats (combination product of both sublabels with required text for each species included on combo label)

For Cats and Kittens 12 weeks of age and older]

Contains Etofenprox, [to kill adult insects (fleas, ticks)] Plus PRECOR® [\*InfestStop™] Insect Growth Regulator

Kills [adult] fleas and ticks, repels [adult] mosquitoes

Kills fleas and ticks on contact

[Kills flea eggs and larvae] [Kills more than 90% of fleas in 1 day] [Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for Cats and Kittens 12 weeks of age and older]

[Protects [Cats] [Kittens] for up to [3] [Three] Weeks] [Three (3) Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development] [Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes] [for 3 weeks]

Contains [\*InfestStop™] an Insect Growth Regulator (IGR) to kill flea eggs and prevent [reinfestation] [flea development for [up to 11 weeks] up to [80 days] [2.5 months] [in Cats] [in Kittens]]

[\*InfestStop™] [Breaks Flea Life Cycle for [up to 11 weeks] up to [80 days] [2.5 months]

[Controls flea reinfestation for [up to 11 weeks] up to [80 days] [2.5 months]

[[Reapply monthly] [Suitable for year-round use]

Protects against fleas, ticks and mosquitoes for up to 3 weeks  
duplicative]

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] [\*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

More killing power (when used with Adams Plus brand vs Adams)[Contains [\*InfestStop™] [an Insect Growth Regulator (IGR) to kill flea eggs and larvae]


[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][\*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [\*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [80 days][2.5 months][up to 11 weeks]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**





9/15

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1)	0.50%
(S)-Methoprene (CAS #65733-16-6)	0.27%
Piperonyl Butoxide (CAS #51-03-6)*	1.75%
<b>OTHER INGREDIENTS</b>	<u>97.48%</u>
<b>TOTAL</b>	<b>100.00%</b>

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 2724-797

EPA Est. No.

Lot No:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO ANIMALS - CAUTION:** **Do not use on kittens less than 12 weeks of age.** For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

**FIRST AID**

If in eyes

- Call a poison control center or doctor for treatment advice.
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact **1-800-XXX-XXXX** for emergency medical treatment information.

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**[Brand Name] [Product Name] RF2063 PET SPRAY**

With Etofenprox, [to kill adult insects] Plus [Precor®] [S-Methoprene] [\*InfestStop™]  
Insect Growth Regulator [to kill flea eggs and larvae]

\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)

~~IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE~~  
~~USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD~~

**HOW RF2063 PET SPRAY WORKS:**

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with RF2063 Pet Spray will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS**

The maximum application rate for this product is once per month

**SHAKE WELL BEFORE USING.**

**For Fleas and Ticks:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat/kitten to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. Repeat every month for continuous home flea and tick infestation prevention.

**Recommended dosage:** Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired cats/kittens will need less; more spray may be needed for long-haired cats/kittens. In all cases, apply spray until the coat is damp, not saturated.

**For Mosquitoes:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name ] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats/kittens with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL:** **Pesticide Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.


**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR, vIGRen, Vet-Kem and Ovitrol are registered trademarks of Wellmark International. X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden & Pet Company  
Made in USA



12/15

SUBLABEL FOR DOGS/CATS

RF2063 PET SPRAY

Alternate brand name: Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats

For Dogs and Puppies 10 weeks of age and older and Cats and Kittens 12 weeks of age and older  
Contains Etofenprox, [to kill adult insects (fleas, ticks)] Plus PRECOR® [S-Methoprene] [\*InfestStop™]  
Insect Growth Regulator

Kills [adult] fleas and ticks [on contact], repels [adults] mosquitoes

[Kills flea eggs and larvae][Kills more than 90% of fleas in 1 day][Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks of age and older][Cats and Kittens 12 weeks of age and older]

[Protects [Dogs] [Puppies] for up to [2] [Two] Weeks] [[2] Two Week Flea and Tick Treatment]

[Protects [Cats][Kittens] for up to [3][Three] Weeks] [[3] Three Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development][Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes][for 2 weeks (dogs)][for 3 weeks (cats)]

Contains [\*InfestStop™] an Insect Growth Regulator (IGR) to [kill flea eggs] and prevent [reinfestation] [flea development for [up to 10 weeks] up to [69 days] [2 months] [in Dogs][In Puppies], [up to 11 weeks] up to [80 days] [2.5 months] [in Cats][In Kittens]]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [69 days] [2 months](dogs), [up to 11 weeks] up to [80 days] [2.5 months](cats)

[Controls flea reinfestation for [up to 10 weeks] up to [69 days] [2 months] (dogs), [up to 11 weeks] up to [80 days] [2.5 months] (cats)

[One][1] Month Protection with 2 applications [Reapply every two weeks] (dogs)

[Reapply monthly] (cats)

[Suitable for year-round use]

Protects against fleas, ticks & mosquitoes for [up to 2 weeks (dogs)] [up to 3 weeks (cats)]  
(duplicative)Pets may be treated indoors or outdoors

Effective in multi-pet households

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

More killing power (when used with Adams Plus brand vs Adams)

[Contains [\*InfestStop™] [an Insect Growth Regulator (IGR) to kill flea eggs and larvae]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][\*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [\*InfestStop™] Insect Growth Regulator (IGR)

[Kills][Prevents][Keeps] flea eggs from hatching for up to [69 days][2 months][up to 10 weeks]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1)	0.50%
(S)-Methoprene (CAS #65733-16-6)	0.27%
Piperonyl Butoxide (CAS #51-03-6)*	1.75%
<b>OTHER INGREDIENTS</b>	<u>97.48%</u>
<b>TOTAL</b>	100.00%

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 2724-797  
EPA Est. No.  
Lot No.:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO DOMESTIC ANIMALS - CAUTION:** Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats: In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

<b>FIRST AID</b>	
If in eyes	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact <b>1-800-XXX-XXXX</b> for emergency medical treatment information.	

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**[Brand Name] [Product Name] RF2063 PET SPRAY**

With [Contains] Etofenprox, [to kill adult insects [fleas and ticks]] Plus [S-Methoprene] [Precor®][\*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]  
\*(S)-Methoprene (must occur on same panel wherever InfestStop™ is used)

~~IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE.~~  
~~USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD OR CATS AND~~  
~~KITTENS MORE THAN 12 WEEKS OLD.~~

**HOW RF2063 PET SPRAY WORKS:**

RF2063 Pet Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with RF2063 Pet Spray will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS**

For Dogs and Puppies: The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

For Cats and Kittens: The maximum application rate for this product is once per month.

**SHAKE WELL BEFORE USING.**

**For Fleas and Ticks:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. Repeat every month for continuous home flea and tick infestation prevention.

**Recommended dosage:** Note that the recommended dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired pets will need less; more spray may be needed for long-haired pets. In all cases, apply spray until the coat is damp, not saturated.

**For Mosquitoes:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

12/15

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL: Pesticide Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**  
[For more information, or in case of emergency, call 1-800-766-7661]

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR, vIGRen, Vet-Kem, and Ovitrol are registered trademarks of Wellmark International. X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA

