



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 16, 2025

Noelle Sanfilippo  
Central Garden & Pet  
nsanfilippo@central.com

Subject: Label Amendment – label amendment to add alternate rates for 9cc/8cc sprayer and 679 – ID language for etofenprox  
Product Name: RF2063 PET SPRAY  
EPA Registration Number: 2724-797  
Application Date: 5/7/2024, 9/9/2024  
Case Number: 634450, 637389

Dear Noelle Sanfilippo:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or

claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Autumn Metzger at [Metzger.autumn@epa.gov](mailto:Metzger.autumn@epa.gov).

Sincerely,


 

Beth Fertich, Product Manager 04  
Invertebrate & Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

{ } indicate note to reviewer  
[ ] Indicate optional statement

**SUBLABEL FOR DOGS**



## **RF2063 PET SPRAY**

Alternate brand name: **Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs**

**Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats** (combination product of both sublabels with required text for each species included on combo label)

For [direct application to] Dogs and Puppies 10 weeks of age and older

Contains Etofenprox, [to kill adult insects (fleas, ticks)] *Plus* PRECOR® [\*InfestStop™] Insect Growth Regulator

Kills [adult] fleas and ticks, repels [adults] mosquitoes

Kills flea and ticks by contact

[Kills flea eggs and larvae][Kills more than 90% of fleas in 1 day][Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for Dogs and Puppies (10 weeks of age or older)]

[Protects [Dogs] [Puppies] for up to [2] [Two] Weeks] [[2] Two Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development][Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes][for 2 weeks]

Contains [\*InfestStop™] an Insect Growth Regulator (IGR) to [kill flea eggs] and prevent [reinfestation]

[flea development for [up to 10 weeks] up to [69 days] [2 months] [in Dogs] [In Puppies]]

[\*InfestStop™] [Breaks Flea Life Cycle for [up to 10 weeks] up to [69 days] [2 months]]

[Controls flea reinfestation for [up to 10 weeks] up to [69 days] [2 months]]

[One][1] Month Protection with 2 applications [Reapply every two weeks][Suitable for year-round use]

Protects against fleas, ticks & mosquitoes for up to 2 weeks

Effective in multi-pet households

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] [\*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

More killing power (when used with Adams Plus brand vs Adams)

[Contains [\*InfestStop™] [an Insect Growth Regulator (IGR) to kill flea eggs and larvae]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][\*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [\*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [69 days][2 months][up to 10 weeks]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1).....	0.50%
(S)-Methoprene (CAS #65733-16-6) .....	0.27%
Piperonyl Butoxide (CAS #51-03-6)* .....	1.75%
<b>OTHER INGREDIENTS.....</b>	<b><u>97.48%</u></b>
<b>TOTAL.....</b>	<b>100.00%</b>

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS: 8,16, 32 fluid ounces

EPA Reg. No. 2724-797

EPA Est. No.

Lot No.:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO DOMESTIC ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age.** For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

**FIRST AID**

If in eyes	<ul style="list-style-type: none"><li>Call a poison control center or doctor for treatment advice.</li><li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
------------	---

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call **1-800-248-7763/234-2269**, twenty-four (24) hours per day, seven (7) days per week .

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

## **DIRECTIONS FOR USE –**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### **GENERAL INFORMATION**

#### **[Brand Name] [Product Name] RF2063 PET SPRAY For Direct Application to Dogs/Puppies**

With Etofenprox, [to kill adult insects] Plus [S-Methoprene] [Precor®] [\*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

### **HOW RF2063 PET SPRAY WORKS WHEN SPRAYED ON DOGS:**

**RF2063 Pet Spray** kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product.

Effective flea control requires treatment of your pets, house, and yard.

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

### **USE RESTRICTIONS**

#### **IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES (10 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!**

Do not apply this product to puppies less than 10 weeks of age and do not apply this product to other animals.

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

### **FOR FLEA AND TICK CONTROL USE ON DOGS**

#### **SHAKE WELL BEFORE USING.**

**For Fleas and Ticks on Dogs:** A light, even coverage of the hair coat will provide effective flea and tick control. Do not allow spray from application or damp dog/puppy to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. Spray until damp, not saturated. Do not allow dogs/puppies to become chilled. Wash your hands after treatment, keep treated animal away from children until pet has dried.
4. If your dog/puppy becomes reinfested with adult fleas or ticks from outside sources, [RF2063 Pet Spray] may be reapplied every two weeks after the initial application. Repeat every month for continuous flea and tick infestation prevention.

{Alternate instructions for 0.9 cc/spray sprayer}

**Dosage:** Dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired dogs/puppies will need less; more spray may be needed for long-haired dogs/puppies. In all cases, apply spray until the coat is damp, not saturated.

{Alternate Instructions for 0.8 cc/spray sprayer}

**[Dosage:** Dose is about 5 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired dogs/puppies will need less; more spray may be needed for long-haired dogs/puppies. In all cases, apply spray until the coat is damp, not saturated.]

**For Mosquitoes on Dogs:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Adams][Adams Plus] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] for these pests in conjunction with this treatment.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs/puppies with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL: Pesticide Storage:** Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Container Disposal:**

**Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

#### **WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-248-7763/800-234-2269**  
Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173

[URL]

PRECOR, vIGRen, Vet-Kem and Ovitrol are registered trademarks of Wellmark International.  
X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA

SUBLABEL FOR CATS

## RF2063 PET SPRAY

### Alternate brand name: Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Cats

Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats (combination product of both sublabels with required text for each species included on combo label)

For [direct application to] Cats and Kittens 12 weeks of age and older]

Contains Etofenprox, [to kill adult insects (fleas, ticks)] Plus PRECOR® [\*InfestStop™] Insect Growth Regulator

Kills [adult] fleas and ticks, repels [adult] mosquitoes

Kills fleas and ticks by contact

[Kills flea eggs and larvae] [Kills more than 90% of fleas in 1 day] [Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for Cats and Kittens (12 weeks of age or older)]

[Protects [Cats] [Kittens] for up to [3] [Three] Weeks] [Three (3) Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development] [Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes] [for 3 weeks]

Contains [\*InfestStop™] an Insect Growth Regulator (IGR) to kill flea eggs and prevent

[reinfestation] [flea development for [up to 11 weeks] up to [80 days] [2.5 months] [in Cats] [in Kittens]]

[\*InfestStop™] [Breaks Flea Life Cycle for [up to 11 weeks] up to [80 days] [2.5 months]

[Controls flea reinfestation for [up to 11 weeks] up to [80 days] [2.5 months]

[[Reapply monthly] [Suitable for year-round use]

Protects against fleas, ticks and mosquitoes for up to 3 weeks

duplicative]

Kills the Deer Tick, [*Ixodes scapularis*] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] [\*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

More killing power (when used with Adams Plus brand vs Adams)[Contains [\*InfestStop™] [an Insect Growth Regulator (IGR) to kill flea eggs and larvae]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][\*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [\*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [80 days][2.5 months][up to 11 weeks]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1).....	0.50%
(S)-Methoprene (CAS #65733-16-6).....	0.27%
Piperonyl Butoxide (CAS #51-03-6)*.....	1.75%
<b>OTHER INGREDIENTS.....</b>	<b><u>97.48%</u></b>
<b>TOTAL.....</b>	<b>100.00%</b>

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS: 8,16, 32 fluid ounces

EPA Reg. No. 2724-797

EPA Est. No.

Lot No:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age.**

For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

**FIRST AID**

If in eyes	<ul style="list-style-type: none"><li>Call a poison control center or doctor for treatment advice.</li><li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
------------	---

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call **1-800-248-7763/234-2269**, twenty-four (24) hours per day, seven (7) days per week.

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

## **DIRECTIONS FOR USE –**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### **GENERAL INFORMATION**

**[Brand Name] [Product Name] RF2063 PET SPRAY For Direct Application to Cats/Kittens**

With Etofenprox, [to kill adult insects] Plus [Precor®] [S-Methoprene] [\*InfestStop™]

Insect Growth Regulator [to kill flea eggs and larvae]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

### **HOW RF2063 PET SPRAY WORKS WHEN SPRAYED ON CATS:**

**RF2063 Pet Spray** kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

### **USE RESTRICTIONS**

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS AND KITTENS (12 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!**

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



Do not apply this product to kittens less than 12 weeks of age, and do not apply this product to other animals.

The maximum application rate for this product is once per month

### **FOR FLEA AND TICK CONTROL USE ON CATS**

#### **SHAKE WELL BEFORE USING.**

**For Fleas and Ticks on Cats:** A light, even coverage of the hair coat will provide effective flea and tick control. Do not allow spray from application or damp cat/kitten to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.

2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. Spray until damp, not saturated. Do not allow cats/kittens to become chilled. Wash your hands after treatment, keep treated animal away from children until pet has dried.
4. Repeat every month for continuous flea and tick infestation prevention.

**Dosage:** Dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired cats/kittens will need less; more spray may be needed for long-haired cats/kittens. In all cases, apply spray until the coat is damp, not saturated.

{Alternate Instructions for 0.8 cc/spray sprayer}

[**Dosage:** Dose is about 5 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired cats/kittens will need less; more spray may be needed for long-haired cats/kittens. In all cases, apply spray until the coat is damp, not saturated.]

**For Mosquitoes on Cats:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Adams][Adams Plus] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] for these pests in conjunction with this treatment.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats/kittens with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL: Pesticide Storage:** Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Container**

**Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

#### **WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-248-7763/234-2269**

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR, vIGRen, Vet-Kem and Ovitrol are registered trademarks of Wellmark International.  
X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden  
& Pet Company  
Made in USA

## SUBLABEL FOR DOGS/CATS

### RF2063 PET SPRAY

Alternate brand name: **Vet Kem® Ovitrol® X-Tend™ Flea & Tick Spray for Dogs and Cats**

For [direct application to] Dogs and Puppies 10 weeks of age and older and Cats and Kittens 12 weeks of age and older

Contains Etofenprox, [to kill adult insects (fleas, ticks)] **Plus PRECOR® [S-Methoprene] [\*InfestStop™]**  
Insect Growth Regulator

Kills [adult] fleas and ticks [by contact], repels [adults] mosquitoes

[Kills flea eggs and larvae][Kills more than 90% of fleas in 1 day][Kills 80% of ticks in 1 day]

[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies (10 weeks of age or older)][Cats and Kittens (12 weeks of age or older)]

[Protects [Dogs] [Puppies] for up to [2] [Two] Weeks] [[2] Two Week Flea and Tick Treatment]

[Protects [Cats][Kittens] for up to [3][Three] Weeks] [[3] Three Week Flea and Tick Treatment]

[Dual Action kills adult fleas and prevents flea development][Dual protection (against fleas and ticks)]

[Protects against blood feeding by mosquitoes] [Repels mosquitoes][for 2 weeks (dogs)][for 3 weeks (cats)]

Contains [\*InfestStop™] an Insect Growth Regulator (IGR) to [kill flea eggs] and prevent [reinfestation] [flea development for [up to 10 weeks] up to [69 days] [2 months] [in Dogs][In Puppies], [up to 11 weeks] up to [80 days] [2.5 months] [in Cats][In Kittens]]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [69 days] [2 months](dogs), [up to 11 weeks] up to [80 days] [2.5 months](cats)]

[Controls flea reinfestation for [up to 10 weeks] up to [69 days] [2 months] (dogs), [up to 11 weeks] up to [80 days] [2.5 months] (cats)]

[One][1] Month Protection with 2 applications [Reapply every two weeks] (dogs)

[Reapply monthly] (cats)

[Suitable for year-round use]

Protects against fleas, ticks & mosquitoes for [up to 2 weeks (dogs)] [up to 3 weeks (cats)]

Effective in multi-pet households

Kills the Deer Tick, [*Ixodes scapularis* ] which may transmit Lyme Disease

[With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]

[Ready – To – Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

More killing power (when used with Adams Plus brand vs Adams)

[Contains [\*InfestStop™] [an Insect Growth Regulator (IGR) to kill flea eggs and larvae]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][\*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][\*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [\*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [69 days][2 months][up to 10 weeks]

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

**ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1).....	0.50%
(S)-Methoprene (CAS #65733-16-6) .....	0.27%
Piperonyl Butoxide (CAS #51-03-6)* .....	1.75%
<b>OTHER INGREDIENTS.....</b>	<b><u>97.48%</u></b>
<b>TOTAL.....</b>	<b>100.00%</b>

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS: 8,16, 32 fluid ounces

EPA Reg. No. 2724-797

EPA Est. No.

Lot No.:

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO DOMESTIC ANIMALS - CAUTION:** **Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age.** For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats: In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

**FIRST AID**

If in eyes	<ul style="list-style-type: none"><li>Call a poison control center or doctor for treatment advice.</li><li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>
------------	---

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call **1-800-248-7763/234-2269**, twenty-four (24) hours per day, seven (7) days per week.

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**\*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

## **DIRECTIONS FOR USE –**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### **GENERAL INFORMATION**

**[Brand Name] [Product Name] RF2063 PET SPRAY For Direct Application to Dogs/Puppies Cats/Kittens**

With [Contains] Etofenprox, [to kill adult insects [fleas and ticks]] Plus [S-Methoprene]

[Precor®][\*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

\*(S)-Methoprene (must occur on same panel wherever InfestStop™ is used)

### **HOW RF2063 PET SPRAY WORKS WHEN SPRAYED ON DOGS/PUPPIES CATS/KITTENS:**

**RF2063 Pet Spray** kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with **RF2063 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of [S-Methoprene] [PRECOR®] [\*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

### **USE RESTRICTIONS**

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER) AND CATS AND KITTENS (12 WEEKS OF AGE OR OLDER)!**

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



Do not apply this product to puppies less than 10 weeks of age and to kittens less than 12 weeks of age.

For Dogs and Puppies: The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application.

For Cats and Kittens: The maximum application rate for this product is once per month.

### **FOR FLEA AND TICK CONTROL ON DOGS AND CATS**

**SHAKE WELL BEFORE USING.**

**For Fleas and Ticks on Dogs and Cats:** A light, even coverage of the hair coat will provide effective flea and tick control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. Spray until damp, not saturated. Do not allow pets to become chilled. Wash hands after treatment, keep treated animal away from children until pet has dried.
4. Repeat every month for continuous home flea and tick infestation prevention.

**Dosage:** Dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired pets will need less; more spray may be needed for long-haired pets. In all cases, apply spray until the coat is damp, not saturated.

{Alternate Instructions for 0.8 cc/spray sprayer}

[**Dosage:** Dose is about 5 squeezes of the trigger sprayer [0.13 fluid ounce] per pound of body weight. Short-haired pets will need less; more spray may be needed for long-haired pets. In all cases, apply spray until the coat is damp, not saturated.]

**For Mosquitoes on Dogs/Puppies Cats/Kittens:** A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

RF2063 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Adams][Adams Plus] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] for these pests in conjunction with this treatment.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2063 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL: Pesticide Storage:** Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

#### **WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-248-7763/234-2269**

For more information, or in case of emergency, call 1-800-766-7661]

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR, vIGRen, Vet-Kem, and Ovitrol are registered trademarks of Wellmark International.  
X-Tend is a trademark of Farnam Companies, Inc. InfestStop is a trademark of Central Garden  
& Pet Company.  
Made in USA