

2724-798

10/15/2009

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505C)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

2724-798

Date of Issuance:

OCT 15 2009

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

RF2128 Dry Concentrate

Name and Address of Registrant (include ZIP Code):

Wellmark International
 1501 E. Woodfield, Rd., Suite 200W
 Schaumburg, IL 60173

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 2724-798."

Signature of Approving Official:

John Hebert, Product Manager (07)
 Insecticide-Rodenticide Branch, Registration Division (7505C)

Date:

OCT 15 2009

2/7

Page 2
EPA Reg. No. 2724-798

3. Storage stability (830.6317) and corrosion characteristics (830.6320) data must be submitted within 18 months from the date of this notice.

4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John Hebert
Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

3/7

[] & () Denote optional language

RF2128 DRY CONCENTRATE

(Diflubenzuron) (Dimilin®)[8.0%][[(Oral Larvicide)(Granules)(Premix)(Concentrate)
An (Insect Growth Regulator)(IGR)(Larvicide)(Insecticide)

For Use in (Cattle)(Horse)(Feeds)(Supplements)(Rations)

(Daily) feed concentrate for cattle (horses) containing [(Dimilin)(diflubenzuron)(brand name)]
Insect Growth Regulator (IGR) for continuous feeding during the fly season

[(Fly larvicide)(fly control)] for [(cattle)(horses)]

Controls flies [(developing) (growing)] in manure [of treated (cattle)(horses)(listed animals)]

[(Stops)(Prevents the)] development of House fly, Stable fly, Face fly and Horn fly larvae in
manure [(of)(from)] treated [(cattle)(horses)(listed animals)]

[(Stops)(Prevents the)] emergence of adult House flies, Stable flies, Face flies and Horn flies
from manure [(of)(from)] treated [(cattle)(horses)(listed animals)]

Contains [(diflubenzuron)(Dimilin®)(brand name)(Insect Growth Regulator)(IGR)(chitin synthesis
inhibitor)]

Breaks the [(fly)(flies')] life cycle

Prevents the formation of (chitin in) fly larvae's exoskeletons when they molt (resulting in their
death)

(Can be used as) part of [(an integrated) a (total) (a complete)] (fly control)(pest management)
program
(Patent pending)

ACTIVE INGREDIENT:

Diflubenzuron [CAS# 35367-38-5]	8%
Other Ingredients:	92%
Total	100%

Contains 1.28 ounces (36 grams) of diflubenzuron per pound.

KEEP OUT OF REACH OF CHILDREN CAUTION

See [side][back] panel(s) for additional Precautionary Statements

Net Weight: _____ lbs

EPA Reg. No. 2724-XXX
EPA Est. No.

ACCEPTED
With COMMENTS
In EPA Letter Dated:
OCT 15 2009

Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:

2724-798

4/7

[] & () Denote optional language

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, shoes plus socks, and chemical resistant gloves. Remove and wash contaminated clothing before reuse.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If on Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

If Swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-347-8272 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT

Mixers and other handlers must wear long-sleeved shirt and pants, shoes plus socks and chemical resistant gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters.

[] & () Denote optional language

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[(Brand Name)(This product)] [(prevents)(inhibits)(controls)] the [(development of fly larvae in)(fly emergence from)] the manure of treated [(cattle)(horses)(listed animals)]. When fed to [(cattle)(horses)(listed animals)] according to label directions, [(Brand Name)(This product)(Dimilin)(Diflubenzuron)] prevents the [(development)(emergence)] of [(horn flies), (face flies), (house flies) and (stable flies) (fecal flies)] [(in)(from)] the manure of treated [(cattle)(horses)(listed animals)]. Start feeding [(Brand Name)(This product)] early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

[(Brand Name)(This product)(Dimilin)(Diflubenzuron)] prevents the [(development) (emergence)] of [(horn flies), (face flies), (house flies) and (stable flies)(fecal flies)] [(in)(from)] the manure of treated [(cattle)(horses)(listed animals)], but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around [(cattle)(horses)(animals)] [(lots)(buildings)(stalls)(barns)(paddocks)(facilities)(sheds)(houses)] to control adult house flies and stable flies, which can breed not only in [(cattle)(horse)(listed animal)] manure, but in decaying vegetable matter or silage on the premises. In order to achieve optimum fly control, use [(Brand Name)(This product)(Dimilin)(Diflubenzuron)] in conjunction with other good management and sanitation practices.

The dosage of [(Brand Name)(This product)] is proportional to the animal's body weight and must be offered daily throughout the entire fly season. The following table [(gives dosage information)(provides the feeding rate)] for all approved species.

Species	Daily Feeding Rate of DFB AI	
	mg/kg	mg/cwt
Cattle - [(Brand name)(This product)] may be fed to beef and dairy cattle, including breeding cattle, lactating dairy cattle, growing and finishing cattle and calves, either in dry lot or on pasture up to slaughter and to lactating dairy cows without withholding milk from market during or after treatment.	0.10	4.55
Horses - [(Brand name)(This product)] may be fed to horses including ponies, burros, and donkeys. This product is not approved for use in pregnant mares.	0.15	6.82

6/7

[] & () Denote optional language

[(Brand Name)(This product)] is a specially formulated granular material for use in [(cattle)(horse)] feeds. It is approved for use in [(supplements)(complete feeds)(concentrates)(premixes)(hand feeds)(mineral supplements)(blocks)(tubs)]. It may also be used in [(liquid feeds)(dry milk replacer)] when suspension agents are used to maximize the positional stability of the other feed ingredients.

(Cattle) Feed Mixing Directions - 0.10 mg/kg/day
The following formula can be used when mixing cattle rations, including complete feeds, liquid feeds, (milk replacers,) supplements, premixes, supplements for hand feeding and mineral mixes.
$\left(\frac{\text{CWT}}{\text{Consumption (lbs)}} \right) \times 0.25 = \text{lbs of [(RF2128) (Brand Name)] per Ton of product being manufactured}$

(Horse) Feed Mixing Directions - 0.15 mg/kg/day
The following formula can be used when mixing horse rations, including complete feeds, tubs and blocks.
$\left(\frac{\text{CWT}}{\text{Consumption (lbs)}} \right) \times 0.375 = \text{lbs of [(RF2128)(Brand Name)] per Ton of product being manufactured}$

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store pesticide in original container in a dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this pesticide may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Completely empty bag into mixing equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[] & () Denote optional language

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. To the extent consistent with applicable law, Seller's liability for any breach of warranty shall not exceed the purchase price of the material as to which claim is made.

For information or in case of emergency, contact 1-800-347-8272.

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, IL 60173
[URL]

Dimilin is a registered trademark of Chemtura Corporation.
Contains Dimilin® (diflubenzuron) manufactured by Chemtura Corporation and/or its affiliates