
 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	<p>EPA Registration No. 2724-802</p>	<p>Date of Issuance: DEC - 9 2010</p>
<p>NOTICE OF PESTICIDE:</p> <p><input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	<p>Term of Issuance: Conditional Registration</p>	
<p>Name of Pesticide Product: RF2126 Pet Spray</p>		
<p>Name and Address of Registrant (include ZIP Code): Wellmark International 1501 E. Woodfield Road Suite 200W Schaumburg, IL 60173</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:</p> <ol style="list-style-type: none"> 1. The basic Confidential Statement of Formula (CSF) dated September 8, 2010 is the CSF of record and supersedes all previously accepted CSFs. The alternative confidential statement of formula dated January 25, 2010 is also acceptable. 2. Make the following changes to the label: <ol style="list-style-type: none"> a. Revise the EPA Registration Number to read: "EPA Registration No. 2724-803". 3. All of the product chemistry data requirements for this product have been satisfied, except for OPPTS Guidelines 830.6317 and 830.6320, Storage Stability and Corrosion Characteristics studies, respectively. Within on-year of the date of this registration you must submit these data including interim reports made at 0, 3, 6, 9, and 12 month intervals. 4. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA section 4. 		

5. The acute toxicity profile for this product is as follows:

Route of Exposure	Toxicity Category
Acute oral toxicity	IV
Acute dermal toxicity	IV
Acute inhalation toxicity	IV
Primary eye irritation	III
Primary skin irritation	IV
Dermal sensitization	Negative

A stamped copy of the label and copies of the Data Evaluation Records (DERs) are included for your file. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions concerning this registration, please contact Kevin Sweeney at (703) 305-5063.

Signature of Approving Official:



Richard Gebken, Product Manager (10)
 Registration Division, Insecticide Branch

Date:

DEC -9 1996

Enclosure

SUBLABEL FOR DOGS

RF2126 PET SPRAY

For Dogs and Puppies 10 weeks of age and older
 [Flea & Tick [Treatment][and][Control] for Dogs and Puppies 10 weeks old and older]
 Contains Etofenprox, [to kill adult insects]
 Kills [adult] fleas and ticks
 Kills flea and ticks through contact
 [Dual protection (against fleas and ticks)]
] [[2] Two Week Flea Treatment]
 [Reapply every two weeks][Suitable for year-round use]
 [Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
 Kills deer ticks
 Kills ticks that may transmit Lyme disease
 Pets may be treated indoors or outdoors
 Effective in multi-pet households
 [Fragrance Free] or [Fresh Scent]
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]
 [Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)0.25%
 Piperonyl Butoxide (CAS #51-03-6)*0.75%

OTHER INGREDIENTS..... 99.00%
TOTAL..... 100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX
 EPA Est. No.

[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD**

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas and ticks.

[Product Name] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs/puppies, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks, [RF2126 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired dogs/puppies may need less. In all cases, apply spray until the coat is damp, not saturated.

RF2126 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with RF2126 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

Made in USA

SUBLABEL FOR CATS

RF2126 PET SPRAY

For Cats and Kittens 12 weeks of age and older]
[Flea & Tick [Treatment] [and] [Control] for Cats and Kittens 12 weeks old and older]
Contains Etofenprox, [to kill adult insects]
Kills [adult] fleas and ticks
Kills fleas and ticks through contact
[Dual protection (against fleas and ticks)]
[Two (2) Week Flea Treatment]
[Reapply every 2 weeks] [Suitable for year-round use]

[Kills fleas that may transmit Tapeworm (Diplylidium caninum)]
Kills deer ticks
[Fragrance Free] or [Fresh Scent]
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.25%
Piperonyl Butoxide (CAS #51-03-6)*	0.75%
OTHER INGREDIENTS	<u>99.00%</u>
TOTAL	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX

EPA Est. No.

[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD**

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas and ticks.

[Product Name] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats/kittens, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. If your cat/kitten becomes reinfested with adult fleas or ticks, [RF2126 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with **RF2126 PET SPRAY** kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

Made in USA

SUBLABEL FOR DOGS/CATS

RF2126 PET SPRAY

For Dogs and Puppies 10 weeks of age and older
 For Cats and Kittens 12 weeks of age and older
 [Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks old and older][For Cats and Kittens 12 weeks of age and older]
 Contains Etofenprox, [to kill adult insects]
 Kills [adult] fleas and ticks
 Kills flea and ticks through contact
 [Dual protection (against fleas and ticks)]
 [[2] Two Week Flea Treatment]
 [Reapply every two weeks][Suitable for year-round use]
 [Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
 Kills deer ticks
 Pets may be treated indoors or outdoors
 Effective in multi-pet households
 [Fragrance Free] or [Fresh Scent]
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]
 [Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.25%
Piperonyl Butoxide (CAS #51-03-6)*	0.75%
OTHER INGREDIENTS	<u>99.00%</u>
TOTAL	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX
EPA Est. No.

**ACCEPTED
with COMMENTS
In EPA Letter Dated**
DEC 19 2010
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
2724-802

[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER OR CATS AND
KITTENS 12 WEEKS OF AGE OR OLDER**

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks.

[Product Name] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. If your pet becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired pets may need less. In all cases, spray until the coat is damp, not saturated.

RF2126 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2126 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid

11/11

waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

If in eyes

- Call a poison control center or doctor for treatment advice.
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact **1-800-XXX-XXXX** for emergency medical treatment information.

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

Made in USA