



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 28, 2025

Noelle Sanfilippo
Regulatory Affairs Specialist
Wellmark International
1501 East Woodfield Road, 200W
Schaumburg, Illinois 60173

Subject: Label Amendment - Registration Review Mitigation for Etofenprox
Product Name: RF2126 PET SPRAY
EPA Registration Number: 2724-802
Application Date: May 9, 2024
Decision Number: 595814

Dear Noelle Sanfilippo:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Etofenprox Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Koger by phone at (202)-566-2288 or via email at koger.demariah@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a stylized flourish at the end.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

SUBLABEL FOR DOGS

ETOFENPROX	GROUP	3A	INSECTICIDE
-------------------	--------------	-----------	--------------------

RF2126 PET SPRAY

For Dogs and Puppies 10 weeks of age and older
[Flea & Tick [Treatment][and][Control] for Dogs and Puppies 10 weeks old and older]
Contains Etofenprox, [to kill adult insects]
Kills [adult] fleas and ticks
Kills flea and ticks through contact
[Dual protection (against fleas and ticks)]
[[2] Two Week Flea Treatment]
[Reapply every two weeks][Suitable for year-round use]
[Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
Kills deer ticks
Kills ticks that may transmit Lyme disease
Pets must be treated indoors
Effective in multi-pet households
[Fragrance Free] or [Fresh Scent]
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....0.25%
Piperonyl Butoxide (CAS #51-03-6)*.....0.75%

OTHER INGREDIENTS. 99.00%
TOTAL. 100.00%


* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-802
EPA Est. No.



[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas and ticks.

[RF2126 PET SPRAY] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For indoor use only. Application of product on pets must only be done indoors. Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs/puppies, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks, [RF2126 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, so weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired dogs/puppies may need less. In all cases, apply spray until the coat is damp, not saturated.

RF2126 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with RF2126 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800- 234-2269 for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800- 234-2269**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[WWW.ADAMSPETCARE.COM]

Made in USA

SUBLABEL FOR CATS

ETOFENPROX	GROUP	3A	INSECTICIDE
-------------------	--------------	-----------	--------------------

RF2126 PET SPRAY

For Cats and Kittens 12 weeks of age and older]
[Flea & Tick [Treatment] [and] [Control] for Cats and Kittens 12 weeks old and older]
Contains Etofenprox, [to kill adult insects]
Kills [adult] fleas and ticks
Kills fleas and ticks through contact
[Dual protection (against fleas and ticks)]
[Two (2) Week Flea Treatment]
[Reapply every 2 weeks] [Suitable for year-round use]
[Kills fleas that may transmit Tapeworm (Dipylidium caninum)]
Kills deer ticks
[Fragrance Free] or [Fresh Scent]
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....0.25%

Piperonyl Butoxide (CAS #51-03-6)*075%

OTHER INGREDIENTS. 99.00%

TOTAL. 100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-802

EPA Est. No.

[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas and ticks.

[RF2126 PET SPRAY] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For indoor use only. Application of product on pets must only be done indoors. Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats/kittens, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. If your cat/kitten becomes reinfested with adult fleas or ticks, [RF2126 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with **RF2126 PET SPRAY** kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800- 234-2269 for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800- 234-2269**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[WWW.ADAMSPETCARE.COM]
Made in USA

SUBLABEL FOR DOGS/CATS

ETOFENPROX	GROUP	3A	INSECTICIDE
-------------------	--------------	-----------	--------------------

RF2126 PET SPRAY

For Dogs and Puppies 10 weeks of age and older
For Cats and Kittens 12 weeks of age and older
[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks old and older][For Cats and Kittens 12 weeks of age and older]
Contains Etofenprox, [to kill adult insects]
Kills [adult] fleas and ticks
Kills flea and ticks through contact
[Dual protection (against fleas and ticks)]
[[2] Two Week Flea Treatment]
[Reapply every two weeks][Suitable for year-round use]
[Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
Kills deer ticks
Pets must be treated indoors
Effective in multi-pet households
[Fragrance Free] or [Fresh Scent]
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....0.25%

Piperonyl Butoxide (CAS #51-03-6)*0.75%

OTHER INGREDIENTS. 99.00%

TOTAL. 100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-802

EPA Est. No.

[Brand Name] [Product Name] RF2126 PET SPRAY

With Etofenprox, [to kill adult insects]

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER OR CATS AND KITTENS 12 WEEKS OF AGE OR OLDER

HOW RF2126 PET SPRAY WORKS:

RF2126 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks.

[RF2126 PET SPRAY] uses the adult flea killing power of etofenprox to provide quick relief from biting fleas and the discomfort and irritation they cause.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For indoor use only. Application of product on pets must only be done indoors.

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos. Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. If your pet becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired pets may need less. In all cases, spray until the coat is damp, not saturated.

RF2126 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2126 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for local disposal options. Do not pour or dispose of down the drain or sewer.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800- 234-2269 for emergency medical treatment information.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800- 234-2269**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[www.adamspetcare.com]

Made in USA