


2724-803

12/09/2010

1/14


|  |  |  |   |
|--|--|--|---|
|   | <p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b><br/>Office of Pesticide Programs<br/>Registration Division (7505P)<br/>1200 Pennsylvania Ave., N.W.<br/>Washington, D.C. 20460</p> | <p>EPA Registration No.<br/><b>2724-803</b></p>  | <p>Date of Issuance:<br/><b>DEC -9 2010</b></p> |
| <p align="center"><b>NOTICE OF PESTICIDE:</b></p> <p align="center"> <input checked="" type="checkbox"/> Registration<br/> <input type="checkbox"/> Reregistration         </p> <p align="center">(under the Federal Insecticide, Fungicide,<br/>and Rodenticide Act, as amended)</p>  |  | <p>Term of Issuance:<br/><b>Conditional Registration</b></p> <p>Name of Pesticide Product:<br/><b>RF2127 Pet Spray</b></p> |   |
| <p>Name and Address of Registrant (include ZIP Code):<br/><b>Wellmark International</b><br/><b>1501 E. Woodfield Road</b><br/><b>Suite 200W</b><br/><b>Schaumburg, IL 60173</b></p>  |  |  |   |
| <p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>  |  |  |   |
| <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:</p> <ol style="list-style-type: none"> <li>1. The basic Confidential Statement of Formula (CSF) dated September 8, 2010 is the CSF of record and supersedes all previously accepted CSFs. The alternative confidential statement of formula dated January 25, 2010 is also acceptable.</li> <li>2. Make the following changes to the label:             <ol style="list-style-type: none"> <li>a. Revise the EPA Registration Number to read: "EPA Registration No. 2724-803".</li> </ol> </li> <li>3. All of the product chemistry data requirements for this product have been satisfied, except for OPPTS Guidelines 830.6317 and 830.6320, Storage Stability and Corrosion Characteristics studies, respectively. Within on-year of the date of this registration you must submit these data including interim reports made at 0, 3, 6, 9, and 12 month intervals.</li> <li>4. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA section 4.</li> </ol> |  |  |   |

5. The acute toxicity profile for this product is as follows:

| Route of Exposure         | Toxicity Category |
|---------------------------|-------------------|
| Acute oral toxicity       | IV                |
| Acute dermal toxicity     | IV                |
| Acute inhalation toxicity | IV                |
| Primary eye irritation    | III               |
| Primary skin irritation   | IV                |
| Dermal sensitization      | Negative          |

A stamped copy of the label and copies of the Data Evaluation Records (DERs) are included for your file. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions concerning this registration, please contact Kevin Sweeney at (703) 305-5063.

Signature of Approving Official:

  
Richard Gebken, Product Manager (10)  
Registration Division, Insecticide Branch

Date:

DEC - 9 1990

Enclosure

**SUBLABEL FOR DOGS**

**RF2127 PET SPRAY**

For Dogs and Puppies 10 weeks of age and older  
 [Flea & Tick [Treatment][and][Control] for Dogs and Puppies 10 weeks old and older]  
 Contains Etofenprox, [to kill adult insects] *Plus* PRECOR® Insect Growth Regulator [to kill flea eggs and flea larvae]  
 Kills [adult] fleas and ticks  
 Kills flea and ticks through contact  
 [Dual protection (against fleas and ticks)]  
 [Dual Action kills adult fleas and prevents flea egg hatch]  
 [[2] Two Week Flea Treatment]  
 [Reapply every two weeks][Suitable for year-round use]  
 [Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]  
 Kills deer ticks [that may transmit Lyme disease]  
 Kills ticks that may transmit Lyme disease  
 Contains an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies]  
 [Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]  
 [Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]  
 [Kills flea eggs [flea larvae] and prevents flea egg hatch]  
 [With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]  
 Pets may be treated indoors or outdoors  
 Effective in multi-pet households  
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]  
 [Satisfaction guaranteed or your money back]  
 [Fragrance Free] or [Fresh Scent]

**ACTIVE INGREDIENTS:**

|  |                |
|--|----------------|
| Etofenprox (CAS #80844-07-1) .....       | 0.25%          |
| (S)-Methoprene (CAS #65733-16-6).....    | 0.10%          |
| Piperonyl Butoxide (CAS #51-03-6)* ..... | 0.75%          |
| <b>OTHER INGREDIENTS</b> .....           | <u>98.90%</u>  |
| <b>TOTAL</b> .....                       | <b>100.00%</b> |

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 2724-XXX  
EPA Est. No.

4/14

**[Brand Name] [Product Name] RF2127 PET SPRAY**

With Etofenprox, [to kill adult insects] Plus Precor® Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD**

**HOW RF2127 PET SPRAY WORKS:**

**RF2127 Pet Spray** kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a **[Brand Name]** premise product. Effective flea control requires treatment of your pets, house, and yard.

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING.**

**For Fleas:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs/puppies, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks, **[RF2127 Pet Spray]** may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

**Treatment Dosage:** Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired dogs/puppies may need less. In all cases, apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL:** **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO ANIMALS - CAUTION:** Do not use on puppies less than 10 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

|  |   |
|--|---|
| <b>FIRST AID</b>   |   |
| If in eyes   | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul> |
| Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact <b>1-800-XXX-XXXX</b> for emergency medical treatment information. |   |

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

6/14

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR® Insect Growth Regulator is a registered trademark of Wellmark International.  
Made in USA

7/14

**SUBLABEL FOR CATS**

**RF2127 PET SPRAY**

For Cats and Kittens 12 weeks of age and older]  
 [Flea & Tick [Treatment] [and] [Control] for Cats and Kittens 12 weeks old and older]  
 Contains Etofenprox, [to kill adult insects] *Plus* PRECOR® Insect Growth Regulator [to kill flea  
 eggs and flea larvae]  
 Kills [adult] fleas and ticks  
 Kills fleas and ticks through contact  
 [Dual protection (against fleas and ticks)]  
 [Dual Action kills adult fleas and prevents flea egg hatch]  
 ] [Two (2) Week Flea Treatment]  
 , [Reapply every 2 weeks] [Suitable for year-round use]  
 [Kills fleas that may transmit Tapeworm (Dipylidium caninum)]

Kills deer ticks  
 Contains an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent  
 [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Cats and  
 Kittens]  
 [Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]  
 [Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]  
 [Kills flea eggs [flea larvae] and prevents flea egg hatch]  
 [With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]  
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]  
 [Satisfaction guaranteed or your money back]  
 Effective in multi-pet households  
 [Fragrance Free] or [Fresh Scent]

**ACTIVE INGREDIENTS:**

|  |               |
|--|---------------|
| Etofenprox (CAS #80844-07-1) .....       | 0.25%         |
| (S)-Methoprene (CAS #65733-16-6).....    | 0.10%         |
| Piperonyl Butoxide (CAS #51-03-6)* ..... | 0.75%         |
| <b>OTHER INGREDIENTS</b> .....           | <u>98.90%</u> |
| <b>TOTAL</b> .....                       | 100.00%       |

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel For Additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 2724-XXX  
EPA Est. No.

**[Brand Name] [Product Name] RF2127 PET SPRAY**

With Etofenprox, [to kill adult insects] Plus Precor® Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD**

**HOW RF2127 PET SPRAY WORKS:**

**RF2127 Pet Spray** kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a **[Brand Name]** premise product. Effective flea control requires treatment of your pets, house, and yard.

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING.**

**For Fleas:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats/kittens, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. If your cat/kitten becomes reinfested with adult fleas or ticks, **[RF2127 Pet Spray]** may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

**Treatment Dosage:** Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. In all cases, apply spray until the coat is damp, not saturated.



**RF2127 PET SPRAY** is most effective when used as part of a total flea and tick management program. Use other [Brand Name ] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with **RF2127 PET SPRAY** kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL:** **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO ANIMALS - CAUTION:** Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

| <b>FIRST AID</b>   |   |
|--|---|
| If in eyes   | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul> |
| Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact <b>1-800-XXX-XXXX</b> for emergency medical treatment information. |   |

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR® Insect Growth Regulator is a registered trademark of Wellmark International.  
Made in USA

11/14

SUBLABEL FOR DOGS/CATS

RF2127 PET SPRAY

For Dogs and Puppies 10 weeks of age and older,  
 For Cats and Kittens 12 weeks of age and older  
 [Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks old and older][For Cats and Kittens 12 weeks of age and older]  
 Contains Etofenprox, [to kill adult insects] Plus PRECOR® Insect Growth Regulator [to kill flea eggs and flea larvae]  
 Kills [adult] fleas and ticks, Kills flea and ticks through contact  
 [Dual protection (against fleas and ticks)]  
 [Dual Action kills adult fleas and prevents flea egg hatch]  
 [[2] Two Week Flea Treatment]  
 applications [Reapply every two weeks][Suitable for year-round use]  
 [Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]  
 Kills deer ticks [that may transmit Lyme disease]  
 Contains an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies][in Cats and Kittens]  
 [Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]  
 [Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]  
 [Kills flea eggs [flea larvae] and prevents flea egg hatch]  
 [With [S-Methoprene] [Precor®] Insect Growth Regulator to Break Flea Life Cycle]  
 Pets may be treated indoors or outdoors  
 Effective in multi-pet households  
 [Ready – To – Use [RTU] Spray] [Non-Aerosol]  
 [Satisfaction guaranteed or your money back]  
 [Fragrance Free] or [Fresh Scent]

ACTIVE INGREDIENTS:

|   |               |
|---|---------------|
| Etofenprox (CAS #80844-07-1) .....      | 0.25%         |
| (S)-Methoprene (CAS #65733-16-6).....   | 0.10%         |
| Piperonyl Butoxide (CAS #51-03-6)*..... | 0.75%         |
| <b>OTHER INGREDIENTS</b> .....          | <u>98.90%</u> |
| <b>TOTAL</b> .....                      | 100.00%       |

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN  
CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX  
EPA Est. No.

[Brand Name] [Product Name] RF2127 PET SPRAY

ACCEPTED  
 with COMMENTS  
 In EPA Letter Dated  
 DEC 9 2010  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under EPA Reg. No.  
2727-803

With Etofenprox, [to kill adult insects] Plus Precor® Insect Growth Regulator [to kill flea eggs and larvae]

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER OR CATS AND  
KITTENS 12 WEEKS OF AGE OR OLDER**

**HOW RF2127 PET SPRAY WORKS:**

**RF2127 Pet Spray** kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

**[Product Name]** combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a **[Brand Name]** premise product. Effective flea control requires treatment of your pets, house, and yard.

**DIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING.**

**For Fleas:** A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. If your pet becomes reinfested with adult fleas or ticks, **[RF2127 Pet Spray]** may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

**Treatment Dosage:** Treatment dosage is based on pet weight, so pet should be weighed before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired pets may need less. In all cases, spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

**STORAGE and DISPOSAL:** **Storage:** Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS -CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

**HAZARDS TO ANIMALS - CAUTION:** Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

|   |   |
|---|---|
| <b>FIRST AID</b>  |   |
| If in eyes  | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul> |
| Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information. |   |

**PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

14/14

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International  
1501 E. Woodfield Rd., 200W  
Schaumburg, IL 60173  
[URL]

PRECOR® Insect Growth Regulator is a registered trademark of Wellmark International.  
Made in USA