

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 5, 2013

Mr. James J. McFadden, Ph.D. Senior Regulatory Project Manager Wellmark International 1501 East Woodfield Road, Suite 200 West Schaumburg, IL 60173-5417

Subject:

Amending Labeling; Addition of *InfestStop™ to Subject Label

RF2127 PET SPRAY, EPA Reg. No. 2724-803 Your Submission Dated November 6, 2012

Dear Mr. McFadden

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following label revision provision(s):

General Comment(s):

1. Delete all text throughout the label marked with "strikethrough."

SUBLABEL FOR DOGS

Optional Marketing Statements section comment(s), top of page 1 of 12:

2. Revise the 2nd optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for Dogs and Puppies (10 Weeks of Age or Older)]"

Directions for Use section comment(s), middle of page 2 of 12:

- 3. Revise the statement starting with "IMPORTANT! READ ENTIRE LABEL ..." to read "IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES (10 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!" and relocate this revised statement to appear on the subject label immediately following the statement "It is a violation of ..."
- 4. Insert the following new "**USE RESTRICTIONS**" subsection to appear on the subject label immediately following the revised statement above to read:

USE RESTRICTIONS

- For indoor use only.
- Do not apply this product to puppies less than 10 weeks of age, and do not apply this product to other animals!

Storage & Disposal section comment(s), bottom of page 3 of 12:

- 5. Revise the existing "Storage:" subsection to read "Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 6. Revise the subsection heading "Disposal:" to read "Container Disposal:"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 3 of 12:

7. Revise the existing 3rd sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), top of page 4 of 12:

8. Revise the existing 2nd sentence within the "**HOT LINE NUMBER:**" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxx, twenty-four (24) hours per day, seven (7) days per week." ¹

SUBLABEL FOR CATS

Optional Marketing Statements section comment(s), top of page 5 of 12:

9. Revise the 2nd optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for Cats and Kittens (12 Weeks of Age or Older)]"

Directions for Use section comment(s), middle of page 6 of 12:

- 10. Revise the statement starting with "IMPORTANT! READ ENTIRE LABEL ..." to read "IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS OR KITTENS (12 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!" and relocate this revised statement to appear on the subject label immediately following the statement "It is a violation of ..."
- 11. Insert the following new "USE RESTRICTIONS" subsection to appear on the subject label immediately following the revised statement above to read:

USE RESTRICTIONS

- · For indoor use only.
- Do not apply this product to kittens less than 12 weeks of age, and do not apply this product to other animals!

Storage & Disposal section comment(s), middle of page 7 of 12:

- 12. Revise the existing "Storage:" subsection to read "Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 13. Revise the subsection heading "Disposal:" to read "Container Disposal:"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 7 of 12:

14. Revise the existing 3rd sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), top of page 8 of 12:

15. Revise the existing 2nd sentence within the "**HOT LINE NUMBER:**" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxx, twenty-four (24) hours per day, seven (7) days per week." ²

SUBLABEL FOR DOGS/CATS

Optional Marketing Statements section comment(s), top of page 9 of 12:

16. Revise the 3rd optional marketing statement to read "[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies (10 Weeks of Age or Older)][Cats and Kittens (12 Weeks of Age or Older)]"

Directions for Use section comment(s), middle of page 10 of 12:

- 17. Relocate the existing statement starting with "IMPORTANT! READ ENTIRE LABEL ..." to appear on the subject label immediately following the statement "It is a violation of ..."
- 18. Insert the following new "**USE RESTRICTIONS**" subsection to appear on the subject label immediately following the revised statement above to read:

USE RESTRICTIONS

- For indoor use only.
- Do not apply this product to puppies less than 10 weeks of age and to kittens less than 12 weeks of age!

¹ Please note that the "1-800-xxx-xxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

² Please note that the "1-800-xxx-xxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

Storage & Disposal section comment(s), middle of page 11 of 12:

- 19. Revise the existing "Storage:" subsection to read "Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals."
- 20. Revise the subsection heading "Disposal:" to read "Container Disposal:"

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 11 of 12:

21. Revise the existing 3rd sentence within this subsection to read "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

First Aid section comment(s), top of page 12 of 12:

22. Revise the existing 2nd sentence within the "**HOT LINE NUMBER:**" subsection to read "For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-xxx-xxx, twenty-four (24) hours per day, seven (7) days per week." ³

Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR §156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at <u>Rodia.Carmen@epa.gov</u>.

Sincerely Yours

Richard J. Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7504P)

Enclosure: 002724-00803 D472564

Label stamped "Accepted with Comments," dated February 5, 2013

³ Please note that the "1-800-xxx-xxxx" must be substituted with a valid phone number that is available twenty-four (24) hours per day, seven (7) days per week for answering and responding to any medical emergencies or health concerns.

RF2127 PET SPRAY

For Dogs and Puppies 10 weeks of age and older

[Flea & Tick [Treatment][and][Control] for Dogs and Puppies 10 weeks old and older] Contains Etofenprox, [to kill adult insects] Plus PRECOR® [*InfestStop**] Insect Growth

Regulator [to kill flea eggs and flea larvae]

Kills [adult] fleas and ticks

Kills flea and ticks through contact

[Dual protection (against fleas and ticks)]

[Dual Action kills adult fleas and prevents flea egg hatch]

[[2] Two Week Flea Treatment]

[Reapply every two weeks][Suitable for year-round use]

[Kills fleas that may transmit tapeworm (Dipylidium caninum)]

Kills deer ticks [that may transmit Lyme disease]

Kills ticks that may transmit Lyme disease

Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] [flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies]]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]

[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]

[Kills flea eggs [flea larvae] and prevents flea egg hatch]

[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

Pets may be treated indoors or outdoors

Effective in multi-pet households

[Ready - To - Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

[Fragrance Free] or [Fresh Scent]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [70 days][2 months][up to 10 weeks]

*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)

ACCEPTED
With COMMENTS
In EPA Letter Dated:
February 5, 20

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

2724-803

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.25%
(S)-Methoprene (CAS #65733-16-6)	0.10%
Piperonyl Butoxide (CAS #51-03-6)*	
OTHER INGREDIENTS	98.90%
TOTAL	100.00%

^{* (}butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX EPA Est. No. Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS AND PUPPIES MORE THAN 10 WEEKS OLD

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

- 1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
- 2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
- 3. For all dogs/puppies, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
- 4. If your dog/puppy becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired dogs/puppies may need less. In all cases, apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Storage: Do not store near heat or open flame. Store away from children and animals. **Disposal**: **Nonrefillable container**. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etcfenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	 Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
•	t container or label with you when calling a poison control center, doctor, or bing for treatment. You may also contact 1-800-XXX-XXXX for emergency information

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call 1-800-xxx-xxxx

Wellmark International 1501 E. Woodfield Rd., 200W Schaumburg, IL 60173 [URL]

PRECOR and vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA

RF2127 PET SPRAY

For Cats and Kittens 12 weeks of age and older]

[Flea & Tick [Treatment] [and] [Control] for Cats and Kittens 12 weeks old and older]

Contains Etofenprox, [to kill adult insects] Plus PRECOR® [*InfestStop™] Insect Growth

Regulator [to kill flea eggs and flea larvae]

Kills [adult] fleas and ticks

Kills fleas and ticks through contact

[Dual protection (against fleas and ticks)]

[Dual Action kills adult fleas and prevents flea egg hatch]

[Two (2) Week Flea Treatment]

[Reapply every 2 weeks] [Suitable for year-round use]

[Kills fleas that may transmit Tapeworm (Diplylidium caninum)]

Kills deer ticks

Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Cats and Kittens]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]

[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]

[Kills flea eggs [flea larvae] and prevents flea egg hatch]

[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

[Ready - To - Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

Effective in multi-pet households

[Fragrance Free] or [Fresh Scent]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [70 days][2 months][up to 10 weeks]

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.25%
(S)-Methoprene (CAS #65733-16-6)	0.10%
Piperonyl Butoxide (CAS #51-03-6)*	075%
OTHER INGREDIENTS	98.90%
TOTAL	100.00%

^{* (}butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX EPA Est. No. Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND KITTENS MORE THAN 12 WEEKS OLD

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with RF2127 Pet Spray will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

- 1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
- 2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
- 3. For all cats/kittens, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
- 4. If your cat/kitten becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. In all cases, apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with **RF2127 PET SPRAY** kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Storage: Do not store near heat or open flame. Store away from children and animals. **Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox care cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID		
If in eyes	 Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	
	container or label with you when calling a poison control center, doctor, or bing for treatment. You may also contact 1-800-XXX-XXXX for emergency of information	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call 1-800-xxx-xxxx

Wellmark International 1501 E. Woodfield Rd., 200W Schaumburg, IL 60173 [URL]

PRECORand vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA



SUBLABEL FOR DOGS/CATS

RF2127 PET SPRAY

For Dogs and Puppies 10 weeks of age and older,

For Cats and Kittens 12 weeks of age and older

[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies 10 weeks old and older][For Cats and Kittens 12 weeks of age and older]

Contains Etofenprox, [to kill adult insects] Plus PRECOR® [*InfestStop™] Insect Growth

Regulator [to kill flea eggs and flea larvae]

Kills [adult] fleas and ticks, Kills flea and ticks through contact

[Dual protection (against fleas and ticks)]

[Dual Action kills adult fleas and prevents flea egg hatch]

[[2] Two Week Flea Treatment]

[Reapply every two weeks][Suitable for year-round use]

[Kills fleas that may transmit tapeworm (Dipylidium caninum)]

Kills deer ticks [that may transmit Lyme disease]

Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies][in Cats and Kittens]

[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]

[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]

[Kills flea eggs [flea larvae] and prevents flea egg hatch]

[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]

Pets may be treated indoors or outdoors

Effective in multi-pet households

[Ready - To - Use [RTU] Spray] [Non-Aerosol]

[Satisfaction guaranteed or your money back]

[Fragrance Free] or [Fresh Scent]

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR) [Kills][Prevents][Keeps] flea eggs from hatching for up to [69 days][2 months][up to 10 weeks]



creĉs

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.25%
(S)-Methoprene (CAS #65733-16-6)	
Piperonyl Butoxide (CAS #51-03-6)*	0.75%
OTHER INGREDIENTS	98.90%
TOTAL	100.00%

^{* (}butylcarbityl) (6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-XXX EPA Est. No. Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE: USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER OR GATS AND KITTENS 12 WEEKS OF AGE OR OLDER

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

*(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

- 1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
- 2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
- 3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
- 4. If your pet becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired pets may need less. In all cases, spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Storage: Do not store near heat or open flame. Store away from children and animals. **Disposal**: **Nonrefillable container**. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consider a veterinarian immediately.

If in eyes	 Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then
Have the product	continue rinsing eye.
	ng for treatment. You may also contact 1-800-XXX-XXXX for emergency

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call 1-800-xxx-xxxx

Wellmark International 1501 E. Woodfield Rd., 200W Schaumburg, IL 60173 [URL]

PRECORand vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA

