



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 1, 2018

Nancy Huebl
Senior Registration Specialist
Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173

Subject: Notification per PRN 98-10 – Deleting marketing claim and other minor changes
Product Name: RF2127 PET SPRAY
EPA Registration Number: 2724-803
Application Date: 1/3/2018
Decision Number: 537236

Dear Ms. Huebl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Angela Hollis at 703-347-0216 or via email at hollis.angela@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Elizabeth Fertich". The signature is written in a cursive style with a large, stylized initial "E".

Elizabeth Fertich
Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

NOTIFICATION

2724-803

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

02/01/2018

SUBLABEL FOR DOGS

RF2127 PET SPRAY

For Dogs and Puppies 10 weeks of age and older
[Flea & Tick [Treatment][and][Control] for Dogs and Puppies (10 weeks of Age or older)]
Contains Etofenprox, [to kill adult insects] Plus PRECOR® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and flea larvae]
Kills [adult] fleas and ticks
Kills flea and ticks through contact
[Dual protection (against fleas and ticks)]
[Dual Action kills adult fleas and prevents flea egg hatch]
[[2] Two Week Flea Treatment]
[Reapply every two weeks][Suitable for year-round use]
[Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
Kills deer ticks [that may transmit Lyme disease]
Kills ticks that may transmit Lyme disease
Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] [flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies]]
[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]
[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]
[Kills flea eggs [flea larvae] and prevents flea egg hatch]
[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]
[Pets may be treated indoors or outdoors](#)
Effective in multi-pet households
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]
[Fragrance Free] or [Fresh Scent]
[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]
Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR)
[Kills][Prevents][Keeps] flea eggs from hatching for up to [70 days][2 months][up to 10 weeks]

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....	0.25%
(S)-Methoprene (CAS #65733-16-6).....	0.10%
Piperonyl Butoxide (CAS #51-03-6)*.....	0.75%
OTHER INGREDIENTS	<u>98.90%</u>
TOTAL.....	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-~~XXX~~803

EPA Est. No.

Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES (10 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!

USE RESTRICTIONS

For indoor use only.

Do not apply this product to puppies less than 10 weeks of age, and do not apply this product to other animals!

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp dog to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover dog's/puppy's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all dogs/puppies, spray until damp, not saturated. Do not allow dogs/puppies to become chilled.
4. If your dog/puppy becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired dogs/puppies may need less. In all cases, apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Container Disposal: Nonrefillable container.** Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on puppies less than 10 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-XXX-XXXX 24 hours per day, 7 days per week.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller’s liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECOR and vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.

Made in USA

SUBLABEL FOR CATS

RF2127 PET SPRAY

For Cats and Kittens 12 weeks of age and older]
[Flea & Tick [Treatment] [and] [Control] for Cats and Kittens (12 weeks of Age or older)]
Contains Etofenprox, [to kill adult insects] *Plus* PRECOR® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and flea larvae]
Kills [adult] fleas and ticks
Kills fleas and ticks through contact
[Dual protection (against fleas and ticks)]
[Dual Action kills adult fleas and prevents flea egg hatch]
[Two (2) Week Flea Treatment]
[Reapply every 2 weeks] [Suitable for year-round use]
[Kills fleas that may transmit Tapeworm (Dipylidium caninum)]
Kills deer ticks
Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Cats and Kittens]
[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]
[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]
[Kills flea eggs [flea larvae] and prevents flea egg hatch]
[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]
Effective in multi-pet households
[Fragrance Free] or [Fresh Scent]
[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]
Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR)
[Kills][Prevents][Keeps] flea eggs from hatching for up to [70 days][2 months][up to 10 weeks]

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....	0.25%
(S)-Methoprene (CAS #65733-16-6).....	0.10%
Piperonyl Butoxide (CAS #51-03-6)*.....	0.75%
OTHER INGREDIENTS	<u>98.90%</u>
TOTAL.....	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-~~XXX~~803
EPA Est. No.
Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS OR KITTENS (12 WEEKS OF AGE OR OLDER). DO NOT USE ON OTHER ANIMALS!

USE RESTRICTIONS

For indoor use only.

Do not apply this product to kittens less than 12 weeks of age, and do not apply this product to other animals!

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp cat to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover cat's/kitten's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all cats/kittens, spray until damp, not saturated. Do not allow cats/kittens to become chilled.
4. If your cat/kitten becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. In all cases, apply spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with **RF2127 PET SPRAY** kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: Do not use on kittens less than 12 weeks of age. For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-XXX-XXXX 24 hours per day, 7 days per week.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller’s liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECORand vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.
Made in USA

SUBLABEL FOR DOGS/CATS

RF2127 PET SPRAY

For Dogs and Puppies 10 weeks of age and older,
For Cats and Kittens 12 weeks of age and older
[Flea & Tick [Treatment][and][Control] for [Dogs and Puppies (10 weeks of Age or older)][Cats and Kittens (12 weeks of age or older)]
Contains Etofenprox, [to kill adult insects] *Plus* PRECOR® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and flea larvae]
Kills [adult] fleas and ticks, Kills flea and ticks through contact
[Dual protection (against fleas and ticks)]
[Dual Action kills adult fleas and prevents flea egg hatch]
[[2] Two Week Flea Treatment]
[Reapply every two weeks][Suitable for year-round use]
[Kills fleas that may transmit tapeworm (*Dipylidium caninum*)]
Kills deer ticks [that may transmit Lyme disease]
Contains [*InfestStop™] an Insect Growth Regulator (IGR) to kill [flea eggs][flea larvae] and prevent [reinfestation] flea development for [up to 10 weeks] up to [70 days] [2 months] [in Dogs and Puppies][in Cats and Kittens]
[Breaks Flea Life Cycle for [up to 10 weeks] up to [70 days] [2 months]
[Controls flea reinfestation for [up to 10 weeks] up to [70 days] [2 months]
[Kills flea eggs [flea larvae] and prevents flea egg hatch]
[With [S-Methoprene] [Precor®] [*InfestStop™] Insect Growth Regulator to Break Flea Life Cycle]
[Pets may be treated indoors or outdoors](#)
Effective in multi-pet households
[Ready – To – Use [RTU] Spray] [Non-Aerosol]
[Satisfaction guaranteed or your money back]
[Fragrance Free] or [Fresh Scent]
[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][*InfestStop™], the first insect growth regulator for flea control
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]
[(S)-Methoprene][*InfestStop™] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]
Flea control for dogs with [PRECOR®][vIGRen®] [*InfestStop™] Insect Growth Regulator (IGR)
[Kills][Prevents][Keeps] flea eggs from hatching for up to [69 days][2 months][up to 10 weeks]

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1).....	0.25%
(S)-Methoprene (CAS #65733-16-6).....	0.10%
Piperonyl Butoxide (CAS #51-03-6)*.....	0.75%
OTHER INGREDIENTS	<u>98.90%</u>
TOTAL	100.00%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

NET CONTENTS:

EPA Reg. No. 2724-~~XXX~~803

EPA Est. No.

Lot No.:

[Brand Name] [Product Name] RF2127 PET SPRAY

With Etofenprox, [to kill adult insects] Plus Precor® [*InfestStop™] Insect Growth Regulator [to kill flea eggs and larvae]

HOW RF2127 PET SPRAY WORKS:

RF2127 Pet Spray kills adult fleas, flea eggs, flea larvae, and ticks. Flea eggs and larvae sprayed with **RF2127 Pet Spray** will not grow into adults.

[Product Name] combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of PRECOR® [*InfestStop™] Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already developing in your house, then use a [Brand Name] premise product. Effective flea control requires treatment of your pets, house, and yard.

***(S)-Methoprene (Must occur on same panel wherever InfestStop™ is used)**

DIRECTIONS FOR USE - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES 10 WEEKS OF AGE OR OLDER OR CATS AND
KITTENS 12 WEEKS OF AGE OR OLDER**

USE RESTRICTIONS

For indoor use only.

Do not apply this product to puppies less than 10 weeks of age and to kittens less than 12 weeks of age.

SHAKE WELL BEFORE USING.

For Fleas: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
2. With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
3. For all pets, spray until damp, not saturated. Do not allow pets to become chilled.
4. If your pet becomes reinfested with adult fleas or ticks, [RF2127 Pet Spray] may be reapplied every two weeks after the initial application. Continue treatments for prevention of flea infestation.

Treatment Dosage: Treatment dosage is based on pet weight, weigh pet before treatment. Note that the labeled dose is about 4 squeezes of the trigger sprayer [0.13 fluid ounces] per pound of body weight. Short-haired pets may need less. In all cases, spray until the coat is damp, not saturated.

RF2127 PET SPRAY is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential [area] [premise] control [(carpets, upholstery and pet bedding)] of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with RF2127 Pet Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS -CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS - CAUTION: **Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age.** For external use only. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Have the product container or label with you when calling a poison control center, doctor, or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-XXX-XXXX 24 hours per day, 7 days per week.	

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call **1-800-xxx-xxxx**

Wellmark International
1501 E. Woodfield Rd., 200W
Schaumburg, IL 60173
[URL]

PRECOR and vIGRen are registered trademarks of Wellmark International. InfestStop is a trademark of Central Garden & Pet Company.
Made in USA