
	<p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	<p>EPA Registration No. <b>2724-808</b></p>	<p>Date of Issuance: <b>JAN 20 2011</b></p>
<p align="center"><b>NOTICE OF PESTICIDE:</b></p> <p align="center"> <input checked="" type="checkbox"/> Registration  <input type="checkbox"/> Reregistration         </p> <p align="center">(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>		<p>Term of Issuance: <b>Conditional Registration</b></p> <hr/> <p>Name of Pesticide Product: <b>RF2102 Fogger</b></p>	
<p>Name and Address of Registrant (include ZIP Code): <b>Wellmark International</b> <b>1501 E. Woodfield Road</b> <b>Suite 200W</b> <b>Schaumburg, IL 60173</b></p>			
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:</p> <ol style="list-style-type: none"> <li>1. The basic Confidential Statement of Formula (CSF) dated June 17, 2010 is the basic CSF of record and supersedes all previously accepted CSFs.</li> <li>2. Make the following changes to the label:         <ol style="list-style-type: none"> <li>a. Revise the EPA Registration Number to read: "EPA Registration No. 2724-808".</li> <li>b. Add the following to the Physical and Chemical Hazards Statements (Please refer to 40 CFR Part 156.78 and the attached product chemistry review):             <ol style="list-style-type: none"> <li>i. "Flammable. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the 'Directions for Use' on this label carefully."</li> <li>ii. A graphic symbol must be displayed on the label as referred to in 40-CFR Part 156.78(d)(3).</li> <li>iii. Refer to PR Notice 98-6 and the Label Review Manual and include the statements required for a Total Release Fogger product.</li> </ol> </li> <li>c. Change: "7 month protection [Protects for 7 months]" to "7-month protection from fleas [Protects from fleas for 7 months]."</li> <li>d. Change "Effective long-term control" to "effective long-term control of fleas."</li> </ol> </li> </ol>			

- e. Remove "[Brand name] keeps working in areas exposed to the sun."
- f. The use of the terms "Controls" and "reinfestation" may only refer to fleas. Remove those terms from any use directions or marketing claims that refer to other pests.
- g. Change "Inhibits [Controls] reinfestation for up to [210 days] [30 weeks][7 months]" to "Inhibits [Controls] flea reinfestation for up to [210 days] [30 weeks][7 months]"
- h. Based on the cited and submitted data, the label rate is not accurate. The area (expressed in square feet) and volume (expressed in cubic feet) the product can treat should be reduced by one-half. Please refer to the attached product performance DER

- 3. All of the product chemistry data requirements for this product have been satisfied, except for OCSPG Guidelines 830.6317 and 830.6320, Storage Stability and Corrosion Characteristics studies, respectively. Within one-year of the date of this registration you must submit these data including interim reports made at 0, 3, 6, 9, and 12 month intervals.
- 4. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA section 4. EPA published the notice of availability of the MGK 264RED in the Federal Register on July 26, 2006 (Vol. 71, No. 143, Pgs 42382-83). EPA also published the notice of availability of the Tetramethrin RED in the Federal Register on July 16, 2008 (Vol. 73, No. 137, Pgs 40870-71). As a result, additional data and/or labeling changes may be required for products containing MGK 264 and/or tetramethrin.
- 5. The acute toxicity profile for this product is as follows:

Route of Exposure	Toxicity Category
Acute oral toxicity	IV
Acute dermal toxicity	IV
Acute inhalation toxicity	IV
Primary eye irritation	III
Primary skin irritation	IV
Dermal sensitization	Negative

A stamped copy of the label and copies of the Data Evaluation Records (DERs) are included for your file. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions concerning this registration, please contact Kevin Sweeney at (703) 305-5063.

Signature of Approving Official:  Richard Gebken, Product Manager (10) Registration Division, Insecticide Branch	Date: <p style="text-align: center;">JAN 20 2011</p>
--	---

[ ] Indicates optional wording

# RF2102 FOGGER M

Contains PRECOR® Insect Growth Regulator, [Plus Etofenprox, an adulticide]  
 For use in homes [family rooms, great rooms], garages, and kennels, [offices][and enclosed non-food/feed areas of restaurants, industrial buildings, warehouses, theaters]  
 Contains [With] PRECOR® [vIGRen®] Insect Growth Regulator [reaches fleas hidden in carpets, rugs, drapes, upholstery, pet bedding and floor cracks]  
 Stops hatching eggs [Kills] [flea larvae][from developing into adult fleas] for 210 days [7 months][30 weeks]  
 7 month protection [Protects for 7 months]  
 Effective long-term control  
 [Brand name] keeps working in areas exposed to the sun  
 Contains an Insect Growth Regulator (IGR) – Kills flea eggs  
 Kills present [today's] fleas and prevent new [tomorrow's] fleas from growing up to bite  
 [Also] Kills [Controls][adult] fleas and [pre-adult fleas] [including] their hatching flea eggs [flea larvae], ticks, cockroaches, ants, spiders, mosquitoes & silverfish  
 Kills fleas [plus][+] [kills][hatching] eggs  
 Kills fleas you see and those you don't  
 Leaves no lingering odor [bad smell] or stains [no sticky mess]  
 Non-Staining, Easy to apply  
 Effectively breaks the flea life cycle  
 Prevents flea reinfestation and flea build-up for 210 days [7 months][30 weeks]  
 Inhibits [Controls] reinfestation for up to [210 days [30 weeks][7 months]  
 [Each fogger treats up to [6000/4000/2000] cubic feet (up to [750/500/250] sq ft)][Multi-room [use] 3 pack][Value Pack]  
 [Water based] [NEW formula]  
 Contains no CFC or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.  
 Economical Do-It-Yourself Pest Control  
 Kills Exposed or Accessible Stages of these Insects: Ants, Carpet Beetles, Cockroaches, Confused Flour Beetles, Crickets, Earwigs, Firebrats, Fleas, Flies, Fruit Flies, Hornets, House Flies, Mosquitoes, Pillbugs, Saw-Toothed Grain Beetles, Silverfish, Sowbugs, Spiders, Stable Flies, Wasps, and Yellow Jackets  
 Optional Spanish note: For instructions and warranty in Spanish, see inside of carton.  
 If you do not have a carton, call 1-800-XXX-XXXX.  
 Sold by veterinarians for over 30 years

### ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6).....	0.09%
Etofenprox (CAS #80844-07-1).....	0.50%
Tetramethrin (CAS #7696-12-0).....	0.40%
N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4).....	0.50%

<b>OTHER INGREDIENTS:</b> .....	<b>98.51%</b>
<b>TOTAL</b>	<b>100.00%</b>

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See back panel for additional Precautionary Statements

EPA Reg. No. 2724-~~XXX~~808  
 EPA Est. No.  
 Net Contents: 6 oz [4 oz/2 oz][not for individual sale]

ACCEPTED  
 with COMMENTS  
 In EPA Letter Dated  
 JAN 20 2011  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under EPA Reg. No.  
 2724-808

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Causes moderate eye irritation. Repeated exposure to etofenprox can cause skin irritation. Avoid contact with eyes, skin, or clothing. Breathing spray mist may be harmful. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS.**  
**INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA**

**GENERAL PRECAUTIONS AND RESTRICTIONS**

Wait two (2) hours after application, then open windows, vents, and doors for two hours. If an odor is still detected, additional ventilation is required.  
Remove or cover exposed food and drinking water before application.  
Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

**[Brand Name] RF2102 Fogger M** kills adult fleas, hatching flea eggs, flea larvae, and ticks [houseflies, gnats, cockroaches, carpet beetles, ants, spiders, flying moths, clothes moths, mosquitoes, silverfish, sawtoothed grain beetles, rice weevils, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs]. **Does not control bedbugs.** PRECOR® (vIGRen®) Insect Growth Regulator, the ingredient in [Brand Name], provides 7 months' [210 days'] [30 weeks'] protection by preventing flea eggs from ever developing into biting fleas. This [Brand Name] product enables you to fill an entire room with insect-killing fog while you are away. For best results, use [Brand Name] fogger together with other [Brand Name] products for complete control of fleas and ticks.

**[Brand Name] [RF2102 Fogger M]** reaches fleas hidden in carpets, rugs, drapes, upholstery, pet bedding, and floor cracks. For best results, treat entire dwelling with particular attention to kitchens and bathroom areas. Use only one fogger for each [750 sq. ft.] [500 sq. ft.] [250 sq. ft.] (25' x 30' area with an 8' ceiling or 6,000 cubic feet) (25' X 15' area with an 8' ceiling or 4,000 cubic feet) (15' X 17' area with an 8' ceiling or 2,000 cubic feet) of floor space.

NOTE: Schools, transportation facilities and hospitals/nursing homes are not use sites on label) [For Commercial/Occupational use] For use in the non-food and non-feed areas of food and feed handling establishments. Do not use in food or feed areas of food or feed handling establishments, restaurants or other areas where food or feed is commercially prepared or processed. Do not use in serving areas while food is exposed or the facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. Remove food from food serving areas of commercial establishments prior to treatment. Wash all exposed food serving/handling surfaces thoroughly with water following treatment and before use. Non-food and non-feed areas of food and feed establishments are areas such as garbage rooms, lavatories, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning and bottling). Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**SHAKE WELL BEFORE USING**

**To Use This Product Correctly**

DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets or under counter or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. DO NOT use in a room 5 ft. x 5 ft. or smaller; instead, allow fogs to enter from other rooms. TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

**FOR CONSUMER USE:** Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

**Before You Fog [Note that numbered statements correspond to pictograms]**

1. Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, OPEN cabinets, cupboards, drawers, closets and doors in areas to be treated.
2. REMOVE or cover exposed foods, dishes, cooking utensils, food-processing equipment and surfaces. REMOVE pets and birds; COVER and turn off air flow systems in aquariums. REMOVE or COVER childrens' and pets' toys. COVER waxed wood floors and waxed wood furniture in the immediate area surrounding the fogger (newspaper may be used).
3. CLOSE outside doors and windows. SHUT OFF fans and air conditioners and temporarily disconnect smoke alarms.
4. TURN OFF ALL FLAMES AND PILOT LIGHTS, or other running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.
5. DO NOT use fogger in a cabinet or under a counter or table.
6. Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper or paper towels.

**To Start Fogging**

1. **SHAKE WELL BEFORE USING.** Before activating, tilt sprayer AWAY from face (fogger sprays up). Press down firmly on edge of actuator tab until it locks into place. Do not inhale the spray mist.
2. Set fogger on chair covered with newspapers or paper towels and leave the premises immediately.
3. **Vacate the treated house, individual apartment unit, or other structure immediately. KEEP TREATED AREA CLOSED. DO NOT RE-ENTER FOR AT LEAST TWO HOURS.** Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time).

[Door Hang Tag Text]

"Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for X hours."

Do not enter until [space for time] on [space for date].

[Brand Name][Product Name] Treatment.

[This room is currently being treated by (Brand Name)]

[Another room protected by (Brand Name)]

[(Brand Name) treatment underway]

**After Fogging**

1. **AIRING OUT: BEFORE REOCCUPYING THE AREA, OPEN ALL DOORS AND WINDOWS, TURN ON AIR CONDITIONER AND FANS AND ALLOW TREATED AREA TO AIR OUT FOR 30 MINUTES.** Do not allow children or pets to contact treated surfaces until spray has dried.
2. Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off.
3. For best results, spot treat with [Brand Name] premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea and tick control product registered for use on pets before allowing them to re-enter the treated areas.

**STORAGE and DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. (for occupational use only) **STORAGE:** Store in a cool, dry area away from heat or open flame.  
**DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available.  
**If partly filled:** Call your local solid waste agency for disposal instructions.

For more information [about {Brand Name} products][about flea and tick problems and how to solve them] or in case of emergency, call 1-800 XXX XXXX [weekdays from][time]. [Unconditional money back guarantee][Satisfaction Guaranteed or your money back][In case of emergency or for product use information, call (phone number): (URL)][If not completely satisfied with this product, return it to place of purchase with your receipt for a full refund.]

**WARRANTY STATEMENT**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages

PRECOR®, vIGRen® Insect Growth Regulator, and ZODIAC®, are registered trademarks of Wellmark International.

Wellmark International  
1501 E. Woodfield Rd. 200W  
Schaumburg, IL 60173  
[URL]  
Made in USA

[Optional marketing information: one of following options to be used)  
Flea Life Cycle graphic: Eggs/Larvae/Pupae/Adult Flea

**IMPORTANT INFORMATION ABOUT FLEA CONTROL** [3 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these three easy steps:

**STEP 1 - TREAT YOUR PET**

- \* Apply a topical or Shampoo, Dip or Mousse to your pet to kill biting adult fleas on your pet.
- \* [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**STEP 2 - PROTECT YOUR PET**

- \* Collar your pet to provide long-lasting protection.
- \* This collar kills biting adult fleas.
- \* Use [Brand Name] flea spray to provide quick kill of fleas your pet picks up on outings.

**STEP 3 - TREAT YOUR HOME**

- Treat indoors [premises] and outdoors with [Brand Name] products to protect your entire home and guard against reinfestation.
- [Brand Name] products in Step 3 kill biting adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**IMPORTANT INFORMATION ABOUT FLEA CONTROL** [4 Steps]

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. [Brand Name] products have been formulated to work together well with other [Brand Name] products. For best results, simply follow these four easy steps:

**1 - Shampoo or Dip your pet**

- \* A Shampoo, Dip or Mousse will kill biting adult fleas on your pet.
- \* [Brand Name] products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator.

**2 - Place a Collar on your pet**

- \* A [Brand Name] Collar will provide long-lasting protection.
- \* This collar kills biting adult fleas.

**3 - Treat the areas your pet frequents**

- All [Brand Name] products in Step 3 contain PRECOR [VIGREN] Insect Growth Regulator. Use a [Brand Name] Aerosol, Fogger or Spray to kill adult fleas and flea larvae in your yard.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

**4 - Maintain your flea-free pet**

- Use a [Brand Name] On-Animal Spray to kill any fleas your pet picks up on outings.
- [Brand Name] products in Step 4 kill adult fleas and flea eggs using a combination of an adulticide and PRECOR [VIGREN] Insect Growth Regulator. [optional marketing label text for Hartz:



Important Information: The A B C's of Flea and Tick Control [Management]

- A Treat Your Pet with {Brand Name} to kill fleas and ticks [living on your pet] while conditioning your dog's coat.
- B Protect Your Pet with {Brand Name} to keep fleas and ticks from reinfesting your pet. For continuous protection, use {Brand Name}.
- C Treat Your Home with {Brand Name} containing **VIGREN**, an insect growth regulator (IGR). Both are guaranteed to kill fleas and ticks plus protect your home from reinfestation of hatching eggs for 210 days.

Be sure to read full directions and precautions on the label of each product you use.]

{Brand Name} products are designed to work together in a complete insecticidal system. For [elimination] total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use {Brand Name} products to follow these simple ABC's for control [to get rid] of fleas and ticks on your pet and around your home.

- A **TREAT YOUR PET** with one of the {Brand Name} on-animal products such as {Brand Name}. Use a {Brand Name} product containing **VIGREN**, an Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.
- B **PROTECT YOUR PET** with a {Brand Name} repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The {Brand Name} collar with **VIGREN** IGR will also prevent flea eggs from hatching.
- C **TREAT YOUR HOME**, both indoors and outdoors, with {Brand Name} home spray or fogger, both with **VIGREN** IGR and {Brand Name} yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on the label of each product you use.]