

2724-814

10/11/2011

1/12



**U.S. ENVIRONMENTAL PROTECTION AGENCY**

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Registration No.

**2724-814**

Date of Issuance:

**OCT 11 2011**

**NOTICE OF PESTICIDE:**

- Registration
- Reregistration

(under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

Term of Issuance:

**Conditional Registration**

Name of Pesticide Product:

**RF2175 CCSO-K**

Name and Address of Registrant (include ZIP Code):

**Wellmark International  
1501 E. Woodfield Road  
Suite 200W  
Schaumburg, IL 60173**

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:

1. This registration is time-limited and expires two years from the date this product is first released for shipment.
  - a. You must provide the Agency with a projected release for shipment date within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected release for shipment date until an actual release for shipment date is provided in writing.
2. The basic Confidential Statement of Formula (CSF) dated June 15, 2011 is the CSF of record and supersedes all previously accepted CSFs. All of the product chemistry data requirements for this product have been satisfied.
3. Make the following changes to the label:

a. Submit a revised label addressing all changes described below no later than six months from the date of this registration notice. If EPA does not receive a label with these changes within that time frame, the Agency will consider whether further regulatory action is necessary to ensure your products continue to meet the standard for registration set forth in the Federal Insecticide, Fungicide and Rodenticide Act ("FIFRA").

i. **Label changes**

a. Revise the EPA Registration Number to read: "EPA Registration No. 2724-814".

b. Make the following changes on the **Front Panel**

Include the word "cat" in your product's brand name and increase the size of the word "cat" to 75% the height of the largest letter in the primary brand name.

Include the word "only" when referring to cat size and age and place this restriction in a box prominently on the front panel. Examples: "Only for use on cats larger than 9 lbs."; "Use only on cats weighing between 1 and 7 lbs."; and "Only for use on kittens older than 8 weeks."

Place a large, clear picture of a cat in the weight range for the product as packaged on the front panel of the label.

c. Make the following changes to the **Back Panel**:

Place a box on the back panel labeled "Side Effects" at the lower right hand corner of the back panel. Either include the language below or propose your own side effects language based on incident reports, companion animal safety data, and/or clinical trials, if available. *"Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [Registrant at 1-800-number]."* Please note that the Agency prefers product-specific warnings, where available, but understand that some registrants were requesting more specific guidance. In the event that you want to provide alternate or varying language please discuss your reasons for the change.

d. Directions for Use:

Repeat the word "cat" throughout the directions for use.

Include the word "only" when referring to cat size and age restrictions.

To avoid overdose for cats larger than 20 lbs, please provide specific language which instructs consumers to not double-dose animals larger than the upper weight limit on the package for the largest size cats.

On the smallest package size, please include lower weight limit which corresponds to the lower limit of the dose ranges based on animals tested in your supporting companion animal study. Include the language "Do not

apply to cats weighing less than [insert weight] lbs” where [insert weight] is replaced with the lowest weight in pounds of the animals tested in your supporting companion animal study.  
Include the language, “Do not allow your cat to ingest this product.”

- e. Applicator Vial - Place weight and age restrictions on the immediate container for the vial and/or the vial itself.

4. The acute toxicity profile for this product is as follows:

Route of Exposure	Toxicity Category
Acute oral toxicity	IV
Acute dermal toxicity	IV
Acute inhalation toxicity	Waived
Primary eye irritation	IV
Primary skin irritation	IV
Dermal sensitization	Negative

SIGNAL WORD: CAUTION

5. You must submit enhanced incident reports for this product on a quarterly basis beginning January 1, 2012. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division, Immediate Office (ATTN: Kimberly Nesci).

The following is a list of information needed by EPA to better characterize these incidents:

- EPA Registration Number
- Product name (brand name)
- Lot #
- Where purchased: internet, store, veterinarian
- Active Ingredient(s)
- Weight range for product

- Date on which incident occurred. (mm/dd/yyyy)
- State in which the incident occurred. (standard 2 letter abbreviation)
- Registrant case #

- Species: dog, cat, other (specify)
- Breed: (as reported by pet owner)
- Age: months or years
- Sex: M, F, or neutered
- Weight: pounds



Primary Route of Exposure: dermal, oral, other animal, inhalation, other  
 Body System: neurological, dermatological, GI, respiratory, ocular, other  
 Major signs noted with separate column for each sign, using standard terminology  
 Time to Onset: (hours, days)  
 Treated by veterinarian: yes or no  
 First time product used: yes or no  
 Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)  
 Any known precondition  
 EPA Severity Code: death, major, moderate, minor  
 Outcome: died, recovered, still treated, unknown

Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:

All incidents should be reported including all minor dermal and ocular irritation reports.

Summary table for cats showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.

Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).

A summary table for cats showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.

A summary table showing the number of cat incidents for each severity code for each pet weight range on the product label.

A summary table for cat weight showing number of incidents for each product weight range. This table should show number of incidents in cats weighing less than that product weight range, number of incidents in cats in lower half of weight range, number of incidents in cats in the upper half of weight range, and cats weighing more than the product weight range.

Table showing number of incidents for each cat breed.

Table showing number of incidents in cats for each clinical sign.


Table showing number of incidents in cats for each organ system.

Report aggregate incidents, but do not combine moderate and minor incidents

- 6. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. Submit the following with the finished labeling:
  - a. master labels as they will appear when printed on product boxes for all product dose ranges.
  - b. copies of any package inserts that may be provided in product packaging (including such things as monthly reminder stickers and additional directions for use).
  - c. images of vial packaging and labeling (actual empty vial can be provided instead, but it is not required).

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is included for your file. If you have any questions concerning this registration, please contact Kevin Sweeney at (703) 305-5063.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

Signature of Approving Official:  Richard Gebken, Product Manager (10) Registration Division, Insecticide Branch	Date: OCT 11 2011
--	----------------------

EPA Form 8570-6

Enclosure

[ ] Optional Copy

### RF2175 CCSO-K

#### Alternate brand names:

[Text for "Cat" must be same size as Brand Name]

Front Panel - For Use Only on Cats and Kittens 12 weeks of age or older and [5 lbs. and over] [over 2.5 lbs and under 5 lbs]

[Flea & Deer Tick] [Treatment] [and] [Control]

#### (General/Protection claims)

1 ml [cc] [0.34 fl oz] for cats [kittens] over 2.5 lbs and under 5 lbs.; 1.8 ml [cc] [0.61 fl oz] for cats/kittens 5 lbs. and over

Do not use more than one vial per cat

For use on cats/kittens [weighing] [over 2.5 lbs and under 5 lbs.][5 lbs. and over]

For cats/kittens weighing [5 lbs and over][over 2.5 lbs and under 5 lbs]

Flea & Deer Tick [Protective] for cats [& kittens]

[Flea & deer tick] treatment for cats [& kittens]

[Special formula for cats/kittens][Superior flea prevention and treatment specially formulated for use on [all] cats and kittens [12 weeks of age and older]

Spot On [Topical][Non-systemic] treatment for pets [cats]

Flea, Deer Tick, and Mosquito Treatment [Control][Prevention][Relief] for Cats & Kittens

5 in 1 Control [Protection][Treatment] (Fleas, Flea Eggs, Flea Larvae Deer Ticks, and Mosquitoes)

[1 month][monthly][flea, deer tick, & flea egg][ protection

Monthly treatment for [fleas, flea eggs, & deer ticks]

Flea [and deer tick][and mosquito] control for your cat/kitten

A smart approach to flea control

Improved flea, deer tick, and mosquito control

Keeps fleas, deer ticks, and mosquitoes under control

[Advanced] Spot On [Plus] Insect Control [Treatment and Prevention]

A flea control program

Controls flea, deer tick, and mosquito problems

Pet-assured [secure] flea, deer tick, and mosquito protection

Provide your cat/kitten with flea, deer tick, and mosquito protection, right from the start

Provides protection

Direct on-animal protection from fleas, deer ticks, and mosquitoes

Provides relief [protection] from fleas, deer ticks, and mosquitoes

Once-a-month [topical][Spot On] protection from fleas, and deer ticks,

Long lasting, flea, deer tick, and mosquito protection

#### (Kills/Repels/Controls claims)

[Actively] Kills [Controls] [adult] fleas, deer ticks, [larvae], and flea eggs for [up to][4 weeks][1 month][per application]

[Actively] Kills [fleas][deer ticks][flea eggs][larvae][&][and][mosquitoes][by contact]Kills [and/or Repels] mosquitoes [for up to 18 days][by contact]

Controls fleas, deer ticks, and mosquitoes & prevents flea reinfestations [in your home]

[Kills deer ticks] (for up to 1 month [4 weeks]) [per application]

Protects your pet [cat][kitten] from fleas, deer ticks, and mosquitoes (which may transmit heartworm disease )


Effectively controls fleas, deer ticks, and mosquitoes

Kills [Controls] deer ticks that may transmit [][Lyme disease][and Cytauzoonosis] for up to [1 month][4 weeks]

Protect your [cat/kitten] pet from [against] deer ticks that may transmit Lyme disease

Kills [and repels] mosquitoes [that may transmit heartworm disease]

Prevents mosquitoes from feeding on cats



**ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
OCT 11 2011**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.  
2724-814




Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation  
Preventative treatment for fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation  
Control highly irritating flea, deer tick, and mosquito [insect] bites

(More general claims)

When it comes to fleas and deer ticks, there's no room for compromise  
[Brand] protecting pets for over 35 years

(Flea egg/life cycle claims)

Kills [Controls] flea eggs for up to [30 days][1 month][4 weeks][per application]  
Kills flea eggs, the source of home flea infestations and pet re-infestations, for up to [30 days][1 month][4 weeks]  
Advanced [topical][flea egg treatment] that's easy and convenient to use  
[Kills][Prevents][Keeps] flea eggs from hatching for up to [30 days][1 month][4 weeks]  
Prevents flea eggs from developing into biting adults for up to [30 days][1 month][4 weeks][per application]  
An effective flea topical [A Spot On] product that kills adult fleas and halts the development of flea eggs [immature stages in the flea life cycle]  
Kills [flea] eggs before they hatch into biting adults  
Prevents re-infestation for up to [1 month][30 days][4 weeks]  
Kills hatching [developing] flea eggs  
Interrupts normal flea development [Stops the flea life cycle]  
Interrupts the flea life cycle  
Breaks the flea life cycle for up to [1 month][4 weeks][30 days]  
Controls[Kills][Lasts][Works][Protects] flea infestations for up to [1 month][4 weeks]  
One-two punch controls fleas and flea eggs  
Controls existing fleas and flea eggs, plus [and][prevents] future flea infestations  
Plus kills flea eggs and larvae to prevent future infestations



(Application claims)

[#] pack [# days] [#] doses [1/2/3/4/5/6] months supply  
One tube gives [1 month][4 weeks] of protection  
[Pre-measured][Convenient][and][&][No mess][easy][simple] to [use][handle][apply] disposable applicator [tube]  
Convenient [and effective], once-a-month [liquid][topical][Spot On] solution  
Practical solution  
Simple choice [flea & deer tick control]  
A [One] simple application provides your cat/kitten with protection for up to [1 month]  
Apply to one spot for head to tail (total body) flea protection [control]  
Apply to 1 spot - spreads over the cat's [entire] body [from head to tail] through natural skin oils  
Spreads naturally with cat's skin oils  
[Plus] Contains a natural coat conditioner  
[Once][One] Monthly Application  
Easy to use [once] monthly application [liquid] prevents [and controls] fleas [& deer ticks]  
Reapply [Repeat] [once] monthly  
Repeat [treatment] every month  
Monthly Control [Relief][treatment]

(Applicator claims)

Unique Applicator [tube] Shape [Design][helps prevents misuse on dogs][helps prevents misapplication on dogs]

Unique shape [for cats & kittens 5 lbs and over][for cats & kittens under 5 lbs]

Pet Specifix® Applicator Accu-Tip Dispenser

[New][X] Pro-cision Flo™ Applicators [tubes]

[New][Exclusive][Pinpoint][Applicator] for [pinpoint][exact][direct][easy][direct to skin] application

Patent pending

For pinpoint accuracy

Direct to your cat's skin

Easily penetrates hair

The [Pro-cision Flo™][exclusive][new] applicator [tube][easily penetrates hair][fur][coat] for [improved][direct] application [directly to your cat's skin]

Easy to apply [identify][use] applicator [tube]

The right choice [applicator][tube] for the right cat/kitten

Make [Select] the right choice [applicator][tube][shape]

Choice [selection] is simple

Easy choice

Simple choice delivery system


Easy to use applicator [tube] [provides direct on-animal protection]

Longer Applicator [tube][tip] for easy application [to long-haired cats]

Longer tube [applicator][tip] is ideal for long-haired pets [cats/kittens]

Helps Prevent [misapplication on dogs] misuse on dogs with unique [specially designed] applicator [tube] design

EZ-squeeze [Easy squeeze] tube [applicator][shape]



(Product Claims)

Odorless

Clean fresh scent

Effective Control [Relief][Prevention]

Fast [Quick] acting [Relief]

Starts working by contact

Dual-action for immediate and long-lasting effects

Quick acting, long lasting [treatment]

Long lasting and easy to use [apply]

[Flea prevention] Helps stop itching and scratching [from flea bites]

(IGR claims)

From ZODIAC®, the originator of Insect Growth Regulator [IGR] technology

[Plus][Contains][With] PRECOR® [vIGRen®], the first insect growth regulator for flea control

Contains [Features] an Insect Growth Regulator (IGR) to inhibit the development of flea eggs

Flea control for cats with [PRECOR®][vIGRen®] Insect Growth Regulator (IGR)

[(S)-Methoprene] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle at the egg stage

[(S)-Methoprene] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas [inhibits the development of flea eggs into adult fleas]

Controlling flea reproduction is the first step in controlling flea populations on your pet and in your home

[(S)-Methoprene] Insect Growth Regulator (IGR) prevents flea reinfestation on your pet and in your home

Flea treatment and preventative with an [insecticide] adulticide and Insect Growth Regulator (IGR)



9/12

(Brand claims)

We (Brand ) put(s) your pet(s) first  
Brand...putting (your pet) pets first  
Right choice = best defense  
Perfect choice  
Brand – caring & committed  
Brand makes the choice simple  
[Satisfaction guaranteed][Money-back guarantee]

(Formula claims)

Etofenprox provides a novel [smart] approach to flea, deer tick, and mosquito control  
Advanced Formula [for cats & kittens]  
Features [Contains] an [insecticide] adulticide to kill [and/or][control] adult fleas [deer ticks, and mosquitoes]

(Prevention claims)

Preventing fleas and deer ticks from infesting your pet is much easier than treating an existing problem  
Flea prevention has never been easier  
An excellent preventative, offering protection against fleas  
Prevents flea, deer tick, and mosquito infestations  
Prevents flea recurrence  
Control flea infestations by preventing them  
Flea prevention is the best flea control strategy  
Quick and sure flea, deer tick, and mosquito prevention  
A quick and sure way to avert a flea problem is to [prevent it] use a preventative  
It is far easier to prevent fleas than to control them  
Flea control involves [requires] preventative measures [for your pet][and][for your home]  
[[Year-round][Flea Treatment][Preventative]  
Use a flea preventative year-round (to prevent painful bites, itching and scratching, discomfort

(FRONT PANEL)

**ACTIVE INGREDIENTS:**

(S)-Methoprene (CAS # 65733-16-6) .....3.6%  
Etofenprox (CAS # 80844-07-1) .....40.0%

**OTHER INGREDIENTS:** .....56.4%

Total .....100.0%

**KEEP OUT OF REACH OF CHILDREN**

See back panel for ingredients and additional Precautionary Statements

EPA Reg. No. 2724-XXX

EPA Est. No.

Net Contents: (Number): 0.34 fl oz (1.0 cc) Applicator [tube] (Cats/Kittens over 2.5 lbs and under 5 lbs)/  
0.61 fl oz (1.8 cc) Applicator [tube] (Cats/Kittens over 5 lbs)

**READ ENTIRE LABEL BEFORE USE**

**USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND [OVER 2.5 LBS AND UNDER 5 LBS][5LBS AND OVER]**

**DO NOT ALLOW CHILDREN TO APPLY PRODUCT.**

[Specially formulated for cats [& kittens]][For use on cats only][Do not use on other animals]

**INTRODUCTION:**

[Brand] Flea & Tick Control for Cats is a topically applied long-lasting product specifically formulated for cats to prevent and control flea infestations. This product contains Etofenprox, which kills biting adult fleas, deer ticks and mosquitoes your cat may acquire from its surroundings. This product provides relief from flea infestations for up to 1 month by killing adult fleas on your cat or kitten and flea eggs in your home.

[RF2175 CCSO-K is a topically applied [long-lasting] product specifically formulated for cats and kittens with [containing] [it also contains] an insect growth regulator (IGR)[S-Methoprene][to prevent and control flea infestations][to kill fleas before they hatch][which prevents flea eggs from maturing into biting adults]. It [This product] also contains the highly effective flea, deer tick, and mosquito killing agent [Etofenprox][Brand Name], which kills biting adult fleas, deer ticks, and mosquitoes your cat may acquire from its surroundings. A single application of RF2175 CCSO-K will provide egg hatch inhibition for up to 30 days [1 month][4 weeks]. Each package contains enough product for xx monthly applications (xx days of protection [control]). RF2175 CCSO-K provides relief from flea infestations for up to 1 month [4 weeks] by killing adult fleas on your cat or kitten and flea eggs in your home. Adult fleas can live on your cat/kitten while producing vast numbers of eggs, which drop off your cat/kitten and develop in the surrounding environment. Normal insecticides will not kill the flea eggs, but RF2175 CCSO-K [is designed to] kill(s) adult fleas and flea eggs, breaking the flea life cycle and providing your cat relief from flea bites at the same time.]

[After application, your cat's natural skin oils [disperse] carry RF2175 CCSO-K over your cat's body for protection against biting adult fleas and the development of flea eggs. [(product) may stain leather and suede fabrics for (24)(24 to 48) hours after application.] Once adult fleas are evident on your cat, there is likely an infestation of flea eggs and flea larvae in your home. To completely kill the existing flea population, you may need to treat your home and your cat/kitten's bedding (home sprays, foggers), as well as your yard (yard spray/outdoor fogger) with traditional flea products approved for use on cats/kittens, around the home, or in your yard. RF2175 CCSO-K can be used in conjunction with other [Brand] premise products. As with all flea products, [they are] [RF2175 CCSO-K is] most effective when used as part of a total program aimed at reducing all stages of fleas in the cat's environment. [BRAND] products [They] are designed to complement each other in an integrated program for flea, deer tick, and mosquito management. To assure proper treatment, we recommend use of [Brand] products as directed to treat all pets in the household, as well as the indoor and outdoor home environments.]

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:**

This product works by application directly to the cat's skin, not to the hair. When applying, manually push aside cat's hair to allow direct application to the skin. Do not apply more than once every month. Do not use more than one tube/vial/cartridge per cat. Do not get this product in your cat's eyes or mouth.

**USE ONLY ON CATS AND KITTENS 12 WEEKS OF AGE AND OLDER.**

[1 ml [cc] [0.34 fl oz] dose for use on cats and kittens over 2.5 lbs and under 5 lbs.

1.8 ml [cc] [0.61 fl oz] dose for use on cats and kittens 5 lbs. and over (Same size applicators with different fill amounts)]

[APPLICATION METHOD]

1. [Bend at perforation and tear off 1<sup>st</sup> month's applicator.]
2. Hold [applicator] upright [and bend area of plastic at perforation, tear off and discard.] [Hold applicator upright] and snap tip back, away from face and body.
3. Prior to application of the product, gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the tip of the [applicator] tube on the cat's exposed skin and squeeze out the [entire] contents of the [applicator] tube onto the cat's skin.
4. Do not spread this product by hand over the cat. Do not bathe the cat within the first 24 hours after Spot On [squeeze on] has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.
5. [Repeat application once monthly.][Do not treat more than once per month.]
6. Discard empty applicator as described in STORAGE and DISPOSAL

Monthly treatments are required for optimal control and prevention of fleas.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats/kittens with this product rapidly kills fleas and may reduce the incidence of this condition.

Adding a Dose Reminder section to appear as follows on the back panel:

First Monthly Application: Month \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_  
 Second Monthly Application: Month \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_  
 Third Monthly Application: Month \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_  
 [Fourth Monthly Application: Month \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_]

Optional marketing text for subregistrant

[TREATMENT SCHEDULE

Dosage: 1 applicator every 30 days per cat

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1 <sup>st</sup> )	Third Treatment Date (30 Days From 2nd)

NOTES: \_\_\_\_\_

REMINDER: I purchased [Brand Name] \_\_\_\_\_ from \_\_\_\_\_

**STORAGE AND DISPOSAL:** **Pesticide Storage:** Store applicators together in a cool area away from children and animals. **Container Disposal: If empty:** Do not reuse empty applicator [tube]. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**HAZARDS TO HUMANS:** Wash your hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation



**HAZARDS TO ANIMALS:** For External Use on Cats Only. **Do not use on kittens less than 12 weeks old or on kittens weighing less than 2.5 lbs.** Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your cat/kitten with mild soap and rinse with large amounts of water. If signs continue, please call 1-800-xxx-xxxx or consult a veterinarian immediately. Due to the bitter taste of the product, oral exposure could result in salivation. Be careful not to get any product in the cat's mouth during application. For multiple cat households, prevent the cats from grooming each other until the product has dried. If the problem continues or other clinical signs are noted, please call 1-800-xxx-xxxx.

<b>FIRST AID</b>	
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-XXX-XXXX for emergency medical treatment information.	

**WARRANTY AND CONDITIONS OF SALE:**

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product information, call 1-800-xxx-xxxx [or contact your veterinarian if your pet is experiencing an adverse event].

To learn more about treating current infestations and preventing future outbreaks, please, visit our website: [URL]

[For more information, call our experts at 1-800-xxx-xxx (weekdays, 9am – 5 pm EST)]

To learn more, visit [URL]

For product use information, call [phone number] or visit our Web site: [URL]

Wellmark International  
1501 East Woodfield Road 200W  
Schaumburg, IL 60173  
Made in USA

**TEXT FOR LIQUID TUBE / CARTRIDGE / VIAL**

Product name

Etofenprox 40%, (S)-Methoprene 3.6%, Other Ingredients 56.4%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**READ DIRECTIONS BEFORE USING**

EPA Reg. No. 2724-XXX

Net Contents

For Use Only on Cats/Kittens 12 weeks of age or older and [5 lbs. and over] [over 2.5 lbs and under 5 lbs]