

2724-825

11/8/2012

1/21



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Registration No.

2724-825

Date of Issuance:

NOV - 8 2012

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

Term of Issuance:

**Conditional Registration
Expires November 8, 2014**

Name of Pesticide Product:

RF2180 KC A/T Combo

Name and Address of Registrant (include ZIP Code):

**Wellmark International
1501 E. Woodfield Road
Suite 200 West
Schaumburg, IL 60173**

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that:

1. This registration is time-limited and expires two years from the date this product is first released for shipment.

You must provide the Agency with a projected release for shipment date within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected release for shipment date until an actual release for shipment date is provided in writing.

2. The basic Confidential Statement of Formula (CSF) dated May 25, 2012 is the CSF of record and supersedes all previously accepted CSFs.

3. Make the following changes to the label:

- a. Revise the EPA Registration Number to read: "EPA Registration No. 2724-825".
- b. Place a large, clear picture of a cat in the weight range for the product as packaged on the front panel of the label.
- c. Remove the words "natural" and "naturally" wherever they appear on the label.
- d. Remove the phrase: "Normal insecticides will not kill the flea eggs"

4. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product for the quarter that begins on January 1, 2013. The quarterly reports are due two months after the quarter ends. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division, Immediate Office (attn: Kimberly Nesci).

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number
 Product name (brand name)
 Lot #
 Where purchased: internet, store, veterinarian.
 Active Ingredient(s)
 Weight range for product

Date on which incident occurred. (mm/dd/yyyy)
 State in which the incident occurred. (standard 2 letter abbreviation)
 Registrant case #

Species: dog, cat, other (specify)
 Breed: (as reported by pet owner)
 Age: months or years
 Sex: M, F, or neutered
 Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 Body System: neurological, dermatological, GI, respiratory, ocular, other
 Major signs noted with separate column for each sign, using standard terminology
 Time to Onset: (hours, days)
 Treated by veterinarian: yes or no
 First time product used: yes or no
 Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 Any known precondition
 EPA Severity Code: death, major, moderate, minor
 Outcome: died, recovered, still treated, unknown

1. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for cats showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

- A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for cats showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - A summary table showing the number of cat incidents for each severity code for each pet weight range on the product label (if applicable).
 - A summary table for cat weight showing number of incidents for each product weight range. This table should show number of incidents in cats weighing less than that product weight range, number of incidents in cats in lower half of weight range, number of incidents in cats in upper half of weight range, and cats weighing more than the product weight range (if applicable).
 - Table showing number of incidents for each cat breed, where provided.
 - Table showing number of incidents in cats for each clinical sign.
 - Table showing number of incidents in cats for each organ system.
 - Report aggregate incidents, but do not combine moderate and minor incidents.
2. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for reregistration of your product under FIFRA section 4.
3. The acute toxicity profile for this product is as follows:

Route of Exposure	Toxicity Category
Acute oral toxicity	IV
Acute dermal toxicity	IV
Acute inhalation toxicity	IV
Primary eye irritation	IV
Primary skin irritation	IV
Dermal sensitization	Non-sensitizer

A stamped copy of the label and copies of the Data Evaluation Records (DERs) are included for your file. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A copy of your label stamped "Accepted with Comments" is enclosed for your records.

4/
21

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action. If you have any questions concerning this registration, please contact Kevin Sweeney at (703) 305-5063.

Signature of Approving Official:

Kevin Sweeney R.
Richard Gebken, Product Manager (10)
Registration Division, Insecticide Branch

Date:

NOV = 8 2012

EPA Form 8570-6


Enclosure

Kills/Repels/Controls Claims

[Actively] Kills [Controls] [adult] fleas, deer ticks, [flea larvae], and flea eggs for [up to][4 weeks][1 month][per application]
 [Protects for up to [Four/4] Weeks][One month][Four/4 Week [Flea] [Deer Tick][Mosquito] Treatment] [1 month][monthly][flea, deer tick, & flea egg][protection
 Monthly treatment for [fleas, flea eggs, & deer ticks]
 Once-a-month [topical][Spot On®] protection from fleas, and deer ticks,
 [Reapply monthly] [Suitable for year-round use][Month] sticker for home calendar
 [Kills adult fleas, deer ticks, mosquitoes, flea eggs and flea larvae] [Dual protection (against fleas and deer ticks)]
 Starts killing fleas within 15 minutes
 Starts working on contact
 [Dual Action kills adult fleas and prevents flea development]
 [Actively] Kills [adult][fleas][deer ticks][flea eggs][larvae][&][and][mosquitoes][by contact]
 Kills [and/or Repels] mosquitoes [for up to 28 days][by contact]
 [Kills Fleas and Deer Ticks by Contact]
 Controls fleas, deer ticks, and mosquitoes & prevents flea reinfestations
 [Kills deer ticks] (for up to 1 month [4 weeks]) [per application]
 Monthly application for most effective protection
 Protects your [cat][kitten] from fleas, deer ticks, and mosquitoes (which may transmit heartworm)
 Effectively controls fleas, deer ticks, and mosquitoes
 Kills [Controls] deer ticks that may transmit [Lyme disease][and Cytauzoonosis] for up to [1 month][4 weeks]
 Protect your [cat/kitten] from [against] deer ticks that may transmit Lyme disease
 Kills [and repels] mosquitoes that may transmit heartworm
 Prevents mosquitoes from feeding on cats
 Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation
 Preventative treatment for fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation
 Controls fleas, deer ticks, and mosquitoes that cause highly irritating [insect] bites

[All text below represents one label statement with any selected line]
 [Protect your family and cat/kitten from:]
 [When your cat has fleas and ticks, your family and cat/kitten may be exposed to:]

Fleas that may cause:
 Flea allergy dermatitis
 Tapeworm infestation



IGR /Flea egg/life cycle Claims:

[Plus][Contains][With] PRECOR® [vIGRen®][S-Methoprene][InfestStop], the first insect growth regulator for flea control

Contains [Features][InfestStop] an Insect Growth Regulator (IGR) to inhibit the development of flea eggs

Flea control for cats with [PRECOR®][vIGRen®] [InfestStop] Insect Growth Regulator (IGR) [(S)-Methoprene][InfestStop] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle [at the egg stage]

[(S)-Methoprene][InfestStop] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas and [inhibits the development of flea eggs into adult fleas]

Controlling flea reproduction is the first step in controlling flea populations on your cat/kitten [(S)-Methoprene][InfestStop] Insect Growth Regulator (IGR) prevents flea reinfestation on your cat/kitten

Flea treatment and preventative with an [insecticide] adulticide and [InfestStop] Insect Growth Regulator (IGR)

[With [S-Methoprene][InfestStop] Insect Growth Regulator [IGR] to Break Flea Life Cycle]

Controls[Kills][Lasts][Works][Protects] flea infestations for up to [1 month][4 weeks]

[Contains [InfestStop] an Insect Growth Regulator (IGR) to kill flea eggs and prevent flea development for [1 month][30 days][4 weeks]

[Controls flea reinfestation for [1 month][30 days][4 weeks]

Breaks the flea life cycle for [up to] [1 month][4 weeks][30 days]

Kills [Controls] flea eggs for up to [30 days][1 month][4 weeks][per application]

Kills flea eggs, the source of home flea infestations and cat/kitten re-infestations, for up to [30 days][1 month][4 weeks]

[Kills][Prevents][Keeps] flea eggs from hatching for up to [30 days][1 month][4 weeks]

Prevents flea eggs from developing into biting adults for up to [30 days][1 month][4 weeks][per application]

Prevents re-infestation for up to [1 month][30 days][4 weeks]

Advanced [topical][flea egg treatment] that's easy and convenient to use

An effective flea topical [A Spot On®] product that kills adult fleas and halts the development of flea eggs [immature stages in the flea life cycle]

Controls existing fleas and flea eggs, plus [and][prevents] future flea infestations

Interrupts normal flea development [Stops the flea life cycle]

Interrupts the flea life cycle

Kills [flea] eggs before they hatch into biting adults

Kills hatching [developing] flea eggs

One-two punch controls fleas and flea eggs

Plus kills flea eggs and larvae to prevent future infestations

Prevention Claims

Preventing fleas and deer ticks from infesting your cat/kitten is much easier than treating an existing problem

Flea prevention has never been easier

An excellent preventative, offering protection against fleas

Prevents flea, deer tick, and mosquito infestations

Prevents flea recurrence

Control flea infestations by preventing them

Flea prevention is the best flea control strategy

Quick and sure flea, deer tick, and mosquito prevention


A quick and sure way to avert a flea problem is to [prevent it] use a preventative

It is far easier to prevent fleas than to control them

Flea control involves [requires] preventative measures [for your cat/kitten][and]

[Year-round][Flea Treatment][Preventative]

Use a flea preventative year-round (to prevent painful bites, itching and scratching, discomfort)



Application claims

[#] pack [# days'] [#] doses [1/2/3/4/5/6] months supply
 One tube gives [1 month][4 weeks] of protection
 [Pre-measured][Convenient][and][&][No mess][easy][simple] to [use][handle][apply] disposable applicator [tube]
 Convenient [and effective], once-a-month [liquid][topical][Spot On] solution
 Practical solution
 Simple choice [flea & deer tick control]
 A [One] simple application provides your cat/kitten with protection for up to [1 month]
 Apply to one spot for head to tail (total body) flea protection [control]
 Apply to 1 spot - spreads over the cat's/kitten's [entire] body [from head to tail] through natural skin oils
 Spreads naturally with cat's/kitten's skin oils
 [Plus] Contains a coat conditioner
 [Once][One] Monthly Application
 Easy to use [once] monthly application [liquid] prevents [and controls] fleas [& deer ticks]
 Reapply [Repeat] [once] monthly
 Repeat [treatment] every month
 Monthly Control [Relief][treatment]

Applicator Claims

Unique shape [for cats & kittens 5 lbs and over][for cats & kittens over 2.5 lbs and under 5 lbs]
 [New][Exclusive][Pinpoint][Applicator] for [pinpoint][exact][direct][easy][direct to skin] application
 For pinpoint accuracy
 Helps provide accurate dosing
 Provides just the right dose [in just the right place]
 Direct to your cat's/kitten's skin
 Easily penetrates hair
 The [exclusive][new] applicator [tube][easily penetrates hair][fur][coat] for [improved][direct] application [directly to your cat's/kitten's skin]
 Easy to apply [identify][use] applicator [tube]
 The right choice [applicator][tube] for the right cat/kitten
 Make [Select] the right choice [applicator][tube][shape]
 Choice [selection] is simple
 Easy choice
 Simple choice delivery system
 Easy to use applicator [tube] [provides direct on-animal protection]
 EZ-squeeze [Easy squeeze] tube [applicator][shape]
 [New] [applicator]
 [New] contemporary design
 [brand name] [Applicator] [helps to] prevent getting liquid on [your] hands
 [brand name] (Applicator) tip parts hair to help [liquid][application] get down to [the][your][cat's/kitten's] skin
 Ergonomically contoured [ergonomic][shape][design] for easy handling [ease of use] [easy use]
 For use with [only][brand name][disposable][liquid dispensing] tubes [vials] [cartridges] c c c c
 [brand name] [applicator][has][provides][allows for][delivers] better grip c c c c
 [brand name][provides] re-closable [re-sealable] packaging for [easy] storage c c c c
 Closing [the][brand name applicator] door automatically opens the [disposable][liquid dispensing] tube c c
 [vial][cartridge] c c c c c c
 [Includes] unique [brand][applicator] c c c c
 Puts the liquid on your cat/kitten - not your hands c c c c c c c c
 Directs the liquid onto your cat/kitten - not your hands [away from your hands] c c c c c c
 Applies liquid to your cat's/kitten's skin - not yours c c c c c c c c
 Helps prevent applying the wrong spot-on [dose] [product] on [to] the wrong pet c c c c c c
 A more confident, secure application c c c c c c
 Convenient, easy to use ACCU-TIP [Applicator] [DISPENSER] c c c c c c
 Will not drip after opening c c c c c c

10/
21

Brand Claims

We (Brand) put(s) your pet(s) first
Brand... putting (your pet) pets first
Smarter Pet Care
Right choice = best defense
Perfect choice
Brand – caring & committed
Brand makes the choice simple
[Money-back guarantee]

(FRONT PANEL)

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS # 65733-16-6)..... 3.6%
Etofenprox (CAS # 80844-07-1)..... 40.0%


OTHER INGREDIENTS:..... 56.4%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN
See back panel for additional Precautionary Statements

EPA Reg. No. 2724-xxx
EPA Est. No.

Net Contents: **xxx fl oz**
Lot Number



11/
21

SUBLABEL A – APPLICATOR DEVICE PACKAGE

1. DIRECTIONS FOR USE WITH APPLICATOR

READ ENTIRE LABEL BEFORE USE

USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND [OVER 2.5 LBS AND UNDER 5 LBS][5 LBS AND OVER]

DO NOT APPLY TO CATS WEIGHING LESS THAN 2.5 [5] LBS.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

[Specially formulated for cats [& kittens]][For use on cats only][Do not use on other animals]

INTRODUCTION:

A unique, convenient applicator for you.

The new [brand] Applicator is specially designed to make applying flea and tick control easier, more precise -- and neater - than ever before. You simply insert the appropriate [brand] tube [vial][cartridge] for your cat/kitten into the applicator, close it and squeeze to apply. The applicator's ergonomic, contoured shape [design] makes it easy to grip and a built-in fin [tip] [comb] helps to spread [part] the [your] cat's/kitten's hair to allow the liquid to more readily [better] reach [apply] the [to] [your cat's/kitten's] skin. The tube [vial] [cartridge] is sealed inside, so you can be confident that the liquid goes onto your cat/kitten - and not your hand.

[RF2180 A/T Combo] is a topically applied [long-lasting] [flea and tick treatment] product specifically formulated for cats and kittens with [containing] [it also contains] an insect growth regulator (IGR)[S-Methoprene][InfestStop] [to prevent and control flea infestations][to kill fleas before they hatch][which prevents flea eggs from maturing into biting adults]. It [This product] also contains the highly effective flea, deer tick, and mosquito killing agent [Etofenprox], which kills biting adult fleas, deer ticks, and mosquitoes your cat/kitten may acquire from its surroundings. A single application of [RF2180 A/T Combo] will provide flea egg hatch inhibition for up to 30 days [1 month][4 weeks]. Each package contains enough product for xx monthly applications (xx days of protection [control]). [RF2180 A/T Combo] provides relief from flea infestations for up to 1 month [4 weeks][30 days] by killing adult fleas and flea eggs on your cat or kitten. Adult fleas can live on your cat while producing vast numbers of eggs, which drop off your cat and develop in the surrounding environment. Normal insecticides will not kill the flea eggs, but [RF2180 A/T Combo] [is designed to] kill(s) adult fleas and flea eggs, breaking the flea life cycle and providing your cat/kitten relief from flea bites at the same time.

After application, your cat's/kitten's natural skin oils [disperse] carry [RF2180 A/T Combo] over your cat's/kitten's body for protection against biting adult fleas and the development of flea eggs.

[(This product) may stain leather and suede fabrics for (24)(24 to 48) hours after application.]

Once adult fleas are evident on your cat/kitten, there is likely an infestation of flea eggs and flea larvae in your home. To completely kill the existing flea population, you may need to treat your home and your cat's bedding (home sprays, foggers), as well as your yard (yard spray/outdoor fogger) with traditional flea products approved for use on pets, around the home, or in your yard.

[RF2180 A/T Combo] can be used in conjunction with other [Brand Name] premise products. As with all flea products, they are [RF2180 A/T Combo is] most effective when used as part of a total program aimed at reducing all stages of fleas in the cat's/kitten's environment. [Brand Name] products [They] are designed to complement each other in an integrated program for flea, deer tick, and mosquito management. To assure proper treatment, we recommend use of [Brand Name] products as directed to treat all pets in the household, as well as the indoor and outdoor home environments.]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label. [If you choose to apply treatment directly to cat without using the applicator device, read and follow the Directions For Use for Direct Application to Cat on this package.]

12/21

[This product contains xx monthly dosages [one monthly dose], each (1 [0.034 fl oz] and 1.8 ml [cc] [0.061 fl oz]).

USE RESTRICTIONS:

Do not use more than one tube/vial/cartridge per cat and do not apply more than once every month. Do not get this product in your cat's eyes or mouth. Do not allow your cat to ingest this product. Use only on cats 12 weeks of age and older. Do not apply to cats weighing less than 2.5 [5] lbs (required for smallest size).

RF2180 A/T COMBO works by application directly to the cat's/kitten's skin, not to the hair. When applying, use applicator device tip to push aside cat's/kitten's hair to allow direct application to the skin. [(Note: Application now assumes one tube[vial] [cartridge] per cat per application)]

The RF2180 A/T COMBO provides a unique applicator device that allows cat/kitten owners to treat their cats/kittens more securely, and dispose of liquid cartridges [tubes][vials]with less mess. [Note: Each package contains sufficient cartridges/tubes/vials for [X] applications]

[1 ml [cc] [0.034 fl oz] dose for use on cats and kittens over 2.5 lbs and under 5 lbs only .
1.8 ml [cc] [0.061 fl oz] dose for use on cats and kittens 5 lbs. and over only (Same size applicators with different fill amounts)]

To apply the [RF2180 A/T COMBO] treatment, use one disposable liquid cartridge [tube][vial] [for each application] with the applicator device. [bullets may be used instead of numbers]

1. OPEN [icon]

Use finger scoop to lift open [color] door [of applicator device].

2. LOAD [icon]

[To Load, place tube [cartridge] [vial] white side up [under the [color] tabs] into the applicator] [with [tip end]][front] of tube placed under tab on door] [Tip end of tube [cartridge] must fit under the [U-shaped] [notch][tab] in the [color] [lid] [door]]. [Ensure that tube [cartridge][vial] fits securely in the applicator.]

3. CLOSE [icon]

[Gently] close the [color, e.g. green] door [and] the tube will snap open.

4. APPLY [icon]

The cat/kitten should be standing for easy application.

[To apply, use tip to part hair and get next to cat's/kitten's skin at the base of the skull. Press [shape e.g. square] [thumb pad][button] on [color] door and squeeze out the entire contents of the applicator [tube] [cartridge] onto the cat's/kitten's skin.]

-OR-

[To **APPLY** Use front edge of applicator to part fur and get next to cat's/kitten's skin at one spot at the base of the skull. Press [shape e.g. square] [button] on door. Repeat until tube is empty.]

-OR-

[To **APPLY** Use tip to part fur and get next to cat's/kitten's skin. **Press** [shape e.g. square] [button] on door [x times to empty tube] at one spot at the base of the skull.]

Do not spread RF2180 A/T COMBO by hand over the cat/kitten. Do not bathe the cat/kitten within the first 24 hours after Spot On® [squeeze on] has been applied. Households with more than one cat/kitten should prevent cats/kittens from grooming each other until solution has dried.

5. DISPOSE [icon]

To dispose of empty tube, open [color, e.g. green] door and drop [empty] tube into trash or offer for recycling if available. Close applicator device door and [return applicator to package until next use][store in original package.]

6. RETREAT AFTER 30 DAYS

Do not reapply product for 30 days. Do not treat more than once per month.
[Note: Each package contains sufficient cartridges/tubes/vials for [X] applications]

RF2180 A/T COMBO is most effective when used as part of a total flea and tick management program. Use other [Brand Name] products registered for residential area control of these pests in conjunction with this treatment. Monthly treatments are required for optimal control and prevention of fleas.[The successive feeding activity of fleas on cats may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with RF2180 A/T COMBO rapidly kills fleas and may reduce the incidence of this condition.](Optional marketing text for subregistrant)

[TREATMENT SCHEDULE

Dosage: Use only 1 applicator every 30 days per cat/kitten

Cat's/Kitten's Name	First Treatment Date	Second Treatment Date (30 Days From 1 st)	Third Treatment Date (30 Days From 2nd)

NOTES:

REMINDER: I purchased [Brand Name] from _____]

STORAGE AND DISPOSAL: Storage: Store in a cool, dry area away from children and animals.


Do not store unused applicators [tubes][cartridges] separately from their packaging. **Liquid Cartridge [vial] [tube] Disposal: If empty:** Do not reuse empty cartridge [vial] [tube]. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS: Wash your hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO ANIMALS: For External Use on Cats Only. **Do not use on kittens weighing less than 2.5 [5] pounds or on kittens less than 12 weeks old.** Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your cat with mild soap and rinse with large amounts of water. Due to the bitter taste of the product, oral exposure could result in salivation. Be careful not to get any product in the cat's mouth during application. For multiple cat households, prevent the cats from grooming each other until the product has dried. If signs continue, please call 1-800-brand phone number or consult a veterinarian immediately.



FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-brand phone number for emergency medical treatment information.	

WARRANTY AND CONDITIONS OF SALE:

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product information, call 1-800-xxx-xxxx or contact your veterinarian if your cat/kitten is experiencing an adverse event.

To learn more about treating current infestations and preventing future outbreaks, please, visit our website: [URL]

[For more information, call our experts at 1-800-xxx-xxx (weekdays, 9am – 5 pm EST)]

To learn more, visit [URL]


For product use information, call [phone number] or visit our Web site: [URL]

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, IL 60173
Made in USA

SIDE EFFECTS: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or [brand name] at 1-800-brand phone number.

TEXT FOR LIQUID TUBE / CARTRIDGE / VIAL


Product name
Etofenprox 40%, (S)-Methoprene 3.6%
KEEP OUT OF REACH OF CHILDREN
READ DIRECTIONS BEFORE USING
EPA Reg. No. 2724-xxx
Net Contents xx fl oz
Lot Number
For Use Only on Cats/Kittens [5 lbs. and over] [over 2.5 lbs but under 5 lbs] & 12 weeks of age or older




Directions for Use/Icons

To apply the treatment, use applicator device with **ONLY ONE** liquid tube per application / per cat

Use finger scoop to lift **OPEN** pink door




To **LOAD** place tube **WHITE** side **UP** into applicator with tip end of tube placed under tab on door





Gently **CLOSE** door the tube will snap open.

To **APPLY** Use tip to part fur and get next to cat's skin. **Press** square on door at one spot between shoulders



To **DISPOSE** of empty tube open door and drop tube into trash

16/21

2. DIRECTIONS FOR USE FOR DIRECT APPLICATION TO CAT

READ ENTIRE LABEL BEFORE USE

USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND [OVER 2.5 LBS AND UNDER 5 LBS][5 LBS AND OVER]

DO NOT APPLY TO CATS WEIGHING LESS THAN 2.5 [5] LBS.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

[Specially formulated for cats [& kittens]][For use on cats only][Do not use on other animals]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label.

[This product contains xx monthly dosages [one monthly dose], each (1 [0.034 fl oz] and 1.8 ml [cc] [0.061 fl oz]).

USE RESTRICTIONS:

Do not use more than one tube/vial/cartridge per cat and do not apply more than once every month. Do not get this product in your cat's eyes or mouth. Do not allow your cat to ingest this product. Use only on cats 12 weeks of age and older. Do not apply to cats weighing less than 2.5 [5] lbs (required for smallest size).

RF2180 A/T COMBO works by application directly to the cat's/kitten's skin, not to the hair.

[(Note: Application now assumes one tube[vial] [cartridge] per cat per application)] [bullets may be used instead of numbers]


[APPLICATION METHOD]

1. **OPEN** [icon]: [Remove one applicator tube from the package and hold in an upright position (pointed away from your face).] [Bend at perforation and tear off 1st month's applicator.] [Hold applicator upright] and snap tip back, away from face and body.
2. **APPLY** [icon]: The cat/kitten should be standing for easy application. Use tip of [vial][tube] [cartridge] prior to application of the product, to gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the tip of the [vial] tube [cartridge] on the cat's exposed skin and squeeze out the [entire] contents of the [vial] tube [cartridge] onto the cat's skin.

Do not spread RF2180 A/T COMBO by hand over the cat/kitten. Do not bathe cat within the first 24 hours after Spot On® [squeeze on] has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.

3. **DISPOSE** [icon]: To dispose of empty [tube][vial][cartridge], drop [empty] tube [vial][cartridge] into trash or offer for recycling if available.
4. **RETREAT:** Repeat application once monthly.

[Note: Each package contains sufficient cartridges/tubes/vials for [X] applications]
[1 ml [cc] [0.034 fl oz] dose for use on cats and kittens over 2.5 lbs and under 5 lbs only .
1.8 ml [cc] [0.061 fl oz] dose for use on cats and kittens 5 lbs. and over only (Same size applicators with different fill amounts)]



19/21

(Back Panel)

READ ENTIRE LABEL BEFORE USE

USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND [OVER 2.5 LBS AND UNDER 5 LBS][5 LBS AND OVER]

DO NOT APPLY TO CATS WEIGHING LESS THAN 2.5 [5] LBS.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

[Specially formulated for cats [& kittens]][For use on cats only][Do not use on other animals]

INTRODUCTION:

The new [brand] Applicator is specially designed to make applying flea and tick control easier, more precise -- and neater - than ever before. You simply insert the appropriate [brand] tube [vial][cartridge] for your cat/kitten into the applicator, close it and squeeze to apply. The applicator's ergonomic, contoured shape [design] makes it easy to grip and a built-in fin [tip] [comb] helps to spread [part] the [your] cat's/kitten's hair to allow the liquid to more readily [better] reach [apply] the [to] [your cat's/kitten's] skin. The tube [vial] [cartridge] is sealed inside, so you can be confident that the liquid goes onto your cat/kitten - and not your hand.

[RF2180 A/T Combo] is a topically applied [long-lasting] [flea and tick treatment] product specifically formulated for cats and kittens with [containing] [it also contains] an insect growth regulator (IGR)[S-Methoprene][InfestStop][to prevent and control flea infestations][to kill fleas before they hatch][which prevents flea eggs from maturing into biting adults]. It [This product] also contains the highly effective flea, deer tick, and mosquito killing agent [Etofenprox], which kills biting adult fleas, deer ticks, and mosquitoes your cat/kitten may acquire from its surroundings. A single application of [RF2180 A/T Combo] will provide flea egg hatch inhibition for up to 30 days [1 month][4 weeks]. Each package contains enough product for xx monthly applications (xx days of protection [control]). [RF2180 A/T Combo] provides relief from flea infestations for up to 1 month [4 weeks][30 days] by killing adult fleas and flea eggs on your cat or kitten. Adult fleas can live on your cat while producing vast numbers of eggs, which drop off your cat and develop in the surrounding environment. Normal insecticides will not kill the flea eggs, but [RF2180 A/T Combo] [is designed to] kill(s) adult fleas and flea eggs, breaking the flea life cycle and providing your cat/kitten relief from flea bites at the same time.

After application, your cat's/kitten's natural skin oils [disperse] carry [RF2180 A/T Combo] over your cat's/kitten's body for protection against biting adult fleas and the development of flea eggs. [(This product) may stain leather and suede fabrics for (24)(24 to 48) hours after application.] Once adult fleas are evident on your cat/kitten, there is likely an infestation of flea eggs and flea larvae in your home. To completely kill the existing flea population, you may need to treat your home and your cat's bedding (home sprays, foggers), as well as your yard (yard spray/outdoor fogger) with traditional flea products approved for use on pets, around the home, or in your yard. [RF2180 A/T Combo] can be used in conjunction with other [Brand Name] premise products. As with all flea products, they are [RF2180 A/T Combo is] most effective when used as part of a total program aimed at reducing all stages of fleas in the cat's/kitten's environment. [Brand Name] products [They] are designed to complement each other in an integrated program for flea, deer tick, and mosquito management. To assure proper treatment, we recommend use of [Brand Name] products as directed to treat all pets in the household, as well as the indoor and outdoor home environments.]

[Note: full Directions for Use to be used if space allows]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label.

1. DIRECTIONS FOR USE WITH APPLICATOR

[To apply the RF2180 A/T Combo treatment with the [Brand Name] applicator, use one disposable liquid [cartridge][tube][vial][for each application] with the applicator device.]

[Remove one refill [cartridge][tube][vial] from the package and insert into opened [Brand Name] applicator device. Make application according to label directions supplied with the [Brand Name] applicator device.] If you need directions for application, please call 1-800-(brand phone number).

[If you choose to apply directly to cat without using the applicator device, read and follow the Directions For Use for Direct Application to Cat on this package.]

2. DIRECTIONS FOR USE FOR DIRECT APPLICATION TO CAT

READ ENTIRE LABEL BEFORE USE

USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER AND [OVER 2.5 LBS AND UNDER 5 LBS][5 LBS AND OVER]

DO NOT APPLY TO CATS WEIGHING LESS THAN 2.5 [5] LBS.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

[Specially formulated for cats [& kittens]][For use on cats only][Do not use on other animals]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all directions and precautions on this product label.

[This product contains xx monthly dosages [one monthly dose], each (1 [0.034 fl oz] and 1.8 ml [cc] [0.061 fl oz]).

USE RESTRICTIONS:

Do not use more than one tube/vial/cartridge per cat and do not apply more than once every month. Do not get this product in your cat's eyes or mouth. Do not allow your cat to ingest this product. Use only on cats 12 weeks of age and older. Do not apply to cats weighing less than 2.5 [5] lbs (required for smallest size).

RF2180 A/T COMBO works by application directly to the cat's/kitten's skin, not to the hair. [(Note: Application now assumes one tube[vial] [cartridge] per cat per application)] [bullets may be used instead of numbers]

[APPLICATION METHOD]

- OPEN** [icon]: [Remove one applicator tube from the package and hold in an upright position (pointed away from your face).] [Bend at perforation and tear off 1st month's applicator.] [Hold applicator upright] and snap tip back, away from face and body.
- APPLY** [icon]: The cat/kitten should be standing for easy application. Use tip of [vial][tube] [cartridge] prior to application of the product, to gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the tip of the [vial] tube [cartridge] on the cat's exposed skin and squeeze out the [entire] contents of the [vial] tube [cartridge] onto the cat's skin.

Do not spread RF2180 A/T COMBO by hand over the cat/kitten. Do not bathe cat within the first 24 hours after Spot On® [squeeze on] has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.

