CAUTION
HANDLING INSTRUCTIONS

DANGER [illegible] CLOTHING [illegible] NOT CONTAMINATE FEED AND [illegible] storage [illegible]
Store in a cool dry [illegible] away from [illegible] out of reach of children and [illegible] closed

WARNING FLAMMABLE! Keep away from heat or open flame

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

FIRST AID TREATMENT

Persons who show digestive upset, nausea, vomiting, cramps, diarrhea, sweating, excessive salivation, restlessness, giddiness, headache, muscular tremors and twitching of facial and eye muscles soon after exposure to EPN must be taken to a doctor immediately.

CALL A PHYSICIAN AT ONCE

SKIN: Wash immediately with plenty [illegible] soap and water. Remove all contaminated clothing a[illegible]h before reuse.
EYES: Flush immediately with large [illegible]unts of water.

PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mount to an unconscious person.

TREATMENT: Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine. DO NOT ADMINISTER MORPHINE.

Rev. [illegible]

RESTRICTED USE PESTICIDE

FO[R] RETAIL SALE TO AND USE ONLY BY CE[RTI]FIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

PUEBLO

E P N

EMULSIFIABLE CONCENTRATE

ACIVE INGREDIENTS	By Weight
O-ethyl O-p nitrophenyl phenylphosphonothioate (EPN)	47.6%
Xylene	38.2%
INERT INGREDIENTS	14.2%
TOTAL	100.0%

Contains 4 lbs. EPN per gallon

POISON
DANGER

KEEP OUT OF REACH OF CHILDREN.
Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panels for additional required warnings and antidote statement.

Manufactured by

PUEBLO CHEMICAL & SUPPLY CO.

[illegible]

DIRECTIONS

[illegible]

EUROPEAN CORN BORER: [illegible] 10 days [illegible] evidence [illegible] apply when eggs [illegible]

SWEET CORN: [illegible] Make first application [illegible] leaf feeding. Continue [illegible] For second [illegible]

ADULT CORN ROOTWORM BEETLE: Apply at the rate of [illegible] per acre in sufficient water to give complete coverage.

DO NOT APPLY within 14 days of harvest.

ACCEPTED
OCT 2 1981
Under [illegible]
Fungicide, and R[illegible]
as amended, for the p[illegible]
registered under
EPA Reg. No. 2737-17

NOTICE OF WARRANTY

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of storage, use and/or handling of this material when use and/or handling is contrary to or beyond the uses set forth in this label.

[illegible]