



ETHION MISCIBLE

ACTIVE INGREDIENTS:

*Ethion (O, O, O', O'-Tetraethyl S, S'-Methylene bisphosphorodithioate	46.5%
Xylene	35 %
Petroleum Distillate	10 %

INERT INGREDIENTS 8.5%

TOTAL 100.0%

*U.S. Patent No. 2,873,228
Contains 4 lb. Ethion per gallon

WARNING -- KEEP OUT OF THE REACH OF CHILDREN. Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panels for additional required warnings and antidote statement.

Manufactured by

PUEBLO CHEMICAL & SUPPLY CO.

611 SANTA FE DRIVE PUEBLO, COLORADO

Contains _____ Gal.

ORNAMENTAL TURF (COMMERCIAL USE) Chinch Bugs and Webworm Use 0.33 to 0.5 pt. per 1000 sq. ft. of turf applied in 20 gals. of water or 1.67 to 2.5 pts. in 100 gals. of water to treat 5000 sq. ft. To treat one acre, use 1.75 to 2.5 gals. applied in 800 gals. of water. It is important that the spray penetrate through the mat of turf to reach the insects. It helps to have the turf well irrigated prior to treatment.

Not for use or storage in or around the home.

WARNING

Keep children and animals off treated areas until this material has been thoroughly watered into soil and the grass has completely dried.

Workers entering treated fields within 24 hours should wear protective clothing.

Avoid contact with skin, eyes or clothing. Do not breathe spray mist. Wash after handling.

Do not contaminate or store near feed or foodstuff.

FIRST AID

Persons who show a contraction of eye pupils or have headaches, nausea or other signs of illness while or soon after handling Ethion must be taken to a doctor at once.

SKIN: Wash immediately with plenty of soap and water. Remove all contaminated clothing and wash before re-use.

EYES: Flush immediately with large amounts of water.

INTERNAL: If swallowed, immediately induce vomiting (finger down throat) or administer a tablespoon of salt in a glass of warm water and repeat until vomit is clear.

CALL PHYSICIAN AT ONCE

Atropine is antidotal. 2-Pam is also antidotal and may be administered in conjunction with Atropine.

USAGE WARNING

Do not use if material does not emulsify.

Do not use or store near heat or open flame.

Do not store at temperatures below 0° F.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Rinse equipment and containers and **DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container; smash or perforate and bury with wastes. Do not burn.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

WARRANTY AND LIMITATION OF DAMAGES

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

U.S.D.A. Reg. No. 2737-25

ects first appear and control. Use in suffi- otherwise noted for r leaf surfaces is es- tions. If insect con- pattern, supplement pesticides. Observe harvest indicated by

x the recommended minimum of 1 gal- in 2 quarts are re- provide a minimum of Ethion Miscible

Bean Leaf Beetle, Mite - 0.5 to 1 pt. Do not feed treat-

us Bugs - 1 qt. per k.

wo-spotted Spider in 1 application af- idder to livestock.

: Serpentine Leaf acre. - 0.5 to 1 pt. per

Leaf Miner, Two- eafhopper - 1.5 to

f Miner - 1 pt. per per acre.

Mite - 0.5 to 1.0 n and repeat 4 to 130 days of treat- eason. Some leaf eties.

ider Mite, Two-

ite, Rosy Apple dormant oil per delayed dormant nd viscosity pre-

pedes - SOIL water and apply or respirator ap-

o-spotted Spider needle drop on

ACCEPTED
5/18/1971 | 2737-25